

AI SDR — Setup Requirements Checklist

Here's everything you need to provision before wiring the scenario in Make.com.

1. Accounts & Subscriptions

#	Requirement	Plan / Tier	Why	Link
1	Make.com account	Core plan minimum (\$9/mo) — Free tier works for testing but caps at 1,000 ops/mo and 15-min interval	Needed for the OpenAI + Google Sheets + Webhook modules and scheduled scenarios	https://www.make.com/en/pricing
2	OpenAI API account (Platform, <i>not</i> ChatGPT Plus)	Pay-as-you-go with billing enabled; ~\$5 min credit	Provides the API key for the OpenAI module. GPT-4o-mini recommended for cost, GPT-4o for best qualification quality	https://platform.openai.com/signup
3	Google Workspace or personal Google account	Free Gmail works	Hosts the Google Sheet CRM and authorizes the	https://accounts.google.com

#	Requirement	Plan / Tier	Why	Link
			Google Sheets module	
4	<i>(Optional)</i> KBB.com	No API — reference only	Prompt cites KBB pricing ranges; no subscription required	https://www.kbb.com
5	<i>(Optional)</i> Chat front-end — Telegram Bot, WhatsApp (Twilio), Slack, or a Lovable web chat	Free tiers available	User-facing channel that sends messages into the Make webhook	—

2. Google Sheet — "Lead Database"

Create a new Google Sheet titled exactly: Lead Database **Tab (worksheet) name:** Leads

Row 1 headers (paste into A1:Q1, in this exact order):

first_name | last_name | email_address | mobile_number | car_make | car_model | car_year | new_or_used |
purchase_or_lease | lead_stage | budget | authority | need | timeline | conversation_summary | kbb_url | updated_at

Formatting:

- Freeze row 1 (View → Freeze → 1 row)
- Column C (email_address) → format as Plain text (used as unique key for upsert)
- Column D (mobile_number) → format as Plain text (preserves leading zeros / +)
- Column K (budget) → format as Currency (USD)
- Column Q (updated_at) → format as Date time

Sharing: keep private; Make.com's Google connection authorizes access via OAuth.

3. API Keys & Credentials to Collect

Before building the scenario, have these ready:

- **OpenAI API key** — <https://platform.openai.com/api-keys> (starts with sk-...)
- **Google account** signed into Make.com via *Connections* → *Add* → *Google*
- **Make.com webhook URL** — generated when you add the *Webhooks* → *Custom webhook* trigger module
- **Chat channel credentials** (only if using Telegram/Twilio/Slack)

4. Make.com Scenario — Module List

Build the scenario with these modules in order:

1. **Webhooks → Custom webhook** (trigger) — receives { session_id, user_message }
2. **Google Sheets → Search Rows** — find existing lead by email_address (may return empty)
3. **OpenAI → Create a Chat Completion** — uses the SYSTEM + USER prompts already provided; model: gpt-4o-mini; response format: **JSON object**
4. **Tools → Parse JSON** — parse OpenAI's content into structured fields
5. **Router** with two paths:
 - **Path A — Reply to user:** send assistant_reply back to the chat channel (Webhook Response / Telegram / Twilio)
 - **Path B — Save to Sheet** (filter: missing_required is empty AND email_address is not empty):
 - If Search Rows returned a row → **Google Sheets → Update a Row** (key = email_address)
 - Else → **Google Sheets → Add a Row**

Requirement