

Schema Changes — June 2026

Source: changes.sql

Database: loagma_new

Compared against: loagma_database_schema (1).sql (Feb 2026 baseline)

Overview

#	Area	Type	Tables / Columns
1	BOM	New tables	bom_master , bom_items
2	Suppliers	New tables	suppliers , supplier_products
3	Purchase Orders	New tables	purchase_orders , purchase_order_items
4	Taxes & HSN	New tables	taxes , product_taxes , hsn_codes
5	Units	New table + seed	units_master
6	Finance	New tables	general_account , fa_cash_main , fa_cash_line , fa_main_line
7	Purchase Vouchers	New tables	purchase_vouchers , purchase_voucher_items
8	Purchase Returns	New tables	purchase_returns , purchase_return_items
9	Sales Invoices	New tables	sales_invoices , sales_invoice_items
10	Stock Vouchers	New tables	stock_voucher , stock_voucher_items
11	Production	New tables	issue_to_production , issue_to_production_items , receive_from_production , receive_from_production_items

#	Area	Type	Tables / Columns
12	Masters	New tables	pincode_masters , product_sales_daily , business_types , departments , BusinessType , Department
13	Users & Roles	New tables	roles , users
14	Trip / Delivery	New tables	vehicles , trip_cards , trip_card_pincode , zone_vehicles , trip_audit_log , order_zone_overrides
15	Stock Management	New tables	stock_audit_log , stock_notify , stock_count_master_session , stock_count_assignments , stock_count
16	Misc	New tables	product_purchase , vendor_area_categories
17	Existing tables	Column additions	orders , product , admin , deli_staff , otp , user , purchase_orders , purchase_order_items

1 — Bill of Materials (BOM)

Why: Products are manufactured from raw materials. BOM defines what and how much raw material goes into one unit of a finished product. This is the foundation for production planning, raw material consumption tracking, and cost calculation.

Table	Column	Type	Notes
bom_master	bom_id	BIGINT PK	
	product_id	BIGINT	Finished product
	bom_version	VARCHAR(20)	Multiple versions per product
	status	ENUM	DRAFT / APPROVED / LOCKED
	created_by , approved_by	BIGINT	Staff references
bom_items	bom_item_id	BIGINT PK	
	bom_id	BIGINT FK	→ bom_master

Table	Column	Type	Notes
	raw_material_id	BIGINT FK	→ product
	quantity_per_unit	DECIMAL(10,3)	Qty of raw material per finished unit
	unit_type	VARCHAR(20)	
	wastage_percent	DECIMAL(5,2)	Default 0

2 — Suppliers

Why: Previously the system had no supplier master. All purchasing was informal. A proper supplier registry enables PO workflows, rate tracking, credit limits, and compliance fields (GST, PAN, FSSAI).

Table	Column	Type	Notes
suppliers	id	BIGINT PK	
	supplier_code	VARCHAR(50)	Unique
	supplier_name	VARCHAR(255)	
	gst_no , pan_no , fssai_no	VARCHAR	Compliance
	contact_person , email , phone	VARCHAR	
	bank_account_number , ifsc_code	VARCHAR	Payment
	payment_terms_days , credit_limit	SMALLINT / DECIMAL	
	status	ENUM	ACTIVE / INACTIVE / SUSPENDED
supplier_products	id	BIGINT PK	

Table	Column	Type	Notes
	supplier_id	BIGINT FK	→ suppliers
	product_id	BIGINT FK	→ product
	supplier_sku , price , tax_percent	—	Supplier-specific pricing
	lead_time_days , last_purchase_price	—	Procurement data
	UNIQUE	(supplier_id, product_id)	One product once per supplier

3 — Purchase Orders

Why: Formalises procurement. Before this, purchases were ad-hoc with no approval trail. POs enable quantity tracking, partial receipt, and linkage to purchase invoices.

Table	Column	Type	Notes
purchase_orders	id	BIGINT PK	
	po_number	VARCHAR(50)	Unique
	supplier_id	BIGINT FK	→ suppliers
	status	ENUM	DRAFT / SENT / PARTIALLY_RECEIVED / CLOSED / CANCELLED
	total_amount	DECIMAL(14,2)	
	charges_total , charges_json , total_with_charges	—	Added later for extra charges

Table	Column	Type	Notes
	salesman_id , department_id	VARCHAR	Who raised / which dept
purchase_order_items	id	BIGINT PK	
	purchase_order_id	BIGINT FK	→ purchase_orders
	product_id	BIGINT FK	→ product
	quantity , price , line_total	DECIMAL	
	hsn_code	VARCHAR(50)	Added for GST reporting
	consumed_quantity	DECIMAL(12,3)	Qty used in production
	written_off_quantity	DECIMAL(12,3)	Qty damaged / expired
	remaining_quantity	DECIMAL(12,3)	qty – consumed – written off

4 — Taxes & HSN Codes

Why: GST compliance requires HSN codes and tax rates per product. Hard-coded tax values were error-prone; a master table lets rates be managed centrally and linked to products.

Table	Column	Type	Notes
taxes	id	BIGINT PK	
	tax_category , tax_sub_category	VARCHAR	e.g. GST / SGST
	tax_name	VARCHAR(150)	
	is_active	TINYINT	
product_taxes	id	BIGINT PK	
	product_id	BIGINT FK	→ product

Table	Column	Type	Notes
	tax_id	BIGINT FK	→ taxes
	tax_percent	DECIMAL(5,2)	Rate applied to this product
	UNIQUE	(product_id, tax_id)	One tax type once per product
hsn_codes	id	BIGINT PK	
	hsn_code	VARCHAR(50)	
	is_active	TINYINT	

5 — Units Master

Why: Unit dropdowns (KG, LTR, PCS, etc.) were hardcoded in multiple places — BOM, purchase orders, stock vouchers, sales invoices. A single table eliminates inconsistency and lets admin add new units without code changes.

Table	Column	Type	Notes
units_master	unit_id	INT PK	
	unit_name	VARCHAR(100)	KG, GM, LTR, PCS ...
	serial_no	INT	Display order
	conversion_rate	DECIMAL(10,4)	Relative to base unit (KG=1, GM=0.001)

Seeded with 20 units: KG, GM, LTR, ML, NOS, PCS, BOX, PKT, BAG, DOZEN, BUNCH, MTR, CM, TIN, JAR, BTL, POUCH, STRIP, ROLL, SET.

6 — Finance / Accounts

sapeksh

Why: Cash receipt vouchers and a unified journal ledger are needed to record payments against invoices and maintain a basic chart of accounts for reporting.

Table	Purpose
general_account	Chart of accounts — account number, name, type
fa_cash_main	Cash receipt voucher header (doc_no, receipt_mode, book account)
fa_cash_line	Line items per cash receipt (account, amount, bill reference)
fa_main_line	Unified ledger — all voucher types write here (DR/CR, account, date)

7 & 8 — Purchase Vouchers & Returns

Why: A purchase invoice (GRN) records what was actually received against a PO, captures tax values (SGST/CGST/IGST), and updates inventory. Purchase returns (debit notes) reverse this when goods are sent back.

Table	Key Columns
purchase_vouchers	doc_no, vendor_id, purchase_order_id, bill_no, status (DRAFT/POSTED/CANCELLED), items_total, net_total
purchase_voucher_items	product_id, quantity, unit_price, sgst, cgst, igst, cess, value, overrun_qty, writeoff_qty change to supplier_id
purchase_returns	source_purchase_voucher_id, vendor_id, doc_date, reason, status
purchase_return_items	original_quantity, returned_quantity, sgst, cgst, igst, value

[auto fetch](#)

9 — Sales Invoices

[remove it from changes.sql](#)

Why: Sales invoices are a separate module from delivery orders. They capture formal GST-compliant billing with HSN codes, tax breakdowns, and linkage back to the original sales order.

Table	Key Columns
sales_invoices	doc_no (unique), customer_id , doc_date , status (DRAFT/POSTED/CANCELLED), items_total , net_total
sales_invoice_items	product_id , quantity , unit_price , sgst , cgst , igst , hsn_code , source_sales_order_id

10 — Stock Vouchers

[add screenshot of the form](#)

Why: Manual stock adjustments (inbound/outbound corrections, damage write-offs) need an auditable voucher rather than direct table edits.

Table	Key Columns
stock_voucher	voucher_type (IN/OUT), status (DRAFT/POSTED), voucher_date , remarks
stock_voucher_items	product_id , quantity , unit_type

11 — Production Flow

[remove it from changes.sql](#)

Why: Raw materials are issued to the factory floor and finished goods come back. These two vouchers track that movement so inventory stays accurate on both sides.

Table	Key Columns
issue_to_production	status (DRAFT/ISSUED/COMPLETED/CANCELLED), issued_by , issued_at
issue_to_production_items	raw_material_id , quantity , unit_type
receive_from_production	status (DRAFT/RECEIVED), received_at
receive_from_production_items	finished_product_id , quantity , unit_type

12 — Master / Lookup Tables

sapeksh

Why: Multiple dropdowns and lookups were previously hardcoded. Centralising them allows admin to manage values without deployments.

Table	Purpose
pincode_masters	Pincode → city / state / district lookup used for auto-fill
product_sales_daily	Daily aggregated sales per product for dashboards
business_types	Dropdown for supplier/customer business type
departments department_crm	PMS department master (separate from CRM departments)
BusinessType	Legacy CRM-side business type (kept for backward compat)
Department	Legacy CRM-side department (kept for backward compat)

13 — Users & Roles (PMS)

Why: The PMS previously reused the CRM's `LoginUser_crm` table. A dedicated `users + roles` table gives PMS its own auth with OTP login, attendance grace rules, and department linkage.


Table	Key Columns
roles	id (R001...), name — seeded: Admin, Employee, Manager, Telecaller, Developer
users	contactNumber (login), roleId, departmentId, otp, otpExpiry, workStartTime, workEndTime, latePunchInGraceMinutes

14 — Trip / Delivery Module

ishant

Why: Deliveries are organised into zones (trip cards) with assigned vehicles and drivers. The audit log captures discrepancies between what was loaded, claimed delivered, and verified — making drivers accountable for stock.

Table	Purpose
vehicles	Vehicle master with capacity
trip_cards	Delivery zone master — each zone maps to a route
trip_card_pincode	Pincodes served by each zone
zone_vehicles	Which vehicle is assigned to which zone
trip_audit_log	Loaded vs delivered vs returned qty per item; discrepancy auto-calculated via generated columns
order_zone_overrides	Manual override when an order's zone doesn't match its pincode



15 — Stock Management

Why: Stock counts, mutation logs, and restock alerts were missing, making it impossible to audit discrepancies or run periodic physical stock counts.

Table	Purpose
stock_audit_log	Every stock mutation logged with pack-level JSON detail and reason
stock_notify	Users who want an alert when a product comes back in stock
stock_count_master_session	Supervisor creates a count session across all categories
stock_count_assignments	Each category assigned to a counter with status tracking

Table	Purpose
stock_count	Individual product counts submitted per assignment

stock_count_master_session

- └─ stock_count_assignments (per category)
- └─ stock_count (per product)

16 — Miscellaneous

Table	Purpose	Why
product_purchase	Historical purchase cost per product per day	Used for COGS / cost analysis
vendor_area_categories	Maps admin to area + category combos with commission	Controls what products show in which delivery areas

17 — Column Additions to Existing Tables

Why: Rather than creating new tables, these columns extend existing records to avoid JOINS and keep related data together.

orders

Column	Type	Why Added
bill_no sparsh	VARCHAR(100)	Short bill number alias for display
Bill_Dt sparsh	DATE	Invoice date on the order
Department sparsh	VARCHAR(100)	Department that raised the order

Column	Type	Why Added
Bill_Narration , Bill_Vehicle , Bill_Statement sparsh	TEXT/VARCHAR	Invoice metadata
bill_roff sparsh	DECIMAL(10,2)	Round-off amount on bill
Doc_Year sparsh	VARCHAR(20)	Financial year of document
salesman_id sparsh	VARCHAR(191)	Salesman who created the order
order_wt	DECIMAL(10,3)	Total order weight (default 25 kg)
trip_pending	TINYINT	Flags order as pending trip assignment
pending_date	DATE	Date order became trip-pending
Sales_Return_VoucherNo sparsh	VARCHAR(100)	Return voucher number
Sales_Return_Dt sparsh	DATE	Return date
Sales_Return_Reason sparsh	TEXT	Reason for return

product sapeksh

Column	Type	Why Added
order_limit	INT	Max orderable qty per order
buffer_limit	INT	Safety stock threshold
product_pack_count	INT	Number of packs in a product unit
nop	INT	Number of pieces per pack
pack_prd_wt	DECIMAL(12,3)	Weight of product in the pack
gross_wt_of_pack	DECIMAL(12,3)	Gross weight including packaging
gst_tax_type	VARCHAR(50)	GST applicability type

admin[sparsh](#)

Column	Why Added
fssai_no , gst_no	Compliance / licence numbers on invoices
licence_1 , licence_2	Additional licences
bank_name , bank_branch , account_number , ifsc_code , account_type	Bank details for payment QR / transfer
scanner_qr , phonepe_no , gpay_no	UPI payment options on invoices

deli_staff

Column	Why Added
remove (audit the reason)	
otp , otp_expires_at	OTP-based login for delivery app
pincode , city , state	Location enrichment from GPS

otp

Column	Why Added
otp_num	Store actual OTP value directly on the row

user

Column	Why Added
pincode , city , state	Auto-filled from pincode master for address accuracy

purchase_orders [already added above](#)

Column	Why Added
salesman_id	Who raised the PO
department_id	Which department the PO belongs to

Column	Why Added
charges_total , charges_json , total_with_charges	Extra charges (freight, handling) broken out separately

purchase_order_items [already added above](#)

Column	Why Added
hsn_code	Required on purchase invoices for GST
consumed_quantity	Tracks how much of received qty was used in production
written_off_quantity	Tracks damage/expiry write-offs
remaining_quantity	Derived: qty – consumed – written off