

[DOCUMENT TITLE]

Ade Aranda

[COMPANY NAME] [Company address]

ÍNDISE

KAPÍTULU I	1
MATERIA HTML.....	1
1. Koñesimentu ba HTML	1
1.1. Definisaun HTML.....	1
1.2. Definisaun Tag	1
2. Elemen HTML	1
3. Ezemplu 1 Koñesimentu HTML.....	2
KAPITULU II.....	3
TAG-TAG HTML	3
1. Tag HTML	3
2. Tag Head	3
3. Tag Title	3
4. Tag Body	4
5. Tag Paragrafu	4
6. Tag Line Break.....	5
7. Tag Heading	6
8. Maneja Pozisaun Heading.....	6
9. Regua / Heading Row (hr)	7
10. Hamahar Letra (Bold).....	8
11. Letra Halis (Italic).....	10
12. Ezersicio geral ba Tag-Tag HTML	11
KAPITULU III.....	12
LINK no LIST HTML	12
1. LINK HTML.....	12
2. LIST HTML	12
KAPITULU IV	14
IMAJEN.....	14
1. Hatama Imajen	14
2. Alignment Image	15
3. Floating Image	16
4. Image Link	17
KAPITULU VI	18
TABLE HTML.....	18
1. Elementu-elementu tabela.....	18

2. Atributu Tabela	18
3. Table Header	20
4. Colspan no Rowspan.....	21
5. Background Tabela	22
6. Background Sel Table	23
7. Tabela nia Luan (Table Width).....	24
8. Alignment column.....	25
KAPITULU VI	28
FORMULARIU	28
1. Method.....	28
2. Modelo Input Form	28
3. Ezemplu Input.....	29
3.1. Text box / Text Field	29
3.2. Button Radio	30
3.3. Checkbox	30
3.4. List	31
3.5. Text Area	32
3.6. Button.....	32
5. Ezersisiu Form no Tabela.....	33
KAPÍTULU VII	36
HALO LAYOUT UZA TABELA	36

KAPÍTULU I

MATERIA HTML

1. Koñesimentu ba HTML

1.1. Definisaun HTML

HTML signifika **Hyper Text Markup Language**. Dokumentu HTML nudar file textu ida ne'ebé bele halo ho kualker editor text. Dokumentu ne'e koñesidu hanesan *web page* no hamosu husi web browser. Dokumentu ne'e jeralmente iha informasaun no mos aplikasaun iha internet.

1.2. Definisaun Tag

Atu fo sinal ba elementu hotu ne'ebé iha dokumentu html utiliza Tag. Jeralmente elementu ida iha dokumentu html bele hakerek hanesan tuir mai ne'e:

`<narantag>.....</narantag>`

Ezemplu:

`<h1>.....</h1>`

2. Elemen HTML

HTML iha criteria hodi hakerek mak hanesan tuir mai ne'e:

```
<html>
<head> .....informasaun konaba dokumentu HTML.....</head>
<body>
.....informasaun nebe sei mosu iha pajina web .....
</body>
<html>
```

Nota:

- Kada pajina html sei hahu ho tag `<html>` no sei remata ho tag `</html>`.
- Tag `<head>` no `</head>` hanesan informasaun konaba pajina web nian.
- Tag `<body>` no `</body>` hanesan informasaun ne'ebé sei mosu iha pajina web nia laran.

3. Ezemplu 1 Koñesimentu HTML


i. Kria dokumentu html foun utiliza sublime Text ho maneira hanesan: loke sublime Text, klik iha menu **File New**.

- *Halo tuir maneira ne'ebé temi iha leten antes atu hakerek script html foun. Ba ezersisiu tuir mai sei la esplika tan konaba oinsa halo dokumentu html foun.*

ii. Hakerek script html henesan tuir mai ne'e: No rai file ne'e ho naran file: **ezersisiu_1.html**

```
<html>
<head>
  <title> Konesimentu HTML </title>
</head>
<body>
  Konesimentu ba dala uluk konaba HTML
</body>
</html>
```

iii. Tuir mai loke browser no bele hare nia rezultadu.



KAPITULU II

TAG-TAG HTML

1. Tag HTML

Tag ida ne'e nudar tag importante iha estrutura hakerek programa html. Tag ida ne'e mak sei hahu *script* html.

`<html>` iha script primeiro no `</html>` iha script ikus.

2. Tag Head

Nudar tag ida depois tag `<html>`. Tag ida ne'e hodi fo informasaun konaba web ne'ebé ita halo.

`<head>` iha uluk depois `<html>`, no `<head>` iha ikus .

Ezemplu:

```
<html>
  <head> .....informasaun Website.....</head>
</html>
```

3. Tag Title

Nudar tag ida ne'ebé ho nia funsaung hanesan fo informasaun/topiku ba pajina web. Tag ida sei tau entre tag `<head>`.

Ezemplu:

```
<html>
<head>
  <title> Topiku Pajina Web </title>
</head>
</html>
```


4. Tag Body

Hanesan Seksaun importante iha dokumento web nia laran ne'ebé sei hamosu informasaun hotu ne'ebé iha.

Ezemplu: **4_body.html**

```
<html>
<head>
  <title>Ezersicio ba Body</title>
</head>
<body>
  ...Informasaun nebe sei mosu iha pajina web...
</body>
</html>
```

Rezultadu:




5. Tag Paragrafu

Tag ida ne'e sei uja hodi hakerek informasaun ba iha paragraph. Kada paragraph sei hahu ho tag <p> no sei remata ho tag </p>.

Ezemplu: **5_paragrafu.html**

```
<html>
<head>
  <title> Kria Paragrafu </title>
</head>
<body>
  <p>Nee hanesan paragraf ida. Nee hanesan paragraf ida. Nee hanesan paragraf
  ida. Nee hanesan paragraf ida. Nee hanesan paragraf ida. Nee hanesan paragraf
  ida. Nee hanesan paragraf ida. </p>
  <p>Nee hanesan paragraf ida. Nee hanesan paragraf ida. Nee hanesan paragraf
  ida. Nee hanesan paragraf ida. Nee hanesan paragraf ida. Nee hanesan paragraf
  ida. Nee hanesan paragraf ida. </p>
</body>
</html>
```

Rezultadu:



6. Tag Line Break


Tag ne'e uja hodi hamosu informasaun iha linha foun iha paragraf ida. Tag ne'ebé utiliza hodi hakerek mak tag `
`.

Ezemplu: **6_Line-Break.html**

```
<html>
<head>
  <title> Uja Line Break</title>
</head>
<body>
  <p>Nee hanesan paragrafu ida. Nee hanesan paragraf ida. Nee hanesan
    paragraf ida. Nee hanesan paragraf ida. <br> Nee hanesan paragraf ida.
    Nee hanesan paragraf ida. Nee hanesan paragraf ida. </p>
</body>
</html>
```

Nb: Tag `
` lahanesan ho tag sira seluk ne'ebé iha tag ikus (*end tag*).

Rezultadu:




7. Tag Heading

Tag ida ne'e geralmente uja hodi hakerek topiku husi informasaun ida. Iha 6 modelu heading iha html hanesan <h1>, <h2>, <h3>, <h4>, <h5> dan <h6>.

Ezemplu: 7_Heading.html

```
<html>
<head>
  <title> Kria Heading </title>
</head>
<body>
  <h1>Heading 1</h1>
  <h2>Heading 2</h2>
  <h3>Heading 3</h3>
  <h4>Heading 4</h4>
  <h5>Heading 5</h5>
  <h6>Heading 6</h6>
</body>
</html>
```

Rezultadu:



8. Maneja Pozisaun Heading


Tag heading iha atributu ne'ebé uja hodi maneja pozisaun heading iha textu (align). Alignment heading:

- karuk – left
- klaran – center
- los – right

Ezemplu: **8_Heading_Align.html**

```
<html>
<head>
  <title> Maneja Pozisaun Heading</title>
</head>
<body>
  <h1 align=left>Heading 1 iha sorin Karuk</h1>
  <h2 align=center>Heading 2 iha klaran</h2>
  <h3 align=right>Heading 3 iha sorin los</h3>
</body>
</html>
```

Rezultadu:



9. Regua / Heading Row (hr)

Liña ka regua ne'ebé tau iha dokumentu Web, baibain utiliza hanesan Liña ida ne'ebe atu hafahe entre kada parte sira ka paragrafu. Tag `<hr>` ne'e tau depois de paragrafu.


Ezemplu: **9_regua.html**

```

<html>
<head>
    <title> Kria Regua </title>
</head>
<body>
    <p>Tag hr uja hodi identifika regua <i> (Regua) </i> </p>
    <hr>
    <h1 align=left> Heading 1 iha sorin karuk </h1> <hr>
    <h2 align=center> Heading 2 iha klaran </h2> <hr>
    <h3 align=right> Heading 3 iha sorin los </h3>
</body>
</html>

```

Rezultadu:



10. Hamahar Letra (Bold)


Atu hamahar letra iha pajina web sei utiliza tab `` no tag ``. Tag rua ne'e nia funsaun hanesan: Ezemplu: **10_Bold.html**

```

<html>
<head>
    <title> Hamahar Letra </title>
</head>
<body>
    <b> Letra nee mahar </b><br>
    <strong> Letra nee mos mahar </strong>
</body>
</html>

```

Rezultadu:




11. Letra Halis (Italic)

Iha dokumentu html ida ita bele halo letra ne'ebé halis (*miring*). Tag ne'ebé uja mak `<i>`.

Ezemplu: **11_Italic.html**

```
<html>
<head>
  <title>Halo Halis Letra</title>
</head>
<body>
  <i>letra nee halis</i>
</body>
</html>
```

Rezultadu:




12. Ezersicio geral ba Tag-Tag HTML

File: ezersicio_HTML_jeral.html

```
<html>
<head>
  <title> Ezersicio geral ba Tag-tag HTML</title>
</head>
<body>
  <h1>Introdusaun </h1>
  <hr>
  <p>Nudar sidadaun <b>Timor oan </b>, hau hare relasaun social iha Timor-Leste forti
  teb-tebes iha parte hotu-hotu especial liu relasaun social husi povo ih arai ida ne'e nian.
  <br> Maske ho relasaun ida nebe forte, <i>maibe la ses husi diferensiasaun husi iedias
  no moris lor-loron nian nebe povo muda husi tempo ida ba tmepo seluk principal liu mak
  maneira moris povo nian nebe <strong>muda ona husi tempo passado la hanesan ho
  tempo agora</strong></i>, nunee mos tempo aban bainrua muda na nudar
  mistério.<br>Iha relasaun social inklui mos husi parte ekonomika no kultura nebe ita
  infrenta iha ita nia moris lor-loron. Husi diferensiamiento hirak ne'e sei fahe ba tempo
  passado, presente no futuro mak hanesan tuir mai:
  </p>
  <hr>
  <h5 align="center">Obrigado</h3>
</body>
</html>
```

Rezultadu:



KAPITULU III


LINK no LIST HTML

1. LINK HTML

Link nia funsaun mak atu halo ligasaun entre pajina ida ba pajina seluk husi testu ou imajen. HTML uja tag `` no `` iha ikus. Ezemplu: **link.html**

```
<html>
<head>
  <title> Halo Link </title>
</head>
<body>
  <a href="ezersicio_12.html"> Link ba pajina ezersicio_12.html </a>
</body>
</html>
```

Rezultadu:



2. LIST HTML

List hanesan modelu ne'ebé geralmente uja hodi mensiona buat ruma.

- List la utiliza numeru

Atu halo list utiliza numeru ou Ordered List:

- Komesa ho tag loke ``
- Hakerek item sira ho tag `` no hakutu ho ``
- Repete fali etapa iha leten hodi hakerek item tuir mai.


- Remata ho tag .

Atu halo list ne'ebé la utiliza numeru ou unordered list, tag sei troka ba

Ezemplu: **list.html**

```
<html>
<head>
  <title>Kria List</title>
</head>
<body>
  Ezemplu Ordered List ou list uja numeru
  <ol>
    <li>Kafe</li>
    <li>Sha</li>
    <li>Susuben</li>
  </ol> <br/>
  Ezemplu Unordered List ou list la uja numeru
  <ul>
    <li>Kafe</li>
    <li>Sha</li>
    <li>Susuben</li>
  </ul>
</body>
</html>
```

Rezultadu:



KAPITULU IV

IMAJEN


1. Hatama Imajen

Atu hatama imajen/fotografia ruma ba iha pajina web, sei utiliza tag ****. File_imajen hanesan URL husi file imajen nian.

Ezemplu: **imagen.html**

```
<html>
<head>
<title>Hatama imajen ba pajina web</title>
</head>
<body>
    Imazen
    
</body>
</html>
```

Rezultadu:



2. Alignment Image

Ezemplu ne'e atu esplika oinsa bele maneja align image ho liafuan.


Ezemplu: **align_image.html**

```
<html>
<head>
  <title> Alignment image </title>
</head>
<body>
  <p> Posisaun liafuan iha leten.
   imagen </p>

  <p> Posisaun liafuan iha klaran
   imagen</p>

  <p> Posisaun liafuan iha okos
  
  imagen</p>
</body>
</html>
```

Rezultadu:




3. Floating Image

Ezemplu ne'e sei esplika oinsa imajen ida bele tau iha parte karuk no los husi paragraph. Ezemplu: **floating_image.html**

```
<html>
<head>
<title>Floating Image</title>
</head>
<body>
<p>Nee
hanesan paragraph ida. Nee hanesan paragraph ida. Nee hanesan paragraph ida. Nee
hanesan paragraph ida. Nee hanesan paragraph ida. Nee hanesan paragraph ida. Nee
hanesan paragraph ida. Nee hanesan paragraph ida. Nee hanesan paragraph ida. </p>
<p>
Nee hanesan paragraph ida. Nee hanesan paragraph ida. Nee hanesan paragraph ida.
Nee hanesan paragraph ida. Nee hanesan paragraph ida. Nee hanesan paragraph ida.
Nee hanesan paragraph ida. Nee hanesan paragraph ida. Nee hanesan paragraph ida.
</p>
</body>
</html>
```

Rezultadu:




4. Image Link

Ezemplu ida ne'e sei hatudu mai ita oinsa atu halo imajen sai link hodi ita klik.

Ezemplo: **image_link.html**

```
<html>
<head>
  <title>Halo Image Link</title>
</head>
<body>
  Ita bele uja imajen ida sai link ida hodi loke pajina seluk:<br>
  <a href="latihan-image_2.html">
    </a>
  <br>
  Klik ida imajen tuir mai hodi loke imajen.<br>
  <a href="Forest.jpg">
    </a>
</body>
</html>
```

Rezultadu:



KAPITULU VI

TABLE HTML

1. Elementu-elementu tabela

- `<table>...</table>` hanesan definisaun table iha html. Sekarik border iha valor maka browser sei hamosu table border.
- `<tr>...</tr>` hanesan definisaun ba row iha table nia laran.
- `<th>...</th>` hanesan column header table. Bazikamente tag `<th>` sei tau iha tag `<tr>` nia laran.
- `<td>...</td>` hanesan column iha table ida. Pozisaun tag ne'e hanesan ho tag `<th>` ne'ebé sei tau entre tag `<tr>` ho `</tr>`.

2. Atributu Tabela

- `Align = {left | center | right}` atributu ne'e utiliza hodi tau liafuan ho horizontal iha sel ida nia laran.
- `Valign = {top | middle | bottom}` atributu ne'e utiliza hodi tau liafuan ho vertikal iha sel ida nia laran.
- `Colspan = n` atributu ne'e utiliza hodi halo merge iha sel (kolom). Total n nudar sel ne'ebé halo luan.
- `Rowspan = n` atributu ne'e uja hodi halo merge iha row (baris). Total n hanesan row ne'ebé halo boot.

Ezemplu: **tabela.html**


```
<html>
<head>
  <title> Kria Tabela </title>
</head>
<body>
  <p> Tabela hotu nee hahu ho tab table.  <br />
  Kada linha (baris) sei hahu ho tag tr.  <br />
  <p> Tabela hotu nee hahu ho tab table. <br />
  Kada linha (baris) sei hahu ho tag tr. <br />
  Kada column (kolom) ou sel sei hahu ho tag td.  </p>
  <table border="1">
    <tr>
      <td> Real Madrid </td>
```

```

        <td> Manchester United </td>
        <td> Barcelona </td>
    </tr>
    <tr>
        <td> Chelsea </td>
        <td> Arsenal </td>
        <td> Liverpool </td>
    </tr>
</table>
</body>
</html>

```

Rezultadu:




3. Table Header

Ezemplu: header_tabel.html

```
<html>
<head>
  <title>Kria header ba Tabela</title>
</head>
<body>
  <h3>Header Tabela</h3>
  <table border="1">
    <tr>
      <th>No</th>
      <th>Naran</th>
      <th>Hela Fatin</th>
    </tr>
    <tr>
      <td>1.</td>
      <td>Jaime Soares</td>
      <td>Perumnas</td>
    </tr>
    <tr>
      <td>2.</td>
      <td>Joel Dillak</td>
      <td>Lurumata</td>
    </tr>
    <tr>
      <td>3.</td>
      <td>Eny Jeronimo</td>
      <td>Delta II</td>
    </tr>
  </table>
</body>
</html>
```

Rezultadu:




No	Naran	Hela Fatin
1.	Jaime Soares	Perumnas
2.	Joel Dillak	Lurumata
3.	Eny Jeronimo	Delta II

4. Colspan no Rowspan

Ezemplu: cols_rowspan.html

```
<html>
<head>
  <title>Colspan no Rowspan</title>
</head>
<body>
  <h3>Halo colspan</h3>
  <table border="1">
    <tr>
      <th>No</th>
      <th>Naran</th>
      <th colspan="2">No. Telefone</th>
    </tr>
    <tr>
      <td>1.</td>
      <td>Brito Costa</td>
      <td>7812754</td>
    </tr>
    <tr>
      <td>2.</td>
      <td>Jaime Soares</td>
      <td>7407649</td>
    </tr>
    <tr>
      <td>3.</td>
      <td>Joni pel</td>
      <td colspan="2">7252222</td>
    </tr>
  </table>
  <h3>Halo rowspan</h3>
  <table border="1">
    <tr>
      <th>Naran</th>
      <td>Tome Fernandes</td>
    </tr>
    <tr>
      <th rowspan="2">Telefone</th>
      <td>728393</td>
    </tr>
    <tr>
      <td>378473</td>
    </tr>
  </table>
</body>
</html>
```

Rezultadu:




5. Background Tabela

Ezemplu: background_tabela.html

```
<html>
<head>
  <title>Background Tabela</title>
</head>
<body>
  <h3>Backgorund Tabela</h3>
  <table border="1" bgcolor="#0000FF">
    <tr>
      <th>No</th>
      <th>Naran</th>
      <th>Hela Fatin</th>
    </tr>
    <tr>
      <td>1.</td>
      <td>Sonito Soares</td>
      <td>Comoro</td>
    </tr>
    <tr>
      <td>2.</td>
      <td>Luis Carvalho</td>
      <td>Taibesi</td>
    </tr>
    <tr>
      <td>3.</td>
      <td>Arnaldo Gregorio</td>
      <td>Bebonuk </td>
    </tr>
  </table>
</body>
</html>
```

Rezultadu:




6. Background Sel Table

Ezemplu: `backgournd_sel_tabela.html`

```
<html>
<head>
  <title>Background Sel Tabela</title>
</head>
<body>
  <h3>Backgorund Sel Tabel</h3>
  <table border="1">
    <tr bgcolor="#006600">
      <th>No</th>
      <th>Naran</th>
      <th>Hela Fatin</th>
    </tr>
    <tr bgcolor="#333399">
      <td>1.</td>
      <td>Sonia Soares</td>
      <td bgcolor="#00FF66">Perumnas</td>
    </tr>
    <tr bgcolor="#333399">
      <td bgcolor="#006666">2.</td>
      <td>Cornelio Dillan</td>
      <td>Fatu-Ahi</td>
    </tr>
    <tr bgcolor="#333399">
      <td>3.</td>
      <td bgcolor="#666600">Cristina Lopes</td>
      <td>Hera</td>
    </tr>
  </table>
</body>
</html>
```

Rezultadu:



7. Tabela nia Luan (Table Width)

Tuir mai hanesan ezemplu ida oinsa determina tabela ida nia luan ne'ebé uja valor Pixel (px) no Percentagen (%).

Ezemplu: **width_table.html**


```
<html>
<head>
  <title>Determina Tabela nia Luan</title>
</head>
<body>
  <h3> Determina Tabela nia Luan uja valor Pixel (px)</h3>
  <table border="1" width="400px">
    <tr>
      <th>No</th>
      <th>Name</th>
      <th colspan="2">No. Telefone</th>
    </tr>
    <tr>
      <td>1.</td>
      <td>Brito Costa</td>
      <td>7812754</td>
    </tr>
    <tr>
      <td>2.</td>
      <td>Lopes Soares</td>
      <td>7407649</td>
    </tr>
    <tr>
      <td>3.</td>
      <td>Joel Duin</td>
      <td colspan="2">7252222</td>
    </tr>
  </table>
  <h3>Determina tabela nia luan ho valor Porcento (%)</h3>
  <table border="1" width="50%">
```

```

        <tr>
            <th>Naran</th>
            <td>Nonia Lemos</td>
        </tr>
        <tr>
            <th rowspan="2">Telefone</th>
            <td>728393</td>
        </tr>
        <tr>
            <td>378473</td>
        </tr>
        <tr>
            <th rowspan="2">Hela Fatin</th>
            <td>Vila Verde</td>
        </tr>
        <tr>
            <td>Bekora-Dili</td>
        </tr>
    </table>
</body>
</html>

```

Rezultadu:



8. Alignment column

Tuir mai ne'e ezemplu oinsa utiliza atributu align hodi maneja column/sel. Ezemplu: [alignment_sel.html](#)

```

<html>
<head>
    <title>Colspan ho Rowspan</title>

```



```

</head>
<body>
  <h3>Halo colspan</h3>
  <table border="1" width="400px">
    <tr>
      <th align="center">No</th>
      <th align="left">Naran</th>
      <th colspan="2" align="center">No. Telefone</th>
    </tr>
    <tr>
      <td align="center">1.</td>
      <td align="left">Brito Costa</td>
      <td align="right">7812754</td>
      <td align="right">3123322</td>
    </tr>
    <tr>
      <td align="center">2.</td>
      <td align="left">Joao Belo</td>
      <td align="right">7407649</td>
      <td align="right">3313060</td>
    </tr>
    <tr>
      <td align="center">3.</td>
      <td align="left">Deonísio same</td>
      <td colspan="2" align="center">7252222</td>
    </tr>
  </table>
  <h3>Halo rowspan</h3>
  <table border="1" width="50%">
    <tr>
      <th align="center">Naran</th>
      <td align="left">Neia Lemos</td>
    </tr>
    <tr>
      <th rowspan="2" valign="middle">Telefone</th>
      <td align="right">728393</td>
    </tr>
    <tr>
      <td align="right">378473</td>
    </tr>
    <tr>
      <th rowspan="2" valign="top">Hela fatin</th>
      <td align="left">Beto</td>
    </tr>
    <tr>
      <td>Manleuana</td>
    </tr>
  </table>
</body>
</html>

```

Rezultadu:

Colspan ho Row

File C:/Users/ASUS/Desktop/html... ASUS Software Port... MyASUS Software -... McAfee LiveSafe

Halo colspan

No	Naran	No. Telefone	
1.	Brito Costa	7812754	3123322
2.	Joao Belo	7407649	3313060
3.	Deonisio same	7252222	

Halo rowspan

Naran	Neia Lemos
Telefone	728393
	378473
Hela fatin	Beto
	Manleuana

KAPITULU VI

FORMULARIU

Sintaks hakerek Formulariu:

```
<form name="naran_form" method="get/post" action="naran_file">
```

Informasaun:

- Atributu Name nudar naran ba formulario/form.
- Atributu Action nudar fatin determina URL ne'ebé uja hodi proesa ba field input form.

1. Method

Atributu ne'e utiliza hodi determina oinsa input ruma ne'ebé mai husi form bele haruka ba iha servidor.

2. Modelo Input Form

Modelu input iha formulario ida bele fahe ba:

✓ Tag Text box / Text Field

```
<input type="text" name="naran_input" size="numero"
maxlength="numero">
```

✓ Tag Radio

```
<input type="radio" name="radio" value="radio" /> Kriteria 1
<input type="radio" name="radio" value="radio" /> Kriteria 2
<input type="radio" name="radio" value="radio" /> Kriteria 3
```

✓ Tag Checkbox

```
<input name="" type="checkbox"/> Kriteria 1
<input name="" type="checkbox"/> Kriteria 2
<input name="" type="checkbox"/> Kriteria 3
```

✓ Tag Select

```
<select name="select">
  <option> Kriteria 1</option>
```

```
<option> Kriteria 2</option>
<option> Kriteria 3</option>
</select>
```

✓ **Tag Button**

```
<input type="submit" />
<input type="reset" />
```

✓ **Tag Text Area**

```
<textarea name="naran_input" cols="40" rows="5"></textarea>
```


3. Ezemplu Input

3.1. Text box / Text Field

File: **textbox.html**

```
<html>
<head>
  <title>Kria Text Box</title>
</head>
<body>
<h3>Kria Text Box</h3>
  <form>
    Naran: <input type="text" name="naran"/> <br/>
    Hela fatin: <input type="text" name="hela_fatin"/>
  </form>
</body>
</html>
```

Rezultadu:




3.2. Button Radio

File: **radio_button.html**

```
<html>
<head>
  <title>Kria Button Radio</title>
</head>
<body>
  <h3>Kria Button Radio</h3>
  <form>
    <input type="radio" name="sex" checked>Mane<br>
    <input type="radio" name="sex"/>Feto
  </form>
</body>
</html>
```

Rezultadu:




3.3. Checkbox

File: **checkboxbox.html**

```
<html>
<head>
  <title> Kria Checkbox </title>
</head>
<body>
  <h3>Kria Checkbox</h3>
  <form>
    <input type="checkbox" name="tomate">Tomate<br>
    <input type="checkbox" name="apel"/>Apel
  </form>
</body>
</html>
```

Rezultadu:




3.4. List

File: dropdown_list.html

```
<html>
<head>
  <title>Kria Dropdown List</title>
</head>
<body>
  <h3>Kria Dropdown List</h3>
  <strong>Naran Aifuan</strong>
  <form>
    <select name="aifuan">
      <option>Apel</option>
      <option>Has</option>
      <option>Nuu</option>
    </select>
  </form>
</body>
</html>
```

Rezultadu:




3.5. Text Area

File: **textarea.html**

```
<html>
<head>
  <title>Kria Text Area</title>
</head>
<body>
  <h3>Kria Text Area</h3>
  <strong>Komentario</strong>
  <form>
    <textarea name="komentar" cols="40" rows="3"></textarea>
  </form>
</body>
</html>
```

Rezultadu:




3.6. Button

File: **button.html**

```
<html>
<head>
  <title>Halo Text Area</title>
</head>
<body>
  <h3>Halo Text Area</h3>
  <strong>Komentario</strong>
  <form>
    <input type="button" value="Button 1"><br><br>
    <input type="submit" value="Save">
    <input type="reset">
  </form>
</body>
</html>
```

Rezultadu:



5. Ezersisiu Form no Tabela

Iha ezersisiu ne'e ita sei halo formulariu ba identidade ne'ebé sei utiliza mos tabela no form.

File: **ezerisiu_form_tabela.html**

```
<html>
<head>
  <title> Formulario ba Identidade</title>
</head>
<body bgcolor="#11FF66">
  <h3>Formulario Identidade</h3>
  <form>
    <table width="70%" border="1">
      <tr>
        <th width="21%" align="right">Naran</th>
        <td width="6%" align="center">:</td>
        <td width="73%"><input type="text" name="textfield"
id="textfield"></td>
      </tr>
      <tr>
        <th align="right">Fatin Moris</th>
        <td align="center">:</td>
        <td><input type="text" name="textfield2"
id="textfield2"></td>
      </tr>
      <tr>
        <th align="right">Data Moris</th>
```



```

        <td align="center">:</td>
        <td>
            <strong> Loron </strong>
            <select name="loron">
                <option>1</option><option>2</option><option>3
</option><option>4</option>
                <option>5</option><option>6</option><option>7
</option><option>8</option>
                <option>9</option><option>10</option><option>
11</option><option>12</option>
                <option>13</option><option>14</option><option
>15</option><option>16</option>
            </select>
            <strong> Fulan </strong>
            <select name="fulan">
                <option>Janeiro</option><option>Fevereiro</option
><option>Marco</option>
                <option>Abril</option><option>Maio</option><op
tion>Junho</option>
                <option>Julho</option><option>Agosto</option><o
ption>Setembro</option>
                <option>Outubro</option><option>Novembro</opti
on><option>Dezembro</option>
            </select>
            <strong> Tinan </strong>
            <select name="tinan">
                <option>1980</option><option>1981</option><op
tion>1982</option>
                <option>1983</option><option>1984</option><op
tion>1985</option>
                <option>1986</option><option>1987</option><op
tion>1988</option>
                <option>1989</option><option>1990</option>
            </select>
        </td>
    </tr>
    <tr>
        <th align="right">Hela Fatin</th>
        <td align="center">:</td>
            <td><input type="text" name="textfield3"
id="textfield3"></td>
    </tr>
    <tr>
        <th align="right">Sexo</th>

```

```

        <td align="center">:</td>
        <td><input type="radio" name="sexo"> Mane | <input
type="radio" name="sexo">Feto</td>
    </tr>
    <tr>
        <th align="right">Hobby</th>
        <td align="center">:</td>
        <td><input type="checkbox" name="han">Han | <input
type="checkbox" name="futebol">Futebol | <input type="checkbox"
name="musica">Rona Musica | <input type="checkbox"
name="film">Badiu</td>
    </tr>
    <tr>
        <td colspan="2"></td>
        <td><input type="submit" value="Haruka"><input
type="reset"></td>
    </tr>
</table>
</form>
</body>
</html>

```

Rezultadu:

The screenshot shows a web browser window with the title 'Formulario ba Identidade'. The address bar shows the file path 'C:/Users/ASUS/Desktop/html/ezer...'. The browser's taskbar at the bottom includes 'ASUS Software Port...', 'MyASUS Software -...', and 'McAfee LiveSafe'. The main content area has a green background and a title 'Formulario Identidade'. Below the title is a form with the following fields and controls:

Naran	:	<input type="text"/>
Fatin Moris	:	<input type="text"/>
Data Moris	:	Loron <input type="text" value="1"/> Fulan <input type="text" value="Janeiro"/> Tinan <input type="text" value="1980"/>
Hela Fatin	:	<input type="text"/>
Sexo	:	<input type="radio"/> Mane <input type="radio"/> Feto
Hobby	:	<input type="checkbox"/> Han <input type="checkbox"/> Futebol <input type="checkbox"/> Rona Musica <input type="checkbox"/> Badiu
		<input type="button" value="Haruka"/> <input type="button" value="Reset"/>

KAPÍTULU VII

HALO LAYOUT UZA TABELA

Imajen tuir mai hanesan layout ne'ebé sei halo uja tabela:

HEADER	
MENU	CONTENT
FOOTER	

Atu fahe layout hanesan imajen ne'ebé iha leten, ita bele halo uja tabela hanesan tuir mai ne'e:

File: **layout_tabela.html**

```
<html>
<head>
  <title>Halo Layout Uja Tabela</title>
</head>
<body>
  <table width="80%" align="center" border="0">
    <tr bgcolor="#669933">
      <td colspan="2" align="center" width="80%" height="80px">
        <h1>HEADER</h1>
      </td>
    </tr>
    <tr>
      <td width="20%" bgcolor="#99CC66" align="center">
        <h1>Menu</h1>
      </td>
      <td width="60%" bgcolor="#CCCC99" align="center"
valign="middle">
        <h1>Content</h1>
        <h3>Ezemplu halo layout uja tabela</h3>
      </td>
    </tr>
    <tr>
      <td colspan="2" height="50px" align="center"
bgcolor="#FF9933">
        <h2>FOOTER</h2>
      </td>
    </tr>
  </table>
</body>
</html>
```

Rezultadu:

