

Step 5.

~~And Hay ENTZ.~~

~~7350080099~~

this.radius = radius;

}

public void move up ()

{ center.move up ();

public void move left ()

{ center.move down ();

public void move right ();

public String toString () { return

"circle at " + center; }

{


```
void move right ();
```

```
class Moveable point implements Moveable {  
    int x, y, x speed, y speed;  
    moveable point (int x, int y, int x speed, int y speed) {  
        this.x = x; this.y = y; this.x speed = x speed; this.y speed = y speed;  
    }  
}
```

```
    public void move up () { y -= y speed; }  
    public void move down () { y += y speed; }  
    public void move left () { x -= x speed; }  
    public void move right () { x += x speed; }  
    public String toString () { return "(" + x + ", " + y + ")"; }  
}
```

```
class Moveable circle  
implements Moveable {  
    int radius;  
    Moveable point center;  
    Moveable circle (Moveable point center, int radius) {  
        this.center = center;  
    }  
}
```



```
return BMW [color = " + color + " speed  
= " + speed + " ] ;  
}
```

```
}
```

class Civic extends Car {

@Override

public void

accelerate () { ~~speed += 10;~~

speed += 10;

}

@Override

public String toString () {

return "Civic [color = " + color +

speed = " + speed + "]";

}

}

Car 5:

interface Moveable {

void move up ();

void move down ();

void move left ();

Ques 4:

```
abstract class car {  
    protected  
    String color;  
    protected  
    double speed;  
    abstract void accelerate();  
    public String getColor() {  
        return color;  
    }  
    public double getSpeed() {  
        return speed;  
    }  
}
```

```
class BMW extends car {  
    @Override  
    public void accelerate() {  
        speed += 20;  
    }  
}
```

```
@Override  
public String toString() {
```

tên: Nguyễn Trường Phú Lộc
MSSV: 1350080149

Câu 3:

```
public class HangSanXuat {  
    private String tenHangSanXuat;  
    private String tenQuocGia;
```

```
    public HangSanXuat (String tenHangSanXuat  
        String tenQuocGia) {  
        this.tenHangSanXuat = tenHangSanXuat;  
        this.tenQuocGia = tenQuocGia;  
    }
```

```
    public String getTenHangSanXuat() {  
        return  
        tenHangSanXuat;  
    }
```

```
    public void  
        setTenQuocGia (String tenQuocGia) {  
        this.tenQuocGia = tenQuocGia;  
    }
```