```
class animal {
    public void makeSound () {
        System.out.println ("Rong vat lau.
    ...") ;
    }
}

class pig extend animal {
    @override
    public void makeSound () {
        System.out.println ("oink oink)
    }
}
```

NGHE XUONG

```
class dog extend animal {
    @ Override
    public void make sound () {
        System. out. println (" gaw gaw
    }
}

class cat extend animal {
    @ overide
    public void make sound ();
        System. out. println (" meo meo ");
    }
}

class bird extend animal {
    @ Over ride
    public void make sound();
        System. out. println (" do doo ");
    }
}
```

```
public class main {
    public static void main (String
[] args ) {
        Animal a1 = new pig ();
        Animal a2 = new dog ();
        Animal a3 = new Cat ();
        Animal a4 = new Bird ();

    a1 . make sound ();
    a2 . make sound ();
    a3 . make sound ();
    a4 . make sound ();
    }
}
```

Bài 2:

xe đạp

run

↑

xe đạp điện

Reen

```
class xe dap {
    public void run () {
System.out.println ("xe dap chay bay
suc nguon ");
    }
}

class xe dapdien extend xe dap {
    @ Override
    public void run () {
        System.out.println ("xe dap chay bằng
dong co dien va pin ");
    }
    public void thongtin ()
{
    System.out.print ("hai dong goc: ",
        super.run ();
    }
}
public class main {
    public static void main ()
```

```
        xe dap xe1 = new xedap();
        System.out.print("Xe 1: ");
            xe1.run();
    new xe dap dien();
        System.out.print("Xe 2: ");
            xe2.run();
    xe dap xe3 = new xedapdien();
    System.out.print("Xe 3: ");
            xe3.run();
        }
    }
```

Câu 3:



```
class Bank {
    public double
getRateOfInterest () {
        return 0;
    }
}

class SBI extend Bank {
    @ Override
    public double
getrateofinterest () {
        return 8.0;
    }
}
class ICICI extend Bank {
    @ override
    public double
getrateofinterest () {
        return 7.0;
    }
}
```

```
class AXIS extend bank {
    @ override
    public double
    get rate of interest () {
        return 9.0;
    }
}

public class test ~~Bank~~ Bank {
    public static void main (String
args) {
        Bank b1 = new SBI ();
        Bank b2 = new ICICI ();
        Bank b3 = new AXIS ();
System.out.printf ln ("Lai suat SBI :
b1.get Rate of Interest () + "%")

System.out.println ("Lai suat ICIC
+ b2.get rate of Interest () + "%
System.out.println ("Lai suat AXIS :
b3.get Rate of interest () + "%" /
```

NGHỆ XUONG