


Krine

Self-hosted trust decisions for your application

Combine IP risk, activity and other evidence in one visual policy. Return Allow, Deny or a CAPTCHA request.

Open source · Customer-operated



Actual dashboard · 28 days of generated sample activity

The gap between components and platforms

Open-source components

A library such as FingerprintJS supplies a browser identifier. Teams still have to connect signals, write decision logic and build the investigation history.

Managed platforms

Integrated services reduce that work. Deployment, available data regions and supported integrations still depend on the vendor's offering.

Krine combines these signals and policies in a system the customer operates.

One check before your application acts

Example: before accepting a report, the backend asks `can_submit_public_form`.

01

Send evidence

Your app sends activity events. Krine adds browser signals and data from enabled providers.

02

Evaluate the policy

You choose metrics, thresholds and branches. Krine returns Allow, Deny or a CAPTCHA request.

03


Act on the result

Your backend follows the result. Krine stores the policy version and the evidence used.

A “check” is a named application action. The same engine can protect login, trials or submissions.

High IP risk triggers CAPTCHA


Low risk proceeds. High or missing risk requires verification before the request can continue.



Matched = risk ≥ 0.65 · Not matched = lower risk · Unknown = no usable risk value

Test the path before publishing it

Sample: IP risk 0.82 + CAPTCHA passed → Allow. The highlighted path shows why.



Synthetic test inputs; real evaluator. Failed, expired or unavailable verification follows the Deny branch.

Investigate a decision from its evidence

See the result, the policy version and the evidence that caused it—together.

can_claim_trial → Deny

rule matched · Rule 1

Oct 4, 2026, 03:19:09 AM GMT+2 · [Policy v2](#)

[client.user_count_30d v1](#) · 40 → true

When [client.user_count_30d v1](#) is at least 2.
Then Deny. If unknown: Deny.

Client	cl_a7c264156fc20236013e4ac9
User	demo-user-00040
IP	203.0.113.8
Session	ses_54a3f894584cfef1688e6fca

Why this trial was denied

40 accounts were linked to one browser client in 30 days. This policy denies a trial when the count reaches 2.

Policy v2 and the captured count remain available for review.

Recorded sample activity. The decision snapshot remains separate from today's metric values.

Own the system that holds your evidence

Run the engine, dashboard and data stores in infrastructure you control.

Choose where data lives

Set the deployment region, database access, retention and backup policy. Core operation does not require a Krone cloud account.

Keep the decision history

Events, policies and explanations stay in your stores. Changing an external signal provider does not move that history to a new vendor.

PostgreSQL · configuration ClickHouse · history Valkey · realtime state

Enabled external providers receive their required request data. Self-hosting does not remove that boundary.

Choose the evidence your policy uses

Select metrics and thresholds in the policy. Configure their source separately.

Available now	What it contributes
Application events + browser SDK	Activity history, relationships and browser evidence
proxycheck	IP risk, proxy status and country
Cloudflare Turnstile	CAPTCHA verification and continuation

Next: more IP and CAPTCHA providers, local data sources, and email or device intelligence.

Provider adapters feed stable metric names such as ip.risk. Current external catalog: two adapters.

A practical product for teams that need control

Start with one application

A reporting portal, SaaS trial or marketplace submission flow that needs its own decision rules and control of sensitive evidence.

Commercial value

Build the provider integration once.
Reuse policy tools across actions.
Keep history when vendors change.
Investigate from recorded evidence.

Proposed revenue

Deployment, support and maintained integrations around an open-source core.

Next: a measured customer pilot

Connect live providers; measure setup effort, false denials and investigation time.

Repository: github.com/localhost2137/krine