REPUBLIC OF KENYA

KENYA NATIONAL PUBLIC HEALTH INSTITUTE
Responsive. Reliable . Resilient

# EBOLA

## Prevention

**Ebola is a severe and often deadly disease caused by the Ebola virus**




Avoid direct contact with body fluids from any person suspected or infected with Ebola.



In case you handle a person suspected to be infected with Ebola, wash your hands thoroughly with soap and water.



If you must touch or support a suspected Ebola patient, Wear personal protective gear.



Avoid contact with dead person and body fluids of Ebola patient. Person who dies from Ebola should have a Safe and Dignified burial supervised by Trained burial teams.




Ebola Virus Disease (EVD) male survivors should **abstain from sexual activity** or **practise safe sex by using a condom** until they test negative for EVD. This would prevent them from infecting their partners as the virus can be transmitted through semen even after recovery.

Symptoms can start within 2 to 21 days of contact with an infected person or body. In case you have recently visited an area with the Ebola Virus Disease and you are showing any of these signs and symptoms immediately visit the nearest health facility.

**NB: To learn more on Ebola Virus Disease dial *719#**

**For further information contact:**
Director General, Kenya National Public Health Institute, Afya Annex Building, P.O Box 31 - 00202 Nairobi Office Phone +254 718 777 000 | Email: lidsru.mohkenya@gmail.com.

Ministry of Health | World Health Organization | unicef for every child | Kenya Red Cross | IOM UN MIGRATION

Scan for official Ebola information & Key messages

**For clarification, inquiry, concern or reporting suspected cases Call Toll-Free Line: 719**

Kenya National Public Health Institute | @NPHIKenya | www.nphi.go.ke