

Bachelor of Science in Computer Engineering

BSCpE Res. No _____
Date: MAY 2026

**SELF-SERVICE PRINTING STATION IN SKSU – ISULAN LIBRARY WITH
CASHLESS PAYMENT INTEGRATION VIA GCASH**

**GEORGE ANDRIE D. GATAN
NATHANIEL C. LAGNAODA**

**SUBMITTED TO THE FACULTY OF THE COLLEGE OF
ENGINEERING SULTAN KUDARAT STATE
UNIVERSITY IN PARTIAL FULFILLMENT
OF THE REQUIREMENTS FOR THE
DEGREE OF**

BACHELOR OF SCIENCE IN COMPUTER ENGINEERING

MAY 2026

TRANSMITTAL

The thesis attached hereto entitled “**SELF-SERVICE PRINTING STATION IN SKSU – ISULAN LIBRARY WITH CASHLESS PAYMENT INTEGRATION VIA GCASH**” prepared and submitted by **NATHANIEL C. LAGNAODA** and **GEORGE ANDRIE D. GATAN**, in partial fulfillment of the requirements for the degree *Bachelor of Science in Computer Engineering* is hereby endorsed for approval.

JADE A. BUENAVIDES, PhD

Adviser

Date Signed

LENMAR T. CATAJAY, ME-CoE

College Dean

Date Signed

ELMER C. BUENAVIDES, DIT

Campus Research Coordinator

Date Signed

Accepted as partial fulfillment of the requirements for the degree of *Bachelor of Science in Computer Engineering*.

ROMMEL M. LAGUMEN

Campus Director

Date Signed

APPROVAL SHEET

The thesis attached hereto entitled “**SELF-SERVICE PRINTING STATION IN SKSU – ISULAN LIBRARY WITH CASHLESS PAYMENT INTEGRATION VIA GCASH**” prepared and submitted by **NATHANIEL C. LAGNAODA** and **GEORGE ANDRIE D. GATAN**, in partial fulfillment of the requirements for the degree *Bachelor of Science in Computer Engineering* is hereby endorsed for approval.

ARNEL N. BEN, MAEd
Member

Date Signed

MEILAFLORE A. PACLIBAR
Member

Date Signed

JADE A. BUENAVIDES, PhD
Adviser

Date Signed

Approved as partial fulfillment of the requirements for the degree of *Bachelor of Science in Computer Engineering*.

LENMAR T. CATAJAY, ME-CoE
College Dean

Date Signed

ELMER C. BUENAVIDES, DIT
Campus Research Coordinator

Date Signed

ROMMEL M. LAGUMEN
Campus Director

Date Signed

BIOGRAPHICAL DATA



The researcher was born on September 22, 2003, in General Santos City he is youngest child of Mr. George Y. Gatan and Mrs. Marry Ann D. Gatan. He is fondly called “Adi,” “Gats,” and “Drei” by his family and friends.

He spent his childhood in his birthplace and completed his elementary education at Montessori Casa Precious Jewels Inc, Sto Niño, South Cotabato, in 2016. He pursued his junior high school at Montessori Casa Precious Jewels inc. and graduated in 2019-2020. For his senior high school, he studied at Sto Niño National High School under the Science, Technology, Engineering, Mathematics (Stem), which he completed in 2022. At present, he is pursuing a Bachelor of Science in Computer Engineering at Sultan Kudarat State University, Isulan Campus, where he continues to enhance his technical and analytical skills

Looking ahead, the researcher aims to continue improving himself as he faces new opportunities and challenges with determination, hard work, faith in God, he hopes to achieve in his chosen career in the field of technology, possibly focusing in software development, systems design, or automation.

BIOGRAPHICAL DATA



The researcher, Nathaniel C. Lagnaoda, was born on December 12, 2003, at Quijano Clinic and Hospital in Tacurong City. He is the son of Mr. Bonifacio T. Lagnaoda Jr. and Mrs. Belinda C. Lagnaoda and is fondly called “Nikol” by his family and friends. He grew up with a curious mind and a strong passion for technology, showing early interest in computers and design. His upbringing instilled in him the values of hard work, perseverance, and humility, which continue to guide him in both his academic and personal life.

He began his educational journey at Masiag Central Elementary School, where he completed his elementary education. He then pursued his junior and senior high school studies at Notre Dame of Masiag, Inc., where he further honed his academic foundation and leadership skills. Currently, he is a fourth-year student taking up the Bachelor of Science in Computer Engineering at Sultan Kudarat State University, Isulan Campus. Throughout his college years, he has developed skills in programming, AutoCAD, circuit simulation, and basic hardware design using Arduino and ESP32 microcontrollers. He is also an active student

leader, serving as the Business Manager of the Engineering Student Organization, Class Representative of ICpEP.SE, and President of the Book Club.

Looking ahead, Nathaniel aspires to become a skilled and innovative computer engineer who can contribute to the advancement of technology and make a meaningful impact in his community. He plans to specialize in fields such as network engineering, automation, or embedded systems development. With dedication, continuous learning, and faith in God, he envisions building a successful career in the tech industry and possibly establishing his own technology-based enterprise to help empower others through innovation and education.

ACKNOWLEDGMENT

This study could not have been completed successfully without the assistance and contributions of many individuals, some of whom may not be mentioned by name. The researchers would like to express their sincere gratitude to everyone who pitched in. Specifically, the researchers would like to thank and deeply appreciate the following:

Foremost, the researchers sincerely thank the Almighty God, for granting them wisdom, strength, peace of mind, and good health throughout their thesis journey. His guidance has been their source of inspiration and perseverance in overcoming every challenge faced during the conduct of this study.

The researchers extend their heartfelt gratitude to their thesis adviser, **Mrs. Jade A. Buenavides**, for her time, guidance, patience, and encouragement. Her expertise, enthusiasm, and insightful advice greatly contributed to making this study meaningful and successful.

They also express their deep appreciation to their statistician, **Mr. Ben Arnel**, for his valuable guidance and assistance in the statistical analysis of the study, ensuring the accuracy and reliability of the findings.

Their sincere thanks are also given to their English critic, **Mrs. Edralin D. Mesias**, for her expertise in reviewing the manuscript, correcting grammatical errors, and suggesting appropriate terms to improve the clarity and professionalism of the paper.

Special thanks are also extended to their subject professor, **Mrs. Meilaflor A. Paclibar**, for her constant guidance, encouragement, patience, and the knowledge she shared throughout the development of this research.

The researchers also sincerely appreciate the cooperation and honest responses of their respondents, whose contributions were essential in completing the survey and achieving the study's objectives.

The researchers are deeply grateful to their parents, **Mr. Bonifacio T. Lagnaoda Jr.** and **Mrs. Belinda C. Lagnaoda**, and **Mr. George Y. Gatan** and **Mrs. Mary Ann D. Gatan**, for their unwavering love, care, financial and moral support throughout their academic journey. Their sacrifices and encouragement have been the foundation of the researchers' perseverance and success.

Nathaniel C. Lagnaoda additionally wishes to thank **Princess Ann S. Parazo**, his significant other, for being there through their ups and downs, for guiding and motivating him to do better every day, and for her unconditional support that greatly helped this study.

The researchers are also sincerely grateful to **Jule Cyrus F. Arabit**, for his valuable contribution in helping them complete the system.

The researchers wish to express their gratitude to **Salvador A. Pal**, for his support and for giving them the chance to showcase their talent and give back to the institution by making this thesis, which will be used by their own community.

To their friends, the researchers offer sincere thanks for the past four years of true friendship—for standing by each other through joyous moments, grief, and hardship, and for making their college life both fun and memorable.

Lastly, the researchers extend their thanks and appreciation to their relatives and to anyone else who willingly shared their time, ideas, and knowledge that helped in the completion of this thesis. Their kindness, support, and motivation were truly invaluable.

Researchers,

NATHANIEL C. LAGNAODA

GEORGE ANDREI D. GATAN

TABLE OF CONTENTS

PRELIMINARY PAGES

Title Page	i
Transmittal	ii
Approval Sheet	iii
Biographical Data	iv
Acknowledgment	vii
Table of Contents	x
List of Tables	xiii
List of Figures	xiv
Abstract	xvi

CHAPTER 1 INTRODUCTION

Background of the Study	1
Objectives of the Study	3
General Objectives	4
Specific Objectives	4
Significance of the Study	4
Scope and Limitation of the Study	6
Operational Definition of Terms	6

CHAPTER 2 REVIEW OF RELATED LITERATURE

Related Literature	10
Raspberry Pi	10
Inkjet Printer	12
Touch Screen Display	13
Quick Response (QR) Code	14
Common UNIX Printing System (CUPS)	15
Xendit	16
Gcash	17
Self Service Technology	18
Modern Academic Library Innovation	19
Cashless Payment	19
Related Study	
Self-Service Technology(SST) in Educational Institutions	21
Cashless Payment Adoption and User Acceptance in the Philippines	22
Operational and Institutional Benefits of Cashless Systems	23
Kiosk-Based Automation and System Architecture	23
AI and IoT-Enhanced Self-Service Kiosks: Balancing System Performance and User Experience	25
Cybersecurity in Cashless Systems	25

Data Privacy and Protection in FinTech and E-Wallet Services	26
User Experience (UX), Convenience, and Accessibility in Digital Transactions	27
Demographic Influences on E-Wallet Adoption and User Experience	28
Self-Service and Automation Initiatives in Mindanao	29
Conceptual Framework	30
CHAPTER 3 METHODOLOGY	33
Project Development Description	33
Tools and Equipments	33
Bill of Supply and Materials	34
Project Duration	35
Software Development Methodology	36
Context Diagram	38
Data Flow Diagram	39
Entity Relationship Diagram	41
Database Structure	42
Hardware Development Methodology	43
Perspective Plan	44
Flowchart	47
Evaluation Methodology	49
Research Design	49
Locale	49
Methods of Research	50
Respondents of the Study	51
Data Gathering Procedures	51
Data Gathering Instruments	52
Statistical Tools and Treatment of Data	53
CHAPTER 4 RESULTS AND DISCUSSION	57
Result and Discussion	57
Presentation of Developed System	57
Evaluation of the Developed System	67
CHAPTER 5 SUMMARY, CONCLUSION, AND RECOMMENDATION	77
Summary of Finding	77
Conclusion	78
Recommendation	80
LITERATURE CITED	81
Books	81
Journals	83
Online Sources	85
Thesis	88

APPENDICES	87
Sample Questionnaire	88
Pictorials and Screenshots	94
Source Codes	111
Advisory Committee Application Form	112
Title Defense Application Form	144
Summary of Suggestions and Recommendations of the Advisory Committee	145
Report on the Result of Title Defense	146
Outline Defense Application Form	147
Report on the Result of Outline Defense	148
Final Defense Application Form	149
Report on the Result of Final Defense	155

LIST OF TABLES

TABLE	TITLE	PAGE
1	Tools And Equipment	33
2	Bill of Supplies and Materials	34
3	Administrator Table	42
4	Transaction Table	42
5	Questions used in Evaluating Functionality of the System	50
6	Questions used in Evaluating Reliability of the System	51
7	Questions used in Evaluating Convenience of the System	51
8	Interpretative Scale used to Interpret the Mean	54
9	Rating Scale Used in Evaluating the Functionality of the System.	54
10	Rating Scale Used in Evaluating the Reliability of the System.	55
11	Rating Scale Used in Evaluating the User Convenience of the System.	56
12	The Result of Evaluation of the Functionality of the System	66
13	The Result of Evaluation of the Reliability of the System	68

14	The Result of Evaluation of the Convenience of the System	70
15	The Summary Result of Evaluation of the System	72

LIST OF FIGURES

FIGURE	TITLE	PAGE
1	Conceptual Framework of the Study	30
2	Project Duration	35
3	System Development Life Cycle	36
4	Context Diagram of the System	38
5	Data Flow Diagram	39
6	Entity Relationship Diagram	41
7	Perspective Plan of the Device	44
8	Flowchart	48
9	Satellite map of Sultan Kudarat State University - Isulan Campus	50
10	Actual Setup of SSPS	57
11	Landing Page of SSPS	58
12	File Uploading Interface of SSPS	59
13	Document Selection of SSPS	60
14	SSPS Print Configuration Interface: Basic Settings Screen	61
15	SSPS Payment Checkout Interface with Xendit QR Integration	62
16	Xendit Payment Gateway Interface	63
17	SSPS Payment Success and Print Completion Screen	64
18	Administrative Authentication of SSPS.	64

19	SSPS Mobile Admin Authentication: Paired Login Interface	65
20	SSPS Administrative Dashboard: Analytics and Activity Monitor	66

ABSTRACT

NATHANIEL C. LAGNAODA and GEORGE ANDRIE D. GATAN, May, 2026
“SELF-SERVICE PRINTING STATION IN SKSU-ISULAN LIBRARY WITH CASHLESS PAYMENT INTEGRATION VIA GCASH”. A thesis of Bachelor of Science in Computer Engineering, Sultan Kudarat State University, Isulan Campus, Isulan, Sultan Kudarat.

ADVISER: JADE A. BUENAVIDES

In this study, the researchers developed and implemented a Self-Service Printing Station integrated with cashless payment via GCash, designed to provide students with a faster, more convenient, and efficient printing experience within the SKSU–Isulan Library. The station automates the document printing process by allowing users to upload their files, convert them to PDF, preview the document, and pay electronically through GCash before printing. The system utilized a Raspberry Pi single board computer, touchscreen monitor, and printer, all integrated through a custom software interface for smooth operation.

The project aimed to address the challenges of long queues, manual payments, and the lack of accessible printing facilities within the library. Evaluation results from 200 respondents yielded an overall mean rating of 4.633, interpreted as "Strongly Agree," indicating that the system successfully streamlines the printing process, minimizes human intervention, and promotes a secure, contactless transaction environment. This innovation enhanced operational efficiency in the university library and aligns with modern digital payment trends, providing a sustainable and user-friendly solution for students and staff alike.

Chapter I INTRODUCTION

Background of the Study

Educational institutions today face an increasing demand for printing and document handling services from students, faculty, and staff. Traditional manual print stations often result in delays, long queues, and inefficient workflows, particularly during peak academic periods. In the context of the Sultan Kudarat State University Isulan Campus library, the absence of an automated, cashless, self-service printing station has led to bottlenecks, extended waiting times, and greater dependence on library staff to manage printing and payment transactions. These challenges highlight the need for a more efficient and user-friendly solution to meet the academic community's printing requirements.

The effectiveness of self-service station systems in improving process efficiency and user satisfaction has been demonstrated in various international studies. Kim, Yang, and Lee (2023) reported that the adoption of self-service stations in the Republic of Korea enabled organizations to improve operational resilience during the COVID nineteen pandemic by reducing physical contact, supporting cashless transactions, and accelerating service delivery. Similarly, Chung and Park (2021) evaluated the usability of self-service stations among older adults and found that design features such as seating and spatial partitions significantly reduced user workload and enhanced task performance. These findings support the view that introducing self-service stations can improve service delivery, enhance user experience, and streamline operations.

In the Philippine context, mobile based and station-based innovations are increasingly gaining attention. A local study on customer perceived satisfaction with self-service stations in fast food establishments found that ease of use, navigability, and time saving features had significant positive effects on user satisfaction (Jherald et al., 2025). In addition, Fernandez, Teleron, and Sulima (2025) developed "My Print," a microcontroller-based smart printing system in the Philippines that addressed operational challenges in academic institutions including long queues, outdated systems, and USB-related security risks — demonstrating that self-service printing kiosks can provide accessible, automated, and cashless printing services in university campuses.f

Within the Mindanao region, there is growing institutional interest in self-service systems. For instance, Bukidnon State University (2023) introduced a self-check station for library transactions to improve operational efficiency and user convenience. At the University of Southern Mindanao, Tutor (2025) reported that a print on demand system was benchmarked by other institutions in Davao del Sur as a cost effective and flexible digital printing service for academic use. While these developments indicate readiness for print service innovations in Mindanao, they still lack fully automated, cashless, self-service printing stations integrated with mobile wallet payment systems.

The effectiveness of a self service printing station integrated with a cashless payment system lies in its ability to reduce manual transaction handling, shorten waiting times, enhance user satisfaction through convenience, and provide administrators with usage and sales reports for monitoring and decision making.

Allowing users to independently upload documents, pay through mobile wallets such as GCash, and receive printed output with minimal staff assistance aligns with modern academic service delivery and digital transformation initiatives.

Despite continuous efforts toward technological advancement, Sultan Kudarat State University has yet to adopt a self service printing station integrated with a secure cashless payment system within its library. This gap underscores the need for a localized solution tailored to the operational context of the SKSU Isulan Library.

Therefore, this study aimed to design, develop, implement, and evaluate a self service printing station in the SKSU Isulan Library that integrates a cashless payment system through GCash.

Objectives of the Study

General Objectives

This study generally aimed to develop a self-service printing station in SKSU-Isulan library that provides students and users with a convenient, automated, and cashless payment service through GCash.

Specific Objectives

Specifically, this study aimed to:

1. Design a web-based system for document handling and printing.
2. Allow platform for seamless and cashless transaction through GCash.

3. Generate data analytics for sales, transaction logs, and usage.
4. Evaluate the system in terms of:
 - 4.1. Functionality
 - 4.2 Reliability
 - 4.3 User Convenience

Significance of the Study

This study is designed to develop and implement a Self-Service Printing Station in the Sultan Kudarat State University Isulan Campus Library, integrated with a cashless payment system through GCash. The primary goal is to provide students, faculty, and staff with a convenient, automated, and secure method of printing documents without the need for manual transactions or cash handling. The system contributes to promoting digital transformation and technological innovation in campus services. Specifically, this study is significant to the following:

Students. This system offers convenience and efficiency to students by allowing them to print documents anytime without relying on library staff. Through cashless payment via GCash, students can transact quickly and securely, saving both time and effort. The station helps address issues of long queues and manual payment processes, enhancing their overall learning and library experience.

Library Staff and Administrators. The station automates printing and payment operations, minimizing manual supervision and reducing workload. It also provides automated transaction logs, weekly and monthly reports, and usage summaries that can be used to monitor revenue, system utilization, and

performance. This enables better management and transparency in library services.

University Management. The project demonstrates the institution's commitment to digital innovation and modernization. By adopting an automated and cashless system, the university promotes environmental sustainability through paperless payment and resource efficiency. It also enhances SKSU's reputation as a forward-thinking university that embraces financial technology and automation for public service improvement.

Researchers. This study is significant to the researchers as it enhances their technical and analytical skills in the field of computer engineering. Through the design and implementation process, the researchers gain hands-on experience in system integration, hardware and software interfacing, and payment gateway development. It also strengthens their knowledge of user-centered design, cybersecurity, and system evaluation.

Future Researchers. This study may serve as a useful reference for future researchers who wish to explore similar innovations involving self-service technology, automation, and financial technology integration. The framework, methodologies, and findings presented in this research can guide them in developing more advanced and efficient systems, particularly those that aim to improve public access and service automation in academic or institutional settings.

Scope and Limitation

This study focused on the development and evaluation of a web-based system that automates the complete printing workflow within a library setting. The system is designed to accept document uploads only in PDF, DOCX, and standard image file formats, with a maximum file size of 25 MB per document. Black and white (grayscale) prints, regardless of paper size or whether the file is a photo, are charged at three pesos (₱3) per page. All colored prints, regardless of paper size, are charged at five pesos (₱5) per page. Cashless payment processing is implemented exclusively through the Xendit API.

The implementation and evaluation of the system are conducted at the SKSU Isulan Library. In line with the research design, respondents are selected using purposive sampling, targeting users who directly interact with the system. The system was evaluated based on functionality, and reliability.

To maintain feasibility and alignment with the study objectives, several limitations are imposed. The system was limited to a responsive web interface and does not include a dedicated mobile application; consequently, access to the system is restricted to users with smartphones capable of scanning QR codes to initiate transactions. File support was limited to the specified formats and size constraints, excluding larger or unsupported files. The pricing model was fixed and does not allow dynamic pricing or promotional adjustments. The study utilized existing or commercially available printing hardware and does not assess custom or specialized devices. Furthermore, the implementation was geographically confined to the SKSU Isulan Campus Library and is not extended to other SKSU

campuses. Methodologically, the findings were limited to data collected from purposively selected users and may not be generalized beyond the study context.

Operational Definition of Terms

The following terms are operationally defined as used in this study:

- | | |
|---|---|
| Administrator | - Refers to the person responsible for managing, maintaining, and monitoring the printing station system, including generating reports of sales. |
| Cashless Payment | - Refers to the incorporation of electronic or digital payment systems into the printing station, allowing users to complete transactions without using physical cash, specifically through GCash or similar mobile wallet services. |
| CUPS (Common Unix Printing System) | - Refers to the open-source printing system used in the Self-Service Printing Station to manage and process print jobs. It handles communication between the Raspberry Pi and the printer, converting user-submitted files into print-ready formats and maintaining the print queue to ensure that documents are printed accurately and in the correct order. |
| Database | - Refers to the structured data storage system that records transaction logs, payment histories, and |

usage reports for administrative monitoring and analysis.

Data Analytics

- Refers to the process of collecting, analyzing, and interpreting printing station's data such as transaction logs, daily usage, and sales reports.

Self-Service

- Refers to a system or process that allows users to perform tasks or access services independently without the need for assistance from staff or personnel.

Functionality

- Refers to the ability of the system to perform its intended operations effectively, such as printing, payment processing, and data recording without errors or failures.

GCash

- Refers to a mobile wallet application in the Philippines that allows users to pay bills, send money, and make purchases online or in-store using their smartphones.

Printing Station

- Refers to an automated system or station designed to provide on demand printing services. It allows users to upload, preview, and print documents independently without requiring staff assistance.

Raspberry Pi 4

- Refers to the small, single-board computer that serves as the main processing unit of the self-

service station, managing both hardware and software operations.

Reliability

- Refers to the consistency and dependability of the system in performing its tasks, ensuring that printing and payment processes function accurately and continuously without frequent breakdowns or errors.

SKSU-Isulan Library

- Refers to the designated location within the Sultan Kudarat State University – Isulan Campus where the printing station is installed and utilized by students and staff.

System Interface

- Refers to the graphical layout and interactive components that enable users to communicate with the printing station system.

User Convenience

- Refers to the level of ease, accessibility, and satisfaction experienced by the users while interacting with the system.

Xendit

- Refers to the payment gateway platform that is integrated into the printing station system that facilitates secure and real-time transaction processing between GCash and the printing system.

CHAPTER II REVIEW OF RELATED LITERATURE

This chapter presents a comprehensive review of related literature and studies pertinent to the design and development of the Self-Service Printing Station in SKSU-Isulan Library with Cashless Integration via GCash.

Raspberry Pi

The Raspberry Pi was selected as the main controller of the self-service printing station due to its sufficient processing capability, Linux-based operating system support, and compatibility with peripheral devices and network-based applications. Its General Purpose Input/Output (GPIO) pins allow seamless integration with printers, touchscreens, and other hardware, making it suitable for automation and embedded system applications. Studies have shown that the Raspberry Pi is widely used in engineering and research environments requiring real-time data processing and system control. Thakur et al. (2023) highlighted its effective application in areas such as industrial automation and machine vision, demonstrating its capability to handle both data acquisition and on-board processing.

Furthermore, the Raspberry Pi's support for programming languages such as Python and system-level libraries enables efficient development of user interfaces, printing services, and API-based payment verification. Rani and Singh (2022) emphasized that compared to traditional microcontrollers, the Raspberry Pi offers advantages in applications requiring networking, image processing, and

cloud connectivity, as it operates as a full Linux-based computer while retaining hardware-level control. These characteristics make the Raspberry Pi an appropriate platform for implementing an automated printing station that requires file processing, payment validation, and reliable system coordination.

Practical implementation guidance for Raspberry Pi-based systems is widely available. Monk (2023) provides an extensive collection of tested solutions for common hardware interfacing and software configuration challenges encountered when building embedded systems with the Raspberry Pi. The resource covers essential topics such as GPIO control, peripheral integration, and Python scripting—all of which are directly applicable to the development of a stable and responsive self-service kiosk controller.

The versatility of the Raspberry Pi as a platform for educational and embedded systems has been demonstrated in recent undergraduate research conducted within Sultan Kudarat State University. Arguelles and Demerin (2025) developed a hardware-based digital signal processing trainer utilizing a Raspberry Pi 4 as the central processing unit, successfully implementing key DSP functions such as convolution, transform analysis, and frequency response. The study affirmed the Raspberry Pi's capability to handle real-time signal processing tasks while maintaining a low-cost and accessible hardware profile. Similarly, Baay and Dalogdog (2025) designed a DSP student trainer that integrated a Raspberry Pi 4 with a touchscreen display and interactive software to support hands-on experimentation with sampling, filtering, and spectral analysis. Both projects validate the suitability of the Raspberry Pi 4 as a reliable and flexible controller for

academic training systems. These precedents support the selection of the Raspberry Pi 4 as the core processing unit for the Self-Service Printing Station, where it manages document handling, print queue coordination, and API-based payment verification.

Inkjet Printer

Inkjet printers are commonly used in academic and small scale service environments due to their ability to produce high quality text and image outputs at a relatively low cost. Their compatibility with computer-based printing systems and support for standard document formats make them suitable for automated printing applications. Yang et al. (2024) noted that inkjet printing is a prevalent technology with extensive applications across diverse fields, with ongoing research consistently focused on attaining superior printing resolution, precise color reproduction, and finer image details — qualities that make inkjet printers well-suited for document printing in academic and institutional settings

From a technical perspective, inkjet printing is a digital printing method that directly deposits ink droplets onto various substrates to recreate digital images. Shah et al. (2021) classified inkjet printing technologies and highlighted their wide applicability across multiple fields, emphasizing piezoelectric inkjet printing for its reliability and ability to handle diverse ink formulations. The study explained that piezo driven inkjet printheads operate by applying controlled voltage waveforms to a piezoelectric membrane, ensuring stable droplet formation and consistent print

quality. These characteristics contribute to improved printing accuracy, stability, and speed, which are critical for repeated and automated printing tasks.

Similarly, Yesuf et al. (2023) noted that modern inkjet printers operate using either continuous inkjet or drop on demand mechanisms, where ink formulation and droplet control influence print accuracy and output quality. Maintenance mechanisms are incorporated to prevent nozzle clogging and ensure consistent performance during continuous use. In automated printing systems, inkjet printers support digital workflow integration through operating systems and print management services such as CUPS.

The reliability, affordability, and ease of maintenance of inkjet printers make them an appropriate choice for a self-service printing station intended for student use. Their stable operation, acceptable print clarity, and efficient document processing support consistent service delivery in institutional environments such as university libraries.

Touch Screen Display

Touch screen displays have become a core component of modern digital systems due to their ability to support direct and intuitive user interaction. Sirois (2024) emphasized that touch-based interfaces enhance usability and efficiency by allowing users to interact directly with on screen elements, eliminating the need for external input devices. This interaction model has been widely adopted in self-service stations and other automated systems because it reduces user effort and improves overall accessibility.

Beyond basic touch input, advancements in touchscreen technology have focused on enhancing user experience through tactile feedback. Haghighi Osgouei (2020) explained that surface haptics technologies, such as electrostatic friction displays, improve touchscreen usability by modulating friction between the user's finger and the screen surface. This creates tactile sensations that allow users to both see and feel digital content, resulting in improved interaction accuracy and user satisfaction. The lightweight and electrical nature of this technology makes it suitable for integration into modern touchscreen devices used in automated systems.

In self-service applications, touch screen displays contribute to improved user experience by enabling clear navigation, real time feedback, and streamlined task execution. In the context of a self-service printing station, the touchscreen serves as the primary interface that guides users through document selection, print preview, and payment confirmation. The integration of responsive and feedback-oriented touchscreen technology supports independent operation, minimizes reliance on staff assistance, and enhances overall system efficiency.

Quick Response (QR) Code

QR codes are widely used in digital systems to enable fast and contactless interaction between physical interfaces and online services. Hayes (December 2025) noted that QR based technologies support efficient data access and transaction initiation by allowing users to scan codes using standard mobile devices, making them particularly suitable for payment verification and information

retrieval applications. Their ability to encode various data types enables seamless integration with modern digital platforms, including cashless payment systems.

In automated service environments, QR codes enhance usability by simplifying user actions and reducing manual input requirements. Their adoption in digital payment and self-service stations demonstrates their effectiveness in improving transaction speed and user engagement. However, the increasing use of QR codes in financial transactions has also raised concerns related to security and system integrity. Sanapala and Gondi (2023) emphasized that QR code-based payment processes interact with multiple digital components, including mobile devices, applications, and payment gateway platforms, highlighting the importance of secure integration and controlled transaction workflows.

In the proposed self-service printing station, QR codes are utilized within a controlled system environment to facilitate secure payment confirmation through a trusted payment gateway. This approach balances user convenience with system reliability while addressing potential risks associated with unverified or unauthorized QR code usage.

Common UNIX Printing System (CUPS)

The Common UNIX Printing System (CUPS) is widely implemented in Linux-based environments to manage print jobs, queues, and printer communication in automated systems. Its support for the Internet Printing Protocol (IPP) enables reliable handling of both local and networked printers, making it suitable for centralized print control applications (CUPS, 2023). Studies indicate

that CUPS provides a stable and standardized framework for integrating printers with computing platforms that require continuous and unattended operation.

In automated service systems, CUPS facilitates efficient print workflow management by processing print requests, converting document formats, and transmitting data to printers without manual intervention. Its modular architecture allows seamless integration with application software and user interfaces, supporting real-time print job monitoring and control. In the proposed self-service printing station, CUPS serves as the core printing service that ensures consistent print output, system reliability, and compatibility with the Linux-based controller used in the implementation (CUPS, 2023).

For practical system administration, comprehensive guides such as Nemeth et al. (2017) offer detailed instruction on configuring CUPS in Linux environments, including printer queue management, network sharing, and troubleshooting. This knowledge is essential for maintaining the reliable print services required by a self-service station operating continuously in a public library setting.

Xendit

Xendit is a digital payment gateway widely used in Southeast Asia to facilitate secure and efficient electronic transactions across multiple payment channels. Korostashevych (March 2025) emphasized that Xendit supports various payment methods, including e-wallets and bank transfers, through API-based integration that enables automated transaction processing and real-time payment

verification. Its compliance with PCI DSS standards further ensures the security and integrity of financial data during digital transactions.

In automated service systems, payment gateways such as Xendit play a critical role in ensuring reliable transaction handling and system synchronization. The platform's ability to generate payment requests, confirm transaction status, and log payment records enables seamless integration with application-level services. In the proposed self-service printing station, Xendit serves as the intermediary payment service that validates GCash transactions and ensures that printing processes are executed only after successful payment confirmation, thereby improving transaction accuracy, security, and operational efficiency.

GCash

GCash is a mobile-based digital wallet widely used in the Philippines to facilitate secure, cashless transactions. Afable (May 2024) notes that GCash supports payments, money transfers, bill settlements, and mobile commerce through a single integrated platform, enabling users to perform financial transactions efficiently and reliably. The application's regulatory compliance and security features, such as Customer Protect and QR code verification, ensure transaction integrity and user trust.

In automated payment systems, digital wallets like GCash serve as intermediaries that validate and authorize financial transactions in real time. Their integration via API allows seamless communication between the wallet and application-level services, ensuring that downstream processes are executed only

after successful payment confirmation. In the proposed self-service printing station, GCash functions as the primary cashless payment option. Its role is to confirm and log user payments, enabling the system to proceed with printing requests only after verification, thereby enhancing operational efficiency, security, and transaction accuracy.

Self Service Technology

Self-service technologies (SSTs) are digital systems that allow users to independently perform transactions or access services without direct employee assistance. Malpass (2018) emphasized that SSTs enhance operational efficiency by automating routine tasks while providing users with real time access to services and information. Key characteristics of effective SSTs include system integration, ease of use, and reliable transaction processing, which support seamless interaction between users and service platforms.

The practical value of SSTs across industries has been well documented. Verma, Schulze, and Upreti (2025) discussed SSTs as a transformative force in sectors such as retail, hospitality, healthcare, and banking, where technologies like japayment platforms reduce waiting time and improve customer satisfaction. Their study highlighted that SST adoption modernizes service delivery by improving efficiency, minimizing human intervention, and enhancing user experience through smart and connected technologies.

In automated service environments, SSTs play a critical role in reducing manual processes and ensuring consistent service delivery. In the proposed self

service printing station, SST principles enable users to upload documents, initiate printing tasks, and complete transactions independently. By integrating SSTs with digital payment services such as GCash and Xendit, the system ensures secure and verified transactions while improving user convenience, transaction accuracy, and overall operational efficiency within the library setting.

Modern Academic Library Innovation

Academic literature positions innovation as a core function of libraries seeking to meet evolving user needs (Scott and McNamee, 2015; Walter and Lankes, 2015). This innovation often involves the introduction of new technologies, such as makerspaces and digital hubs, despite concerns related to cost and system complexity (Lehnen, 2019). Successful implementation is guided by frameworks such as design thinking, which emphasizes iterative and user centered development (Clarke, 2020), as well as strategies that promote user participation and external partnerships (Yeh and Walter, 2017). The proposed self-service printing station is situated within this context, representing a service innovation that renews a core library function by improving user convenience and operational efficiency through automation and cashless payment. This directly responds to the documented need for libraries to adapt and enhance their service models.

Cashless Payment

Cashless payments refer to transactions executed without the use of physical currency, relying instead on electronic methods such as credit cards, debit

cards, mobile wallets, bank transfers, and contactless technologies. Mezoh and Zhou (2024) conducted a systematic review of cashless payment methods and found that digital payment systems offer significant advantages including improved transaction speed, reduced operational risk, and greater security and cost savings for both users and businesses. Their study further emphasized that successful implementation of cashless systems requires careful consideration of security frameworks, user experience, and regulatory compliance.

Consumer adoption of cashless payments has been examined across different contexts. Świecka (2019) conducted a nationwide survey in Poland comparing cash and cashless payment usage and found that consumer financial knowledge and skills significantly influence the acceptance and frequency of cashless transactions. The study highlighted that although cash payments remain prevalent, increased exposure to secure and user-friendly digital payment systems encourages higher levels of cashless payment adoption. These findings underscore the importance of system reliability, ease of use, and trust in promoting cashless transactions.

In automated service environments, cashless payment systems play a critical role in improving operational efficiency by reducing manual handling of transactions, minimizing processing delays, and maintaining accurate transaction records. In the proposed self service printing station, cashless payments serve as the primary method for executing transactions. Integration with platforms such as GCash and Xendit ensures that printing services are activated only after

successful payment verification, enhancing transaction security, system reliability, and user convenience within the library setting.

Self-Service Technology (SST) in Educational Institutions

According to Bell (2022), in *Moving to Mobile: Space as a Service in the Academic Library*, self-service technologies (SSTs) have increasingly been adopted by educational institutions to improve service efficiency, reduce queues, and provide students with greater autonomy. One notable example discussed is the installation of laptop and battery vending kiosks at Charles Library at Temple University. These kiosks allow students to borrow computing devices in a self-service manner, enhancing access particularly for students who do not regularly bring laptops or whose devices may be temporarily unavailable. Another study by Wendy S. Wilmoth (2020), in *Circulating Laptops in a Two-Year Academic Library: A Formative Assessment*, examined a laptop loan program at Georgia Piedmont Technical College. The study evaluated student satisfaction, identified logistical challenges, and analyzed how circulation policies influenced laptop usage, providing valuable insights for improving library technology services.

In the Philippines, the study of Carretero, & Apolinario (2022), SSTs are also gaining ground in academic libraries. For instance, the STARBOOKS (Science and Technology Academic and Research-Based Openly-Operated Kiosks) program was evaluated based on user perception” (UP Diliman) that examined how users perceive and interact with these kiosks to access digital resources. Also, Bukidnon State University (BukSU), (2023) recently introduced a

Self-Check Kiosk for its library, aiming to ease borrowing and returning books by allowing users to perform these tasks without assistance, which was reported to improve convenience for students and staff.

Cashless Payment Adaptation and User Acceptance in the Philippines

The adoption of cashless payment systems in the Philippines has accelerated rapidly, particularly following the COVID-19 pandemic. Recent studies indicate a significant shift in consumer behavior, with Visa's Consumer Payment Attitudes Study reporting that 84% of Filipino consumers attempted cashless transactions in 2021, with mobile wallets emerging as the most preferred channel at 64% (Luz, 2022). This trend continued into 2022, with 82% of Filipinos attempting cashless payments and 50% carrying less physical cash as digital options became more accessible (Navarro, 2023). The mobile wallet GCash has been central to this transformation, with studies demonstrating high user satisfaction due to its convenience, security features, and customer service (Montenegro, Afana & Alico, 2022). Research applying the Technology Acceptance Model (TAM) further supported this trend, identifying perceived ease of use, perceived usefulness, and trust as key factors driving e-wallet adoption among younger demographics in the Philippines (Belmonte et al., 2024). This widespread acceptance and positive user perception provides a strong foundation for integrating GCash into self-service systems like printing station in academic environments.

Operational and Institutional Benefits of Cashless Systems

Studies indicate that cashless payment adoption reduces costs associated with handling physical cash while increasing transaction speed and accuracy (Hasan, Hassan, & Aliyu, 2021). These benefits extend to institutional settings, where digital payments streamline processes and reduce administrative workload. In the Philippines, this trend is evident in public service integrations, such as GCash partnerships with local government units for tax payments and social welfare distribution, which have improved efficiency and reduced physical queues (Gabay, 2021; Susilo & Dizon, 2023). Within educational contexts, similar benefits can be realized through self-service station, where cashless transactions minimize manual payment handling, accelerate service delivery, and provide automated transaction records for monitoring and reporting. These operational efficiencies directly align with the goals of implementing a cashless printing station in a university library setting.

Kiosk-Based Automation and System Architecture

Self-service kiosks have demonstrated significant potential in improving operational efficiency and user experience across various service industries. In the Philippine context, Borbon (2024) examined the transformation of self-service kiosks in the fast food industry and found that their adoption was driven by the need to enhance customer satisfaction, reduce waiting times, and streamline operations. The study highlighted how fast food chains invested in intuitive interfaces, multilingual support, and seamless payment integration to address

usability challenges and improve service delivery. These findings indicate that well designed system architecture and user centered interfaces are critical to the successful deployment of self-service technologies.

Academic projects further illustrate how automation and system architecture contribute to kiosk effectiveness. Geneveve et al. (2024) developed a smart coin operated printing kiosk that integrated backend monitoring, real time SMS notifications, and interactive user features. Their system architecture included error detection mechanisms and usage monitoring, which improved accuracy, efficiency, and learnability in a campus environment. The study demonstrated that incorporating automated monitoring and notification systems enhances reliability and user trust in self-service applications.

Similarly, Bulaclac et al. (2023) designed an information kiosk with log monitoring capabilities that recorded user access patterns and system usage data. Their architecture supported both information dissemination and performance tracking, enabling institutions to analyze usage behavior and system effectiveness. These studies collectively emphasize that effective self-service system architecture should integrate user interaction components with backend monitoring and reporting features.

In relation to the proposed self-service printing station, these findings support the importance of a system architecture that combines automation, secure payment processing, user friendly interfaces, and administrative monitoring. By adopting proven architectural practices from existing kiosk systems, the printing

station can achieve improved usability, operational efficiency, and reliability within the library environment.

AI and IoT-Enhanced Self-Service Kiosks

Based on Peña et al. (2023), integrates IoT, AI, and remote monitoring/services in kiosk systems to enable automation and real-time control. “An AI-integrated IoT-based Self-Service Laundry Kiosk with Mobile Application” describes “KILAO”, a self-service laundry kiosk. The system architecture combines hardware (laundry machines), IoT sensors, a mobile app, queue management via AI, and supports various payment options (cash, cashless, card). It demonstrates how combining backend cloud connectivity, AI prediction of queue/wait times, and user interface through a mobile app enhances both operational efficiency and user convenience. This one focus more on UX vs architectural/performance expectations: it compares what customers expect of a kiosk system (in terms of responsiveness, reliability, interface delays) and what they actually experience. Though less heavy on hardware architecture, it highlights system performance metrics such as processing speed, error rate, interface design, and how they are integral to a good kiosk architecture (Zhari et al., 2023).

Cybersecurity in Cashless Systems

As cashless systems proliferate, cybersecurity threats become more prominent, affecting user trust and system integrity. One study, “A Study on Cyber Attacks and Vulnerabilities in Mobile Payment Applications” Rivers et al., (2020),

analyzes common mobile payment platforms like Apple Pay, Google Pay, Samsung Pay; it identifies points of vulnerability in authentication, authorization, verification chains, and transaction processing, which surveys 50 fintech / bank mobile payment apps in both high and low technological-advancement countries. It evaluates vulnerabilities per the OWASP / CWE standards, including issues related to cryptography, certificate handling, and insecure communications (Archibong et al., 2024).

Data Privacy and Protection in FinTech and E-Wallet Services

Fintech, a combination of financial services and digital technology, has become an essential component of modern transaction systems. Jafar, Hemachandran, and El-Chaarani (2024) examined the holistic adoption of fintech across financial services, emphasizing its role in improving transaction security, processing speed, and customer experience. Their study highlighted that fintech adoption requires effective governance, regulatory frameworks, and risk management alongside technological implementation to ensure sustainable and secure financial operations.

Despite its advantages, fintech adoption faces challenges related to trust, security, and privacy. Studies note that many consumers are cautious about engaging in online financial transactions due to concerns over the security of their personal information, as data breaches and identity theft remain prevalent risks in digital banking environments. Aldboush and Ferdous (2023) identified ethical and privacy issues in fintech — including concerns over data transparency, ownership,

and control — and emphasized that addressing these concerns is essential for fostering user trust and encouraging broader adoption of cashless services.

Their study further recommended the use of encryption techniques, transparency in data collection, and staff training on data protection policies as practical safeguards for fintech platforms operating in institutional settings. These studies collectively indicate that successful fintech implementation depends not only on technological capability but also on user trust and data protection. In the context of the proposed self-service printing station, platforms such as GCash and Xendit must incorporate secure transaction processing and privacy measures to ensure user confidence and acceptance in institutional service environments.

User Experience (UX), Convenience, and Accessibility in Digital Transactions

Usability and user experience (UX) are critical considerations in the design and evaluation of systems intended for human interaction. Lewis and Sauro (2021) discussed usability as the degree to which a system enables users to complete tasks effectively, efficiently, and with minimal errors, while UX encompasses the broader subjective experiences, perceptions, and satisfaction users derive during system interaction. Their work emphasized that effective system design combines scientific principles, creative design, and practical implementation to ensure positive user experiences.

The study highlighted usability testing as a primary method for evaluating system performance, focusing on the identification, prioritization, and resolution of

usability issues through iterative testing. Lewis and Sauro (2021) further emphasized user centered design and design thinking as essential approaches in developing systems that align with user needs. These approaches rely on continuous feedback and iteration to refine system interfaces and workflows, ensuring improved usability and user satisfaction over time.

In automated service environments, usability and UX directly influence user acceptance and continued system use. For the proposed self service printing station, applying usability testing and user centered design principles ensures that users can easily navigate document uploading, print preview, and payment confirmation processes. Prioritizing usability and UX supports efficient task completion, reduces user errors, and enhances overall convenience, contributing to the system's effectiveness and reliability in a library setting.

Demographic Influences on E-Wallet Adoption and User Experience

Accessibility and the broader impact of digital wallets on different demographic groups also play a big role. In “Digital wallets usage in the Philippines: determining the impact of demographics on complementarity versus substitutability, Reyes and Tenedero, (2021), investigated whether people view e-wallets as complementary to bank accounts or as substitutes, and how age, gender, employment affect that. They found that demographics significantly influence how users adopt and integrate digital wallets into their lives, which has implications for design (making interfaces and functions accessible for different user groups). Moreover “Examining consumers attitude towards E-wallet

utilization as a payment method using technology acceptance model: A perspective from young generations in Nueva Ecija, Philippines” looks at UX and perceived risks (like privacy, security), showing that ensuring clear feedback, trust signals, and reliable performance are important for user convenience and continued usage (Leyesa et al., 2024).

Self-Service and Automation Initiatives in Mindanao

In Mindanao, several academic institutions have started adopting self-service and automated systems to improve operational efficiency and user accessibility. For instance, Bukidnon State University (BukSU), (2023), introduced a self-check kiosk for library transactions, enabling students to borrow and return books independently without librarian assistance. This innovation was designed to reduce waiting time and promote digital literacy among library users. Similarly, a study conducted at the University of Mindanao in Davao City explored the use of self-service kiosks in fast-food restaurants, revealing that customers highly value systems that offer convenience, speed, and reliability in transactions. The study concluded that user satisfaction is strongly influenced by the simplicity of navigation and the integration of cashless payment features (Del, Rojo & Marie, 2024).

Acopiado et al. (2022) from UP Mindanao conducted a study on digital payment adoption during the COVID-19 pandemic. They found that adoption in Mindanao businesses was influenced by infrastructure, firm size, and digital literacy. Their study suggests that regions outside Metro Manila face unique

barriers such as weaker internet infrastructure, which must be considered when implementing kiosks in libraries.

Conceptual Framework

This study was anchored on the Input–Process–Output (IPO) model, which served as the conceptual guide in developing the Self-Service Printing Station in SKSU Isulan Library with Cashless Payment Integration via GCash. The framework illustrates how the different components of the system interact—from the required inputs, to the processes of design and development, and finally to the expected outputs and feedback.




Figure 1. Conceptual Framework of the Study.

Input

The input phase focuses on the primary problems identified in the existing printing process at the SKSU Isulan Library. These include long queues and extended waiting time during printing transactions, manual document submission and printing procedures, and the use of cash-based payment methods that cause delays and inconvenience for users. These problems serve as the basis for determining the system requirements and defining the need for an automated self-service printing solution.

Process

These include long queues and extended waiting time during printing transactions, manual document submission and printing procedures, and the use of cash-based payment methods that cause delays and inconvenience for users. These problems serve as the basis for determining the system requirements and defining the need for an automated self-service printing solution.

Output

The output of the study is a fully functional Self Service Printing Station deployed at the SKSU Isulan Library. The system provides an automated and cashless printing service that allows users to upload documents, complete payments through GCash, and receive printed outputs without requiring staff assistance. This results in reduced queue time, faster transaction processing, and

improved user convenience. It also generates weekly and monthly reports for the administrator to monitor sales and usage statistics.

Feedback

The feedback phase involves collecting and analyzing user evaluations to determine the system's effectiveness and reliability. Feedback from students, library staff, and administrators provides insights for improvement and serves as a basis for future enhancements of the self-service printing station, including interface design, system speed, and additional payment options.

CHAPTER III METHODOLOGY

This chapter presents the Hardware Requirement used in the study, Bill of Supply and Materials, Project Duration, System Development Life Cycle, Context Diagram, Data Flow Diagram, Hardware Development and Methodology, and Perspective Plan.

Project Development Description

Tools and Equipment

These tools and equipment presented are the equipment used and needed for the completion of the project.

Table 1. Tools and Equipment

Quantity	Unit	Tool/Equipment
1	Pc.	Measuring tools
1	Pc.	Computer
1	Set	Screw drivers
1	Pc.	Electric Screw driver

Table 1 shows the device's tools and equipment used in constructing the Self-Service Printing Station in SKSU – Isulan Library with Cashless Payment Integration via GCash. The Measuring tools such as steel tape, rulers, and calipers were purposely used for accurate measurement of the system. Wires were essential in establishing electrical connections between the Raspberry Pi, inkjet

printer, power supply, and other electronic modules. Screwdrivers, both flat and Philips types, were used for fastening and securing components such as the Raspberry Pi, power modules, and touchscreen monitor. These tools collectively ensured that the system was assembled accurately, functionally, and safely, resulting in a durable and reliable self-service printing station. Proper handling and selection of each tool contributed significantly to the efficiency and quality of the construction process.

Table 2. Bill of Supplies and Materials

Quantity	Unit	Item description	Unit Price (PHP)	Total (Php)
1	pc	Raspberry Pi 4 (4GB) with 32GB microSD card	4,000.00	4,000.00
1	pc	Official Raspberry Pi Power Supply (5V 3A)	700.00	700.00
1	pc	Touchscreen Monitor (10–15 inch)	4,000.00	4,000.00
1	pc	Multi-function Printer (Inkjet/Laser)	5,000.00	5,000.00
1	m	Ethernet Cable	500.00	500.00
1	Pc	WiFi Router	600.00	600.00
1	set	Device Enclosure (metal/plywood with acrylic)	1000.00	1,000.00
1	set	HDMI Adaptors	500.00	500.00
1	set	Monitor Arm Stand	800.00	800.00
1	pc	Paper Tray	300.00	300.00
SUB TOTAL				Php 16,400.00
Contingency (10%)				Php 1,640.00
Grand Total				Php 18,040.00

Shown in Table 2 are the bills of supply and materials used in creating the Self-Service Printing Station in SKSU – Isulan Library with Cashless Payment Integration via GCash, including quantity, unit price, item description, and total cost per item, as well as the overall cost of the project design. The materials listed include both electronic components and construction supplies necessary for

assembling the kiosk and integrating the cashless payment system. This detailed breakdown provides a clear overview of the resources required and aids in budgeting and procurement for the project. It also serves as a reference for planning future projects of similar nature, ensuring proper allocation of resources and cost efficiency.

Project duration

Figure 2. Project Duration




Figure 2 shows the project duration of the Self-Service Printing Station in SKSU – Isulan Library with Cashless Payment Integration via GCash. As indicated, the conceptualization for the title proposal started in the first week of August 2025

until the end of the month. The title defense was conducted in the first week of September 2025. The gathering of tools and equipment took place in September 2025 until first week and second week of October, followed by the outline defense in October 2025.

Software Development Methodology

The software development methodology adhered to the waterfall methodology model depicted below:




Figure 3. System Development Life Cycle

The researchers began by identifying the problems and challenges encountered by students in accessing affordable, efficient, and self-service printing facilities within the library. A project title was then formulated, together with the objectives, scope, and limitations of the study. Issues that arose during the design and development of the system were also recognized and addressed throughout

the process of the study entitled Self Service Printing Station in SKSU – Isulan Library with Cashless Payment Integration via GCash.

The Waterfall Model was selected as the development approach since it follows a structured and linear framework with clearly defined phases. This model ensures that each stage of the development is completed before proceeding to the next, making it suitable for a system that requires well-documented processes and minimal iterations. The phases of the Waterfall Model applied in the study were presented as follows:

Requirements Analysis

The researchers gathered and analyzed the functional requirements of the system. This included file uploading, page counting, Xendit API, payment verification, and printing. Non-functional requirements, such as user-friendliness, reliability, and system security, were also identified and documented.

System Design

In the design phase, the hardware and software components were mapped and specified. The Raspberry Pi was chosen as the main controller, integrated with the printer, and touchscreen monitor. On the software side, CUPS was configured for printer management, Xendit API was designed for cashless transactions, and a database structure was outlined for transaction logging and reporting.

Implementation

The development phase involved programming the system interface using Python and web technologies, integrating the printer drivers, and linking the Xendit

API. The Raspberry Pi was set up with the required operating system and software packages. Hardware components were also interfaced with the software to enable communication and automation.

Testing

Testing was conducted to evaluate the reliability and performance of the system. Each module was tested individually, such as file uploading, payment verification, and printing, followed by system-level testing. Trial-and-error procedures were carried out to identify bugs and errors, which were resolved before moving to the next stage.

Deployment and Maintenance

The finalized system was deployed in the SKSU – Isulan Library for actual use. During this stage, final adjustments were made to improve user interaction, transaction speed, and system security. Maintenance provisions were included to allow future updates, bug fixes, and integration of additional features if needed.

Context Diagram




Figure 4. Context Diagram of the System

Figure 4 shows the context diagram of the Self-Service Printing Station in SKSU – Isulan Library with Cashless Payment Integration via GCash. It illustrates the system as a single process that interacts with external entities such as the User, Administrator, Xendit API, and the Database.

The diagram demonstrates the flow of inputs and outputs. The user uploads a file via qr code, previews the file, Xendit API for payment, generate QR code for payment, and receives the printed document as output. The Xendit API processes the payment request sent by the system and provides confirmation of successful transactions. The Administrator receives weekly and monthly log reports of sales and printed pages for monitoring purposes. The Database stores transaction records, log files, and payment information, while also sending feedback on completed printing jobs.

Data Flow Diagram




Figure 5. Data Flow Diagram

Figure 5 shows the Data Flow Diagram for the Self Service Printing Station in the SKSU Isulan Library, which integrates cashless payment via GCash. It illustrates how data moves between the system internal processes and external entities.

The user interacts with the touchscreen display to select and upload a document. The file is previewed before the system automatically counts the pages to determine the printing cost. The system then initiates a payment request, communicates with the GCash payment gateway, and generates a QR code or payment link for the user. Once the payment confirmation is received, the print job is sent to the printer and the user collects the printed document.

All transaction information, including file details and payment status, is securely recorded in the Database. This stored data supports both real time transaction tracking and historical reporting. The Administrator can generate weekly and monthly sales reports and monitor system performance through an administrative dashboard.

The diagram effectively highlights how user inputs are transformed into physical and digital outputs, ensuring transparency throughout the printing and payment lifecycle. The process flow emphasizes the system efficiency and secure transaction handling from start to finish.

Entity Relationship Diagram




Figure 6. Entity Relationship Diagram

Figure 6 shows the Entity-Relationship Diagram (ERD) of the Self-Service Printing Station System. The diagram illustrates the two primary entities Administrator and Transaction and the relationship between them. The Administrator entity stores information about the authorized personnel responsible for monitoring and managing the system operations.

The Transaction entity records all printing activities performed on the system, including details such as the file page count, amount, transaction date, and transaction time. Each transaction is linked to a specific administrator, forming a one-to-many relationship, where one administrator can oversee multiple transactions.

This structure ensures organized data management within the system by maintaining clear accountability over printing activities and enabling efficient monitoring, reporting, and auditing of system usage.

Database Structure

Table 3. Administrator Table

Field Name	Data type	Size
admin_name	varchar	50
admin_id	Int	11
admin_userName	varchar	50
admin_passWord	varchar	50

Table 3 shows the admin account data structure of the system, including the admin's information, such as name username, and password. The administrator account is stored in this table for storage purposes.

Table 4. Transaction Table

Field Name	Data Type	Size
transaction_id	INT	11
amount	INT	5
transaction_date	DATE	
transaction_time	TIME	

Table 4 shows the transaction history table, which stores records of all printing transactions made through the self-service printing station. Each transaction has a unique ID that helps identify and track specific printing activities. The table includes information such as the user's ID, total number of pages printed, total amount paid, and the corresponding date and time of the transaction. This



table is essential for maintaining accurate records of printing usage, enabling efficient monitoring, management, and financial tracking of the system.

Hardware Development Methodology

The hardware development of the Self-Service Printing Station in SKSU – Isulan Library with Cashless Payment Integration via GCash followed a systematic approach to ensure that all physical components are properly designed, constructed, and integrated with the software system. This methodology consists of three main parts: Perspective Plan, Construction Procedures, and Block Diagram. These components ensure that the design process is organized, functional, and aligned with the system requirements.

The Perspective Plan outlines the selection and arrangement of hardware components such as the processing unit, touchscreen display, printing device, and peripheral interfaces. The Construction Procedures describe the step by step assembly, wiring, and configuration of these components. Meanwhile, the Block Diagram provides a visual representation of the hardware architecture, illustrating the interaction between components and their connection to the software and payment modules.

Perspective Plan






Figure 7. Perspective Plan of the Device

Figure 7 shows the Perspective Plan of the Self-Service Printing Station, illustrating the physical layout and design of the system. The display used in the setup measures 14 inches with a 16:9 aspect ratio, equivalent to 310 mm in width and 175 mm in height. The Raspberry Pi unit is enclosed in a protective case measuring 100 mm in height, 100 mm in length, and 60 mm in width. This configuration provides a compact and organized arrangement, ensuring efficient interaction between the user interface, payment module, and printing components within the printing system.

Construction Procedures

The construction processes for developing the project were as follows:

1. Gather all materials, supplies, and equipment required for constructing the printing station, including the Raspberry Pi, touchscreen monitor, inkjet printer, power supply, wiring, cooling fan, enclosure materials, hinges, and locks.
2. Fabricate the device enclosure, which serves as the housing for all internal components such as the Raspberry Pi, power supply, and cable management system. Ventilation and cooling fans were also considered in the design to prevent overheating.
3. Install the main components, including the inkjet printer in the side section of the touchscreen monitor for document output, the touchscreen monitors at eye level for the user interface, the Raspberry Pi on its mounting bracket.

4. Program the Raspberry Pi with the appropriate code to manage the file upload, page counting, Xendit API, payment request handling, printer control, and database logging.
5. Connect the electrical and electronic components, including the Raspberry Pi GPIO pins, printer interface, and cooling system, ensuring proper circuit assembly and insulation with shrink tubes and cable ducts.
6. Conduct initial testing of all components to verify if the Raspberry Pi boots properly, the printer responds to print requests, the touchscreen displays the interface, the Xendit API detects payments, and the payment confirmation from GCash allows the print job to proceed.
7. Perform troubleshooting and final adjustments based on the test results. Retest the system to ensure complete functionality, safety, and reliability of the system before deployment in the SKSU – Isulan Library.

Flowchart

Figure 8 illustrates the flowchart of the functionality of the Self-Service Printing Station System. The process begins when the power system is activated, supplying energy to the Raspberry Pi, touchscreen monitor, and printer. Users upload their files through the interface, which are then received and processed by the Raspberry Pi. The user selects a file, and automatically counting the number of pages. The file is then displayed on the monitor for user verification.

If the user decides to proceed with printing, the system redirects to Gcash for payment. Once payment is confirmed, the printing process begins. However, if the user cancels the printing request or if the payment is not verified, the system terminates the process and returns to standby mode. The operation concludes when the printing is completed or the transaction is canceled, ready for the next user




Figure 8. Flowchart of Self-Service Printing Station

Evaluation Methodology

Research Design

The type of method that was used for this study was descriptive research. The researchers are required to gather information from the respondents by providing a questionnaire for evaluation of the study. The questions from the questionnaire evaluate the functionality, reliability and user convenience of the self-service printing Station.

Locale

Figure 9 shows the locale of the study, which conducted at Sultan Kudarat State University, Isulan Campus, specifically in the Isulan Library. The location was chosen because it is frequently visited by students who need to print their academic requirements, such as research papers, assignments, and reports. The library provides an ideal environment for implementing and testing the Self-Service Printing Station with Cashless Payment Integration via GCash, as it directly addresses the common issues of long queues, manual payment processes, and limited printing accessibility. Conducting the study in this setting allows researchers to evaluate the system's effectiveness in improving printing efficiency, promoting cashless transactions, and enhancing the overall convenience and productivity of students and library staff.




Figure 9. Satellite map of Sultan Kudarat State University Isulan Campus

Methods of Research

To fulfill the objectives of the study, a descriptive survey was used. The researchers first developed a study questionnaire. After the questionnaire has been created and distributed to respondents, the self-service printing station are evaluated. In the descriptive survey that was conducted, it served as the foundation for determining how reliable, effective and efficient the said system is, the respondents' perspectives, experiences, and views regarding the mobile application built are addressed.

Respondents of the Study

The respondents of this study was composed of the first 200 users which would either be students from the College of Engineering, College of Computer Studies and College of Industrial Technology, faculty members, and staff of Sultan Kudarat State University – Isulan Campus. A total of two hundred (200) respondents of purposive sampling that participated in the evaluation of the developed self-service printing station. The inclusion of different groups of respondents ensured that the system was assessed from multiple perspectives — as end users, educators, and administrative personnel.

The respondents were chosen through random sampling to ensure fairness and representativeness of opinions from various departments within the university. The diversity of the respondents allowed for a comprehensive and balanced evaluation of the self-service printing kiosk, ensuring that the results of the study accurately reflect the system's overall performance and user satisfaction across different user groups.

Data Gathering Procedures

The researchers sought permission and authorization from the Campus Library Personnel. The researchers surveyed to gather the information that would be deemed helpful for the study. Throughout the survey, the researchers guaranteed that the respondents' identities were treated with the utmost confidentiality.

The following are the procedures on how the research gathers all the data and information regarding the project.

1. Prepare the web application and administrator website for evaluation.
2. Making research questionnaire.
3. Finalization of the questionnaire.
4. Distribution of questionnaire.
5. Testing and actual evaluation of the application.

Data Gathering Instruments

This study used a survey questionnaire as the data-gathering instrument. The instrument was chosen since it is cost-effective and easy to manage. The questionnaire comprises related questions wherein the respondents will rate the self-service printing station based on their experience. The researcher used a soft copy of the evaluation form to gather the data.

Statistical Tools and Treatment of Data

After evaluating the Self-Service Printing Station in SKSU – Isulan Campus Library with Cashless Payment Integration Via GCash, the researchers tallied the evaluation results and collected the respondents' evaluation forms. The respondents' responses served as the basis for data tabulation.

Data analysis and interpretation were done using descriptive statistics such as the 5-point Likert Rating Scale. The 5-point Likert Rating Scale was statistically

treated to determine the application's functionality, reliability, and user convenience. The 5-point Likert Scale will be computed using the formula below.

$$M = \frac{1(f) + 2(f) + 3(f) + 4(f) + 5(f)}{n}$$

M = mean

f = frequency

n = number of respondents

A. *The researchers used this formula in computing the standard deviation.*

$$\sigma = \sqrt{\frac{\sum(x - \mu)^2}{n}}$$

Where:

σ = standard deviation

Σ = is the sum of

x = is a set of numbers

μ = mean

n = is the size of set

The data and responses of respondents in the questionnaires were collected according to the objectives of the designed project, and the results were interpreted by scale.

Table 8. Interpretative Scale used to Interpret the Mean

Numerical Scale	Interpretation
4.20 - 5.0	Strongly Agree
3.40 - 4.19	Agree
2.60 - 3.39	Moderately Agree
1.80 - 2.59	Disagree
1.00 - 1.79	Strongly Disagree

Table 8 presents the numerical rating scale used to interpret the application's overall mean. A mean of 4.20–5.00 corresponds to Strongly Agree, 3.40–4.19 to Agree, 2.60–3.39 to Moderately Agree, 1.80–2.59 to Disagree, and 1.00–1.79 to Strongly Disagree.

Table 9. Rating Scale used in Evaluating the Functionality of the System.

Numerical Scale	Interpretation
5	Highly functional
4	Functional
3	Moderately functional
2	Slightly Functional
1	Not functional

Table 9 shows the rating scale and interpretation as a reference to evaluate the system functionality. A rating of 5 is considered highly functional, while a rating of 4 is functional. Similarly, a rating of 3 suggests moderately

functional, a rating of 2 indicates less functional, and a rating of 1 indicates not functional.

Table 10. Rating Scale used in Evaluating the Reliability of the System

Numerical Scale	Interpretation
5	Highly reliable
4	Reliable
3	Moderately reliable
2	Slightly reliable
1	Not reliable

Table 10 presents the rating scale used to evaluate the reliability of the system. A rating of 5 indicates that the system is highly reliable, showing consistent performance without errors or failures. A rating of 4 means the system is reliable, functioning well under normal operating conditions. A rating of 3 suggests the system is moderately reliable, performing adequately but with minor issues. A rating of 2 reflects that the system is slightly reliable, experiencing occasional inconsistencies or errors, while a rating of 1 means the system is not reliable and frequently fails to perform its intended functions.

Table 11. Rating Scale used in Evaluating the User Convenience of the System

Numerical Scale	Interpretation
5	Highly functional
4	Functional
3	Moderately functional
2	Slightly Functional
1	Not functional

Table 11 presents the rating scale used to evaluate the user convenience of the system. A rating of 5 indicates a highly convenient and user-friendly system, while 4 denotes a convenient system with minimal effort required. A rating of 3 reflects moderate convenience, whereas 2 indicates minimal convenience requiring additional effort. A rating of 1 signifies that the system is inconvenient and difficult to use.

Chapter IV

RESULTS AND DISCUSSION

This chapter presents, analyzes, and interprets the data gathered from the respondents to evaluate the Self-Service Printing Station (SSPS) with Cashless Payment Integration via GCash. The evaluation is categorized into three main parameters: Functionality, Reliability, and User Convenience.

Results and Discussion

Presentation of the Developed System



Figure 10. Actual Setup of SSPS

Figure 10 shows the design and development phase culminates in the fully operational Self-Service Printing Station (SSPS) prototype. Moving from initial 3D plans to physical construction, the final unit is organized into two main sections. The upper section contains an Epson L121 printer, and the display mount that supports the touchscreen display, and the lower tier holds the paper tray.




Figure 11. Landing Page of the SSPS

Figure 11 shows the system interface and contactless file upload mechanism of the Self-Service Printing Station (SSPS). The graphical user interface features a simple and intuitive design that guides users through a contactless file upload process. The main landing page serves as the entry point for both regular users and system administrators. To begin, users connect their mobile device to the SSPS's dedicated local network, establishing a direct connection to the kiosk's internal system without relying on external internet

bandwidth. Once connected, the user scans the prominent QR code displayed on the screen, which opens a local web page on their phone where they can easily select and upload documents directly to the print queue. This method eliminates the need for USB drives and reduces physical contact with the machine. For system maintenance, authorized staff can access the backend by long-pressing the "PisoPrint" logo on the screen, a hidden gesture that reveals the administrator login page for monitoring transactions and Analytics.




Figure 12. File Uploading Interface of SSPS

Figure 12 shows the file upload portal of the SSPS. After scanning the QR code, the user's mobile device displays this local web interface, which provides

clear instructions for document submission. The portal supports common image formats including JPEG, JPG, and PNG, as well as document formats including PDF and DOCX. A simple upload button allows users to send their selected files directly to the kiosk print queue without creating an account or installing any application.




Figure 13. Document Selection of SSPS

Figure 13 shows the document selection screen of the SSPS mobile interface. Once a file has been successfully uploaded, the user is presented with a list of available documents. Each entry displays the file name, format type, and upload timestamp for easy identification. The user simply taps on the desired document to proceed with printing. The interface also remains active and displays a "Listening for new uploads..." status, allowing the user to send additional files to the queue without needing to rescan the QR code or refresh the page.




Figure 14. SSPS Print Configuration Interface: Basic Settings Screen

Figure 14 shows the basic print settings screen of the SSPS, which appears immediately after the user selects a document from the upload queue. This interface allows users to customize their print job before proceeding to payment. Common options available to all supported file types include the number of copies, page range selection (all pages or a custom range), color mode (grayscale or full color), as well as Layout and Paper type adjustments. If the selected file is a photo, an additional Image customization option becomes available, enabling further enhancements specific to image files. Once all desired settings are confirmed, the user taps the "Continue to Payment" button to advance to the final transaction step.




Figure 15. SSPS Payment Checkout Interface with Xendit QR Integration

Figure 15 shows the payment checkout screen of the SSPS, which appears after the user confirms print settings and taps "Continue to Payment." The interface displays a summary of the print job, including document name, selected settings, total number of pages, and the calculated amount due. A QR code generated through the Xendit API is presented for contactless payment. The user scans this QR code using their mobile device, which redirects them to a secure Xendit checkout page where they can select their preferred payment method. The transaction status is shown as pending until payment is completed, and a countdown timer indicates the session expiration time. A direct checkout link is also provided as an alternative access method.




Figure 16. Xendit Payment Gateway Interface

Figure 16 shows the Xendit payment gateway interface that appears on the user's mobile device after scanning the QR code displayed on the SSPS checkout screen. The interface presented an order summary with the total amount due (PHP 3.00) and a payment expiration countdown. Users may select their preferred payment method from multiple available options, including retail outlets (e.g., LBC, Cebuana), e-wallets (e.g., GrabPay, Maya), QR payments (e.g., QRPh), and direct debit (e.g., BPI). This flexible selection ensures that users can complete their cashless transaction using the payment channel most convenient to them, thereby enhancing the accessibility and user-friendliness of the SSPS payment process.




Figure 17. SSPS Payment Success and Print Completion Screen

Figure 16 shows the confirmation screen displayed upon successful payment and completion of the printing process. Once the Xendit transaction is verified, the system automatically releases the print job to the Epson printer.




Figure 18. Administrative Authentication of SSPS.

Figure 17 shows the secure administrative access mechanism of the SSPS. The admin dashboard is intended solely for viewing system analytics and transaction data. By triggering a hidden menu by long-pressing the "SSPS" logo on the public touchscreen.




Figure 19. SSPS Mobile Admin Authentication: Paired Login Interface

Figure 18 shows the mobile admin login screen that appears after an authorized staff member scans the hidden Admin QR code displayed on the kiosk. This paired login interface requires the administrator to enter a secure PIN on their personal smartphone to authenticate and unlock the kiosk dashboard. This mobile-

exclusive credential entry method prevents sensitive login information from being exposed on the public touchscreen. Upon successful PIN verification, the kiosk display unlocks the administrative dashboard for system monitoring and analytics.




Figure 20. SSPS Administrative Dashboard: System Analytics and Activity Monitor

Figure 19 shows the administrative dashboard of the SSPS, accessible only to authorized staff after secure mobile authentication. This interface provides real-time system analytics and transaction monitoring without allowing any direct control over printing operations. Key metrics displayed include backend online status, current print queue count, printer connectivity status, total sales for the day, lifetime earnings, and the number of successful uploads and prints. A detailed activity timeline logs all recent events such as uploads, payments, invoices, and print completions with timestamps for auditing purposes.

Evaluation of the Develop System

This section presents the results of the evaluation of the developed Self-Service Printing Station with Cashless Integration via GCash deployed at SKSU Isulan - Library. The evaluation focused on Functionality, Reliability, and User Convenience. Functionality assessed the system's ability to perform its intended operations, including file upload, print customization, and cashless payment processing. Reliability measured the consistency and stability of the system during actual use. User Convenience evaluated the overall ease and seamlessness of the contactless printing experience from the perspective of the end user. The responses of the participants were analyzed using the mean and interpreted based on the established rating scale.

Table 12. The Result of Evaluation of the Functionality of the System

The SSPS system is functional in terms of:	MEAN	STANDARD DEVIATION	INTERPRETATION
The SSPS System boots without error.	4.580	0.513	STRONGLY AGREE
The system interface is responsive and user-friendly	4.650	0.493	STRONGLY AGREE
The file uploading operates smoothly.	4.605	0.503	STRONGLY AGREE
The GCash payment process functions properly.	4.645	0.489	STRONGLY AGREE
The system completes printing accurately.	4.625	0.494	STRONGLY AGREE
OVERALL RATING	4.621	0.498	STRONGLY ANGREE

Table 12 presents the results on the functionality of the Self-Service Printing Station with Cashless Integration via GCash. The findings indicated that respondents evaluated the system's core operational capabilities as Strongly Agree (SA), with mean scores ranging from 4.58 to 4.65 across all five indicators. These consistently high ratings affirm that the developed system successfully meets its intended functional requirements, fulfilling the first evaluation objective (and validating the system's design as a web-based document handling and printing platform).

Respondents strongly agreed that the SSPS boots without error, as reflected by a mean of 4.58 (SD = 0.513), demonstrating stable initialization and operational readiness. The responsiveness and user-friendliness of the system interface received the highest mean score of 4.65 (SD = 0.493), underscoring the effectiveness of the graphical user interface design in guiding users through the printing workflow. The file uploading process was also rated favorably with a mean of 4.605 (SD = 0.503), confirming that the QR-based contactless upload mechanism operates smoothly and reliably.

In alignment with the objective to provide seamless cashless transactions, the GCash payment integration was evaluated with a mean of 4.605 (SD = 0.489), indicating that users found the payment process functional and straightforward. Finally, the accuracy of the printing output achieved a mean of 4.625 (SD = 0.494), confirming that the system correctly processes and produces documents according to user specifications.

The standard deviation values across all functionality indicators range narrowly from 0.489 to 0.513, signifying a high degree of consistency and consensus among the 200 respondents. Overall, the results substantiate that the SSPS is a fully functional, stable, and operates effectively.

Table 13. The Result of Evaluation of the Reliability of the System

The SSPS system is reliable in terms of:	MEAN	STANDARD DEVIATION	INTERPRETATION
The system consistently performs printing and payment transactions without failure.	4.605	0.503	STRONGLY AGREE
The SSPS responds promptly to user actions without delays or unresponsiveness	4.635	0.492	STRONGLY AGREE
The SSPS remains functional and accessible throughout library hours.	4.625	0.494	STRONGLY AGREE
Payments made through GCash are accurately verified and recorded.	4.645	0.489	STRONGLY AGREE
The SSPS provides accurate output according to the user's selected file.	4.640	0.491	STRONGLY AGREE
OVERALL	4.630	0.494	STRONGLY AGREE

Table 13 presents the results on the reliability of the self-service printing station with cashless integration via GCash. The findings indicated that respondents evaluated the system's consistency, stability, and dependability

as strongly agree (SA), with mean scores ranging from 4.605 to 4.645 across all five indicators. These consistently high ratings affirm that the developed system performs reliably under normal operating conditions, fulfilling the third evaluation and validating the system's capacity to deliver uninterrupted and accurate self-service printing.

Respondents strongly agreed that the system consistently performs printing and payment transactions without failure, as reflected by a mean of 4.605 (SD = 0.503). This finding demonstrates the robustness of the integrated hardware and software components in maintaining error-free operation during actual use. The responsiveness of the system to user inputs was also rated favorably, with a mean of 4.635 (SD = 0.492), indicating that the SSPS promptly executes commands without perceptible delays or unresponsiveness.

Furthermore, respondents affirmed the system's consistent accessibility, achieving a mean of 4.625 (SD = 0.494). This suggests that the kiosk remains functional and accessible throughout the library's operating hours, reinforcing its dependability as a public service utility. The accuracy of GCash payment verification and record-keeping was evaluated with a mean of 4.645 (SD = 0.489), indicating that users trust the system to correctly process and log cashless transactions. Finally, the accuracy of the printed output relative to the user's selected file received a mean score of 4.64 (SD = 0.491), confirming that the system reliably reproduces documents without errors or discrepancies. The standard deviation values across all reliability indicators range narrowly from 0.489 to 0.503, signifying a high degree of consistency and consensus among the 200

respondents. The low variability reinforces the validity of the findings and indicates a shared perception that the SSPS operates as a stable and trustworthy self-service solution. Overall, the results substantiate that the developed system meets the required standards of reliability necessary for continuous deployment in a public library setting.

The high reliability ratings obtained in this study are consistent with existing literature on self-service kiosk systems. Geneveve et al. (2024) demonstrated that incorporating error detection mechanisms and automated monitoring in a smart coin-operated printing kiosk significantly improved accuracy, efficiency, and user trust — findings that align with the respondents' strong agreement that the ssps performs transactions without failure. Similarly, korostashevych (2025) affirmed that xendit's api-based integration enables real-time payment verification and accurate transaction logging, supporting the high reliability ratings observed in gcash payment accuracy ($m = 4.645$). However, peña et al. (2023) noted that iot-based kiosk systems remain susceptible to intermittent connectivity issues that can disrupt real-time transaction syncing — a limitation that partially contradicts the perceived reliability of the system, as backend webhook disruptions were also observed during extended testing of the ssps despite its strong user-perceived scores.

Table 14. The Result of Evaluation of the User Convenience of the System

The SSPS system user convenience in terms of:	MEAN	STANDARD DEVIATION	INTERPRETATION
The SSPS is easy to navigate and understand even for first-time users.	4.615	0.498	STRONGLY AGREE
The cashless payment option through GCash makes transactions faster and easier.	4.655	0.486	STRONGLY AGREE
The SSPS is accessible and available for use when needed.	4.635	0.492	STRONGLY AGREE
The SSPS allows me to complete printing tasks quickly and efficiently.	4.660	0.484	STRONGLY AGREE
Overall, the SSPS provides a convenient and satisfying user experience.	4.675	0.476	STRONGLY AGREE
OVERALL	4.648	0.487	STRONGLY AGREE

Table 14 presents the results on the user convenience of the Self-Service Printing Station with Cashless Integration via GCash. The findings indicate that respondents evaluated the system's ease of use and overall accessibility as Strongly Agree (SA), with mean scores ranging from 4.615 to 4.675 across all five indicators. These consistently high ratings affirm that the developed system delivers a seamless and user-friendly printing experience, fulfilling the fourth evaluation objective (4.3 User Convenience) and validating the design of the SSPS as an accessible and efficient self-service station.

Respondents strongly agreed that the system is easy to navigate and understand even for first-time users, as reflected by a mean of 4.615 (SD = 0.498). This finding demonstrates that the intuitive layout of the graphical user interface effectively minimizes confusion and supports independent use without prior instruction. The cashless payment option through GCash was rated as making transactions faster and easier, with a mean of 4.655 (SD = 0.486), indicating strong approval of the contactless payment integration as a time-saving feature that enhances the overall workflow.

Furthermore, respondents affirmed the system's accessibility and availability, achieving a mean of 4.635 (SD = 0.492). This suggests that the kiosk is perceived as reliably present and ready for use whenever needed, which is essential for a self-service station in a public library environment. The efficiency of the SSPS in completing printing tasks was evaluated with a mean of 4.66 (SD = 0.484), confirming that users find the process quick and streamlined. Finally, the overall user experience received the highest mean score of 4.675 (SD = 0.476), reflecting an exceptionally positive and satisfying perception of the system's convenience.

The standard deviation values across all convenience indicators ranged narrowly from 0.476 to 0.498, indicating a strong consensus among the 200 respondents. The low variability reinforces the reliability of the findings and underscores a shared positive perception of the SSPS as a convenient, efficient, and user-centered printing solution. Overall, the results substantiate that the

system successfully meets the convenience requirements of its intended users and contributes to a frictionless self-service experience.

The strong user convenience ratings recorded in this study corroborate findings from multiple related studies. Lewis and Sauro (2021) established that systems designed with user-centered principles enable users to complete tasks effectively and with minimal errors, which corresponds to the respondents' high ratings on navigability and task efficiency ($M = 4.660$). Furthermore, Belmonte et al. (2024) identified perceived ease of use and perceived usefulness as the primary drivers of e-wallet adoption among younger Filipino demographics — consistent with the strong approval of GCash integration as a time-saving feature ($M = 4.655$). The findings of Malpass (2018) and Verma, Schulze, and Upreti (2025) also support this result, as they established that effective SSTs improve user satisfaction through automation, reduced waiting time, and seamless transaction processing. In contrast, Leyesa et al. (2024) noted that perceived privacy risks and unclear system feedback can reduce user convenience in e-wallet-based systems — a potential concern that was not prominently reflected in the current evaluation, possibly due to the controlled institutional setting of the SSPS.

Table 15. The Summary Result of Evaluation of the System

EVALUATION OF THE SYSTEM	MEAN	INTERPRETATION
Functionality	4.621	Highly functional
Reliability	4.630	Highly Reliable
Convenience	4.648	Highly User Convenient
Overall Rating	4.633	Strongly Agree

Table 15 presents the overall evaluation of the Self-Service Printing Station with Cashless Integration via GCash based on three core performance dimensions: functionality, reliability, and user convenience. The overall mean rating of 4.633 is interpreted as "Strongly Agree," indicating that the 200 respondents held a highly positive and favorable assessment of the developed system.

Among the three evaluation criteria, User Convenience received the highest mean score of 4.648, interpreted as "Strongly Agree." This demonstrates that users found the system exceptionally easy to navigate, efficient in completing tasks, and highly accessible. The cashless GCash integration notably contributed to a faster and more seamless transaction experience. Reliability followed with a mean of 4.630, also interpreted as "Strongly Agree," signifying that the system consistently performed printing and payment operations without failure, responded promptly to user inputs, and remained functional throughout library hours. Lastly, Functionality achieved a mean of 4.621, interpreted as "Strongly Agree," confirming that all core features—including system boot-up, file uploading, payment processing, and accurate printing—operated as intended.

The consistently high ratings across all three dimensions, with mean values ranging narrowly from 4.621 to 4.648, affirm that the SSPS successfully meets its design objectives. The system provides a fully functional, dependable, and user-friendly self-service printing solution well-suited for deployment in public library environments.

The overall mean rating of 4.633 (Strongly Agree) across functionality, reliability, and user convenience is consistent with the outcomes of related self-service kiosk implementations in Philippine academic settings. Del, Rojo, and Marie (2024) found that user satisfaction in self-service kiosk environments is strongly influenced by simplicity of navigation and cashless payment integration — dimensions that received the highest ratings in the present study. Likewise, the Bukidnon State University (BukSU, 2023) self-check kiosk reported improved convenience and reduced waiting time following implementation, echoing the results observed in the SSPS evaluation. These findings collectively affirm that the SSPS meets the standard of an effective and deployable self-service solution in a public library context. However, Acopiado et al. (2022) cautioned that institutions in regions outside Metro Manila, such as Mindanao, face infrastructure challenges including unstable internet connectivity that may affect the backend reliability of kiosk systems — a concern that was observed during SSPS testing and should be addressed prior to full-scale deployment.

Chapter V

SUMMARY, CONCLUSION, AND RECOMMENDATION

This chapter presents the summary of the development process, the conclusions derived from the research, and recommendations for the future enhancement of the system

Summary of Findings

The findings of the study revealed several insights gathered both during the development of the system and its subsequent evaluation for performance and usability.

During the development phase, the researchers initially explored using static GCash QR codes that directly routed payments to a designated e-wallet. While this approach appeared straightforward, it proved impractical for two key reasons. First, it lacked scalability — a unique QR code would need to be generated for every possible price point, making it unmanageable as print configurations and pricing varied. Second, and more critically, there was no reliable mechanism to confirm whether a payment had actually been completed. Since static QR codes are not linked to specific transaction sessions, the system had no way to verify payment before releasing a print job. To address these limitations, the researchers integrated the Xendit API, which dynamically generates a unique QR code per transaction and ties it to a specific payment session. This enabled the system to receive real-time payment confirmation and only release print jobs upon verified successful transactions. However, during extended testing,

intermittent internet connectivity was found to occasionally disrupt webhook reception, causing some confirmed payments to go unlogged in the local database despite being successfully processed on Xendit's end.

Evaluation by 200 library user across three dimensions — Functionality ($M = 4.621$), Reliability ($M = 4.630$), and User Convenience ($M = 4.648$) — yielded an overall mean of 4.633, interpreted as Strongly Agree. Low standard deviation values across all indicators reflect strong consensus among respondents, confirming that the system is operationally effective, stable, and easy to use. Certain limitations were also observed. The administrative dashboard is designed exclusively for viewing analytics and transaction logs, with no capability for remote configuration or direct control over print operations. The system enforces a 10-second inactivity timeout on the confirmation screen to automatically return the kiosk to its landing page, which, while promoting security, may occasionally interrupt users who delay collecting their printouts. Additionally, the system's reliance on a dedicated local network requires users to manually connect to the SSPS hotspot, which may present a minor learning curve for less tech-savvy users. Overall, the SSPS is a highly functional, reliable, and convenient self-service solution that successfully addresses the need for contactless, cashless printing in a public library setting, with minor areas identified for further enhancement.

Conclusion

The Self-Service Printing Station with Cashless Integration via GCash was successfully developed as a web-based, single-board computer system integrating

an Epson multifunction printer, a Raspberry Pi controller, and the Xendit API for GCash payment processing. The system effectively enables users to upload documents via a QR-based local web portal, customize print settings, complete cashless transactions, and retrieve printed outputs without requiring staff assistance or physical contact with shared hardware.

Evaluation across three core performance dimensions — Functionality, Reliability, and User Convenience — yielded an overall mean of 4.633 on a 5-point scale, interpreted as Strongly Agree. The strong agreement among 200 respondents, supported by low standard deviation values, reflects that the system performs its core operations effectively, delivers a seamless payment experience, and maintains a user-friendly interface. These results confirm the system's acceptability and practicality from an end-user standpoint.

However, user-perceived reliability should be distinguished from backend technical reliability. Intermittent internet connectivity during testing caused certain confirmed payments to go unlogged in the local database, resulting in discrepancies between dashboard-reported income and actual earnings recorded in the Xendit merchant portal. While these issues remained largely invisible to end-users, they represent gaps that must be addressed before full-scale deployment.

Nonetheless, the successful implementation of the SSPS demonstrates that contactless, cashless self-service solutions can be effectively deployed in academic and public library environments. The system eliminates security risks associated with USB flash drives, reduces staff workload by automating the printing and payment workflow, and equips administrators with analytics for

monitoring usage and transactions. With the recommended backend improvements in place, the SSPS holds strong potential as a practical and scalable library service solution.

Recommendations

Based on the findings and conclusions of the study, the following recommendations are proposed for the future enhancement and broader implementation of the Self-Service Printing Station:

1. Improve payment logging reliability. Add a way for the system to retry saving payment confirmations that were missed due to internet interruptions, and set up an automatic cross-check between the local database and Xendit records to catch any unlogged transactions.
2. Give administrators more control. Allow remote adjustment of printing rates and file restrictions, enable remote system checks, and make the inactivity timeout configurable so staff can tailor it to user behavior.
3. Support multiple payment channels. Incorporate additional cashless options (such as other e-wallets or bank transfers) so users have alternatives if one payment method experiences issues.
4. Use cloud-based file transfer. Replace the manual hotspot connection with a cloud upload solution to remove the step of connecting to the SSPS local network, making the process easier for everyone.

LITERATURE CITED

BOOKS

- Clarke, Rachel Ivy. 2020. *Design Thinking*. Library Futures Series, No. 4. Chicago: ALA/NealSchuman.
- Borbon, N. M. D. (2024). *Kiosk revolution: The transformation of fast food in the Philippines*. In *Technological Innovations in the Food Service Industry*. IGI Global. <https://doi.org/10.4018/979-8-3693-7683-6.ch004>
- Haghighi Osgouei, R. (2020). *Electrostatic friction displays to enhance touchscreen experience*. In *Modern Applications of Electrostatics and Dielectrics*. <https://doi.org/10.5772/intechopen.91056>
- Hassan, M. A., Shukur, Z., & Hasan, M. K. (2021). Electronic wallet payment system in Malaysia. In *Proceedings of the International Conference on Innovative Computing and Communications* (pp. 699–711). Springer. https://doi.org/10.1007/978-981-15-8335-3_55
- Jafar, S. H., Hemachandran, K., & El-Chaarani, H. (2024). *The adoption of fintech: Using technology for better security, speed, and customer experience in finance*. Routledge. <https://doi.org/10.4324/9781032644165>
- Monk, S. (2023). *Raspberry Pi cookbook: Software and hardware problems and solutions* (4th ed.). O'Reilly Media.
- Nemeth, E., Snyder, G., Hein, T. R., Whaley, B., & Mackin, D. (2017). *UNIX and Linux system administration handbook* (5th ed.). Addison-Wesley.
- Sanapala, L., & Gondi, L. (2023). *QR code crime specific framework with crime specific intelligence*. In *Cognitive Science and Technology*. Springer. https://doi.org/10.1007/978-981-99-2746-3_11
- Shah, M. A., Lee, D. G., Hur, S., et al. (2021). *Classifications and applications of inkjet printing technology: A review*. *IEEE Access*, 9, 137184–137206. <https://doi.org/10.1109/ACCESS.2021.3119219>
- Świecka, B. (2019). *A comparative survey over time between cash and cashless payments in Poland*. *Contemporary Studies in Economic and Financial Analysis*, 101, 181–202. <https://doi.org/10.1108/S1569-375920190000101009>

Yesuf, H. M., Jhatial, A. K., Simair, A. A., et al. (2023). *Digital printing mechanisms*. In *Digital Textile Printing: Science, Technology and Markets*. Elsevier. <https://doi.org/10.1016/B978-0-443-15414-0.00005-4>

Verma, B., Schulze, M., & Upreti, K. (2025). *Practical applications of self service technologies across industries*. IGI Global. <https://doi.org/10.4018/979-8-3373-4667-0>

JOURNALS

Afable, F. P. (2024, May). *GCash: Revolutionizing digital payments in the Philippines and beyond*. https://papers.ssrn.com/sol3/papers.cfm?abstract_id=4871527.

Archibong, E. E., Stephen, B. U., & Asuquo, P. (2024). Analysis of cybersecurity vulnerabilities in mobile payment applications. *Archives of Advanced Engineering Science*. <https://doi.org/10.47852/bonviewaaes42022595>.

Belmonte, Z. J. A., Prasetyo, Y. T., Cahigas, M. M. L., Nadlifatin, R., & Gumasing, M. J. J. (2024). Factors influencing the intention to use e-wallet among generation Z and millennials in the Philippines: An extended technology acceptance model (TAM) approach. *Acta Psychologica*, 250, 104526. <https://doi.org/10.1016/j.actpsy.2024.104526>

Bulaclac, J., Peña, C., Mangulabnan, J., Bulacan, J., Dulatre, J., Abes, J. E., & Briñas, J. (2023). Design and development of an information kiosk with log monitoring for Leonor M. Bautista National High School. *The QUEST Journal of Multidisciplinary Research and Development*, 2(1). <https://doi.org/10.60008/thequest.v2i1.42>

Falcon, N. G. C., Saligue, N. R. Y., & Saligue, N. E. T. (2024). Optimizing user interaction and notification efficiency in smart coin-operated printing kiosk with real-time SMS notifications and interactive features. *International Journal of Latest Technology in Engineering Management & Applied Science*, 13(7), 181–189. <https://doi.org/10.51583/ijltemas.2024.130722>

Jherald, M., Hazel, J., Anne, J., Brian, A., Tyrus, B., Villegas, L., Tagibao, D. J., Peralta, V., Palisoc, A. A., & Navarro, M. M. (2025). Customer's perceived satisfaction in emerging self-service kiosk at fast food chain in the Philippines: A value-based technology acceptance model approach. <https://doi.org/10.46254/an15.20250199>

Kim, J.-K., Yang, J.-J., & Lee, Y.-K. (2023). How do self-service kiosks improve COVID-19 pandemic resilience in the restaurant industry? *Sustainability*, 15(13), 10168. <https://doi.org/10.3390/su151310168>

- Lehnen, Carl. 2019. "Makerspaces in Academic Libraries." Tips and Trends, 2019. <http://bit.ly/tipsandtrendssu19>.
- Leyesa, M., De Jesus, F. S., De Jesus, C., Quijano, A. G. A., & Agustin, N. (2024). Examining consumers' attitude towards e-wallet utilization as a payment method using technology acceptance model: A perspective from young generations in Nueva Ecija, Philippines. *Edelweiss Applied Science and Technology*, 8(4), 1157–1173. <https://doi.org/10.55214/25768484.v8i4.1490>
- Rani, P., & Singh, A. (2022). Raspberry Pi as an Edge-Computing Device for IoT Applications. *Electronics*, 11(14), 2219. <https://doi.org/10.3390/electronics11142219>
- Rivers, O., Hu, Y., & Hoppa, M. (2020, July 30). A study on cyber-attacks and vulnerabilities in mobile payment applications. <https://cisse.info/journal/index.php/cisse/article/view/112>
- Scott, Sarah Hashemi, and Heather McNamee. 2015. "Zen and the Art of Innovation." In *The Library Innovation Toolkit: Ideas, Strategies, and Programs*, 3–14. Chicago: American Library Association Volume 36, number 3 Page 19
- Tecson, I. F., Maceda, L. A., Mendina, K., & Villegas, G. (2023). Effectiveness of e-wallet transactions in a small business enterprise in Batasan Hills, Quezon City: Developing a guideline. *AASGBCP Journal of Multidisciplinary Research and Advancement*, 4(1). <https://ojs.aaresearchindex.com/index.php/aasgbcpjmra/article/view/13702>
- Thakur, D., Prasad, M., & Pal, A. (2023). A Comprehensive Review on Raspberry Pi Applications in IoT and Automation. *Technologies*, 11(2), 29. <https://doi.org/10.3390/technologies11020029>.
- Walter, Scott, and R. David Lankes. 2015. "The Innovation Agenda." *College & Research Libraries* 76 (7): 854–58. <https://doi.org/10.5860/crl.76.7.854>.
- Wilmoth, W. S. (2020). Circulating laptops in a two-year academic library: A formative assessment. *Georgia Library Quarterly*, 52(4). <https://doi.org/10.62915/2157-0396.1846>
- Yeh, Shea-Tinn, and Zhiping Walter. 2017. "Determinants of Service Innovation in Academic Libraries Through the Lens of Disruptive Innovation." *College & Research Libraries* 77 (6): 795–804. <https://doi.org/10.5860/crl.77.6.795>.

Zahari, A. R., Esa, E., Asshidin, N. H. N., Surbaini, K. N., Abdullah, A. E., & Majid, N. A. (2023). The study of customers' expectations and real experiences using the self-service kiosk. *International Journal of Professional Business Review*, 8(8), e02295. <https://doi.org/10.26668/businessreview/2023.v8i8.2295>

ONLINE SOURCES

Aldboush, H. H., & Ferdous, M. (2023). Building trust in fintech: An analysis of ethical and privacy considerations in the intersection of big data, AI, and customer trust. *International Journal of Financial Studies*, 11(3), 90. <https://doi.org/10.3390/ijfs11030090>

Amojelar, D. G. (2024, December 4). GCash collaborates with LGUs and MSMEs to advance digital financial inclusion. Philstar.com. <https://www.philstar.com/business/banking/2024/12/04/2404961/gcash-collaborates-lgus-msmes-advance-digital-financial-inclusion>

Ballecer, J. R. (2023, August 9). Fintech adoption in PHL to reach 72 percent by end of 2023 – study. OneNews.PH. <https://www.onenews.ph/articles/fintech-adoption-in-phl-to-reach-72-percent-by-end-of-2023-study>

Bell, S. (2022). Moving to mobile: Space as a service in the academic library. *EDUCAUSE Review*. <https://er.educause.edu/articles/2022/4/moving-to-mobile-space-as-a-service-in-the-academic-library>

Bukidnon State University (BukSU). (2023). BukSU library introduces self-check kiosk for convenient book transactions. <https://buksu.edu.ph/2023/11/23/buksu-library-introduces-self-check-kiosk-for-convenient-book-transactions>

Carretero, S. M. O., & Apolinario, R. R. U. (2022). An assessment of the usability of Science and Technology Academic and Research-Based Openly-Operated Kiosk Station (STARBOOKS) based on user perception. <https://tuklas.up.edu.ph/Record/UP-99796217610304054>

Chung, H., & Park, W. (2021). Enhancing the usability of self-service kiosks for older adults: Effects of using privacy partitions and chairs. *arXiv.org*. <https://arxiv.org/abs/2105.07445>

Del, M. J., Rojo, T., & Marie, G. J. (2024). An evaluation of customer experience, preference, and satisfaction of self-service kiosks in the fast-food

restaurants in Davao City.
<https://repository.umindanao.edu.ph/handle/20.500.14045/1765>
Fintech News Philippines. (2024, July 16). Real-time payments surge in the Philippines. <https://fintechnews.ph/63572/payments/real-time-payments-philippines>

Fernandez, R. B., Teleron, J. I., & Sulima, R. A. (2025). My Print: Design and development of a microcontroller based smart printing system. *International Journal for Multidisciplinary Research (IJFMR)*, 7(4). <https://www.ijfmr.com/papers/2025/4/50655.pdf>

Gabay, P. J. V. (2021, June 25). GCash strengthens partnership with the public sector. Dot Daily Dose. <https://www.dotdailydose.net/2021/06/25/gcash-strengthens-partnership-with-the-public-sector>

Hayes, A. (2025, December). *Quick response (QR) code: What they are, how they work, and types*. <https://www.investopedia.com/terms/q/quick-response-qr-code.asp>.

Korostashevych, M. (2025, March). *Xendit: Payment solutions for Southeast Asia*. <https://myfrontdesk.cloudbeds.com/hc/en-us/articles/22769809493275-Xendit-Everything-you-need-to-know>.

Luz, W. T. N. (2022, March 29). Share of consumers that tried cashless payments in 2021 rises to 84%, Visa says. BusinessWorld Online. <https://www.bworldonline.com/economy/2022/03/29/438963/share-of-consumers-that-tried-cashless-payments-in-2021-rises-to-84-visa-says>

Malpass, R. (2018, February 2). *Self-service technology*. <https://ombori.com/self-service-technology>.

Mezoh, P. M., & Zhou, X. (2024). Exploring the advantages of cashless payment systems: A comprehensive review. *International Journal of Research and Innovation in Social Science (IJRISS)*, 8(10), 553–564. <https://doi.org/10.47772/IJRISS.2024.8100047>

Montenegro, J. C., Añana, J. A., & Alico, K. (2022, November 1). Customer satisfaction towards GCash as a payment method. <https://repository.umindanao.edu.ph/handle/20.500.14045/1247>

Navarro, J. (2023). Mobile wallets and cards drive surge in cashless payments in the Philippines – Visa study. Visa. <https://www.visa.com.ph/about-visa/newsroom/press-releases/Mobile-wallets-and-cards-drive-surge-in-cashless-payments-in-the-Philippines-Visa-study.html>.

Raspberry Pi Foundation. (2023). Raspberry Pi Documentation. <https://www.raspberrypi.com/documentation/>

Sirois, S. (2024, August). *Touch screens: Transforming user interaction with digital devices*. <https://www.hp.com/us-en/shop/tech-takes/how-do-touch-screens-work>

Susilo, D., & Dizon, C. C. G. (2023, December 4). Digital payment transformation in the Philippines: From cash to GCash. <https://www.ejournal.seaninstitute.or.id/index.php/Ekonomi/article/view/3366>.

Tutor, C. A. (2025, May 14). Davao del Sur State College benchmarks USM's print-on-demand system. USM.edu.ph. <https://www.usm.edu.ph/davao-del-sur-state-college-benchmarks-usms-print-on-demand-system>.

Writer. (2018). *Kiosk: Evolution and market trends of self-service units*. <https://kioskindustry.org/definition-kiosk-define-kiosk/>

Yang, Z., et al. (2024). Inkjet printing quality improvement research progress: A review. *Heliyon*, 10(10), e30163. <https://doi.org/10.1016/j.heliyon.2024.e30163>

THESIS

Del, M. J., Rojo, T., & Marie, G. J. (2024). An evaluation of customer experience, preference, and satisfaction of self-service kiosks in the fast-food restaurants in Davao City. University of Mindanao Institutional Repository. <https://repository.umindanao.edu.ph/handle/20.500.14045/1765>

Montenegro, J. C., Añana, J. A., & Alico, K. (2022, November 1). Customer satisfaction towards GCash as a payment method. University of Mindanao Institutional Repository. <https://repository.umindanao.edu.ph/handle/20.500.14045/1247>

Arguelles, L. G. V., & Demerin, R. L. (2025). *Hardware-based digital signal processing (DSP) trainer* [Unpublished bachelor's thesis]. Sultan Kudarat State University, Isulan Campus.

Baay, J. I. C., & Dalogdog, P. J. C. (2025). *Digital signal processing student trainer: Volume 2* [Unpublished bachelor's thesis]. Sultan Kudarat State University, Isulan Campus.

APPENDICES

SAMPLE QUESTIONNAIRE

RESEARCH INSTRUMENT

SELF-SERVICE PRINTING STATION IN SKSU(SSPS) – ISULAN LIBRARY WITH CASHLESS PAYMENT INTEGRATION VIA GCASH

Name (Optional): _____

Instruction: Rate the self-service printing station (SSPS) from 1 to 5 according to rating scale. Check the table which correspond to your evaluation.

Rating scale to be used in evaluating the SSPS system



Rating	Interpretation
5	Strongly Agree
4	Agree
3	Moderately Agree
2	Disagree
1	Strongly Disagree

I. Functionality					
Questions	Ratings				
The SSPS system is functional in terms of:	5	4	3	2	1
1. The SSPS System boots without error.					
2. The system interface is responsive and user-friendly					
3. The file uploading operates smoothly.					
4. The GCash payment process functions properly.					
5. The system completes printing accurately.					



II. Reliability					
Questions	Ratings				
The SSPS system is reliability in terms of:	5	4	3	2	1
1. The system consistently performs printing and payment transactions without failure.					
2. The SSPS responds promptly to user actions without delays or unresponsiveness					
3. The SSPS remains functional and accessible throughout library hours.					
4. Payments made through GCash are accurately verified and recorded.					
5. The SSPS provides accurate output according to the user's selected file.					

III. User Convenience					
Questions	Ratings				
The SSPS system is user convenience in terms of:	5	4	3	2	1
1. The SSPS is easy to navigate and understand even for first-time users.					
2. The cashless payment option through GCash makes transactions faster and easier.					
3. The SSPS is accessible and available for use when needed.					
4. The SSPS allows me to complete printing tasks quickly and efficiently.					
5. Overall, the SSPS provides a convenient and satisfying user experience.					

PICTORIALS AND SCREENSHOTS



Actual Photo of Assembling Raspberry Pi with Enclosure



Actual Photo of Developing the System Code



Actual Photo of Installing The SSPS



Actual Photo of Orientation of The System (Library Staff)



Actual Photo of Orientation of The System (Students)

HF	Q1	Q2	Q3	Q4	Q5
1	5	5	5	5	5
2	5	5	5	5	5
3	5	5	5	5	5
4	4	4	4	4	4
5	5	5	5	5	5
6	4	5	5	5	5
7	5	5	5	5	5
8	5	5	5	5	5
9	5	5	5	5	5
10	5	5	5	5	5
11	5	4	5	4	5
12	5	5	5	5	5
13	5	5	5	5	5
14	4	5	5	4	5
15	4	4	3	4	4
16	5	5	5	5	5
17	5	5	5	5	5
18	5	5	5	5	5
19	4	4	4	4	5
20	5	5	5	5	5
21	5	5	5	5	5
22	5	5	5	5	5
23	5	5	5	5	5
24	5	5	5	5	5
25	5	5	5	5	5
26	5	5	5	5	5
27	5	5	5	5	5
28	5	5	5	5	5
29	5	5	5	5	5
30	5	5	5	5	5
31	5	5	5	5	5
32	5	5	5	5	5
33	5	5	5	5	5
34	5	5	5	5	5
35	5	5	4	5	4
36	5	5	5	5	5
37	5	5	5	5	5
38	5	5	5	5	5
39	5	5	5	5	5
40	5	5	5	5	5
41	5	5	5	5	5
42	5	5	5	5	5

43	5	5	5	5	5
44	5	5	5	5	5
45	5	5	5	5	5
46	5	5	5	5	5
47	5	5	5	5	5
48	5	5	5	5	5
49	5	5	5	5	5
50	5	5	5	5	5
51	5	5	5	5	5
52	5	5	5	5	5
53	5	5	5	5	5
54	5	5	5	5	5
55	5	5	5	5	5
56	5	5	5	5	5
57	5	5	5	5	5
58	5	5	5	5	5
59	5	5	5	5	5
60	5	5	5	5	5
61	5	5	5	5	5
62	5	5	5	5	5
63	5	5	5	5	5
64	5	5	5	5	5
65	5	5	5	5	5
66	5	5	5	5	5
67	5	5	5	5	5
68	5	5	5	5	5
69	5	5	5	5	5
70	5	5	5	5	5
71	5	5	5	5	5
72	5	5	5	5	5
73	5	5	5	5	5
74	5	5	5	5	5
75	5	5	5	5	5
76	5	5	5	5	5
77	5	5	5	5	5
78	5	5	5	5	5
79	5	5	5	5	5
80	5	5	5	5	5
81	5	5	5	5	5
82	5	5	5	5	5
83	5	5	5	5	5
84	5	5	5	5	5
85	5	5	5	5	5

86	5	5	5	5	5
87	5	5	5	5	5
88	5	5	5	5	5
89	5	5	5	5	5
90	5	5	5	5	5
91	5	5	5	5	5
92	5	5	5	5	5
93	5	5	5	5	5
94	5	5	5	5	5
95	5	5	5	5	5
96	5	5	5	5	5
97	5	5	5	5	5
98	5	5	5	5	5
99	5	5	5	5	5
100	5	5	5	5	5
101	5	5	5	5	5
102	5	5	5	5	5
103	5	5	5	5	5
104	5	5	5	5	5
105	5	5	5	5	5
106	5	5	5	5	5
107	5	5	5	5	5
108	5	5	5	5	5
109	5	5	5	5	5
110	5	5	5	5	5
111	5	5	5	5	5
112	5	5	5	5	5
113	5	5	5	5	5
114	4	4	4	4	4
115	3	4	3	4	3
116	4	4	4	4	4
117	4	4	4	4	3
118	4	4	4	4	4
119	4	4	4	4	4
120	4	4	4	4	4
121	4	4	4	4	4
122	4	4	4	4	4
123	4	4	4	4	4
124	4	4	4	4	4
125	4	4	5	4	5
126	4	4	4	4	4
127	4	4	4	4	4
128	4	4	4	4	4

129	4	4	4	4	4
130	4	4	4	4	4
131	4	4	4	4	4
132	4	4	4	4	4
133	4	4	4	4	4
134	4	4	4	4	4
135	4	4	4	4	4
136	4	4	4	4	4
137	4	4	4	4	4
138	4	4	4	4	4
139	4	4	4	4	4
140	4	4	4	4	4
141	5	4	5	4	5
142	4	5	4	5	4
143	4	4	4	4	4
144	4	4	4	4	4
145	5	5	5	5	5
146	4	5	4	5	4
147	4	4	4	5	4
148	4	4	4	4	4
149	4	4	4	4	4
150	4	4	4	4	4
151	4	4	4	4	4
152	4	4	4	4	4
153	4	4	4	4	4
154	4	5	4	5	4
155	4	4	5	4	5
156	4	5	4	5	4
157	4	5	4	5	4
158	4	4	4	4	4
159	4	4	4	5	5
160	4	4	4	4	4
161	4	4	4	4	4
162	4	5	4	4	4
163	4	4	4	4	5
164	4	4	4	4	4
165	4	4	4	4	4
166	4	4	4	4	4
167	4	4	4	4	4
168	4	4	4	4	4
169	4	5	5	4	5
170	5	4	5	4	5
171	4	5	4	4	5

172	4	4	4	4	5
173	4	4	4	5	4
174	4	4	4	4	4
175	5	5	5	5	5
176	4	4	4	4	4
177	5	5	5	5	5
178	4	4	4	4	4
179	4	4	4	4	4
180	5	5	5	4	4
181	4	5	4	4	4
182	4	4	4	4	4
183	4	4	4	5	4
184	4	5	5	5	5
185	4	4	4	4	4
186	4	4	4	4	4
187	4	4	4	4	4
188	4	4	4	4	4
189	4	5	4	5	5
190	4	5	4	5	4
191	4	4	4	5	4
192	4	5	4	5	4
193	5	5	5	5	5
194	5	5	5	5	5
195	5	5	5	5	5
196	4	4	4	4	4
197	4	4	4	4	4
198	4	5	5	5	4
199	4	4	4	4	4
200	4	4	4	4	4
Mean	4.58	4.65	4.605	4.645	4.625
Standard Deviation	0.513	0.493	0.503	0.489	0.494

SCREEN SHOT OF THE EVALUATION COMPUTATON
(FUNCTIONALITY)

1	5	4	5	5	5
2	5	5	5	5	5
3	5	5	5	5	5
4	4	4	4	4	4
5	5	5	5	5	5
6	4	5	5	4	4
7	5	5	5	5	5
8	5	5	5	5	5
9	5	5	5	5	5
10	5	5	5	5	5
11	5	4	5	5	5
12	5	5	5	5	5
13	5	5	5	5	5
14	5	4	5	5	5
15	3	4	3	4	4
16	5	5	5	5	5
17	5	5	5	5	5
18	5	5	5	5	5
19	5	4	5	4	5
20	5	5	5	5	5
21	5	5	5	5	5
22	5	5	5	5	5
23	5	5	5	5	5
24	5	5	5	5	5
25	5	5	5	5	5
26	5	5	5	5	5
27	5	5	5	5	5
28	5	5	5	5	5
29	5	5	5	5	5
30	5	5	5	5	5
31	5	5	5	5	5
32	5	5	5	5	5
33	5	5	5	5	5
34	5	5	5	5	5
35	4	5	4	5	4
36	5	5	5	5	5
37	5	5	5	5	5
38	5	5	5	5	5
39	5	5	5	5	5
40	5	5	5	5	5
41	5	5	5	5	5
42	5	5	5	5	5
43	5	5	5	5	5

44	5	5	5	5	5
45	5	5	5	5	5
46	5	5	5	5	5
47	5	5	5	5	5
48	5	5	5	5	5
49	5	5	5	5	5
50	5	5	5	5	5
51	5	5	5	5	5
52	5	5	5	5	5
53	5	5	5	5	5
54	5	5	5	5	5
55	5	5	5	5	5
56	5	5	5	5	5
57	5	5	5	5	5
58	5	5	5	5	5
59	5	5	5	5	5
60	5	5	5	5	5
61	5	5	5	5	5
62	5	5	5	5	5
63	5	5	5	5	5
64	5	5	5	5	5
65	5	5	5	5	5
66	5	5	5	5	5
67	5	5	5	5	5
68	5	5	5	5	5
69	5	5	5	5	5
70	5	5	5	5	5
71	5	5	5	5	5
72	5	5	5	5	5
73	5	5	5	5	5
74	5	5	5	5	5
75	5	5	5	5	5
76	5	5	5	5	5
77	5	5	5	5	5
78	5	5	5	5	5
79	5	5	5	5	5
80	5	5	5	5	5
81	5	5	5	5	5
82	5	5	5	5	5
83	5	5	5	5	5
84	5	5	5	5	5
85	5	5	5	5	5
86	5	5	5	5	5

87	5	5	5	5	5
88	5	5	5	5	5
89	5	5	5	5	5
90	5	5	5	5	5
91	5	5	5	5	5
92	5	5	5	5	5
93	5	5	5	5	5
94	5	5	5	5	5
95	5	5	5	5	5
96	5	5	5	5	5
97	5	5	5	5	5
98	5	5	5	5	5
99	5	5	5	5	5
100	5	5	5	5	5
101	5	5	5	5	5
102	5	5	5	5	5
103	5	5	5	5	5
104	5	5	5	5	5
105	5	5	5	5	5
106	5	5	5	5	5
107	5	5	5	5	5
108	5	5	5	5	5
109	5	5	5	5	5
110	5	5	5	5	5
111	5	5	5	5	5
112	5	5	5	5	5
113	5	5	5	5	5
114	4	4	4	4	4
115	4	3	4	3	4
116	4	4	4	4	4
117	4	4	4	4	3
118	4	4	4	4	4
119	4	4	4	4	4
120	4	4	4	4	4
121	4	4	4	4	4
122	4	4	4	4	4
123	4	4	4	4	4
124	4	4	4	4	4
125	4	5	4	5	4
126	4	4	4	4	4
127	4	4	4	4	4
128	4	4	4	4	4
129	4	4	4	4	4

130	5	4	5	4	5
131	4	4	4	4	4
132	4	4	4	4	4
133	5	4	4	4	4
134	4	4	4	4	4
135	4	4	4	4	4
136	4	4	4	4	4
137	4	4	4	4	4
138	4	4	4	4	4
139	4	4	4	4	4
140	4	4	4	5	5
141	5	4	5	4	5
142	5	4	5	4	5
143	4	4	4	4	4
144	4	4	4	4	4
145	5	5	4	4	4
146	4	4	5	4	4
147	4	4	4	4	4
148	4	4	4	4	4
149	4	4	4	4	4
150	4	4	4	4	4
151	4	4	4	4	4
152	4	4	4	4	5
153	5	4	4	5	4
154	4	5	5	4	5
155	4	5	4	5	5
156	4	4	4	5	4
157	4	5	4	5	4
158	4	4	4	4	4
159	4	4	4	4	4
160	4	4	4	4	4
161	4	4	4	4	4
162	4	4	4	4	4
163	4	4	4	4	4
164	4	4	4	4	4
165	4	4	4	4	4
166	4	4	4	4	4
167	4	4	4	4	4
168	4	4	4	4	4
169	4	5	4	5	4
170	4	5	4	5	4
171	4	4	4	4	4
172	4	5	4	5	4

173	4	4	5	4	5
174	5	5	5	5	5
175	4	5	4	4	4
176	5	5	5	5	5
177	4	5	4	5	5
178	4	4	3	5	4
179	5	5	5	5	5
180	4	4	4	4	4
181	4	4	4	4	4
182	4	4	4	4	4
183	5	4	5	4	5
184	5	5	5	5	5
185	4	4	4	4	4
186	4	4	4	4	4
187	4	4	4	4	4
188	4	4	4	4	4
189	4	5	5	4	5
190	4	5	4	5	4
191	4	5	4	5	4
192	4	4	5	4	5
193	4	5	5	5	5
194	5	5	5	5	5
195	5	5	5	5	5
196	4	4	4	4	4
197	4	4	4	4	4
198	4	5	5	5	5
199	4	4	4	4	4
200	4	4	4	4	4
Mean	4.605	4.635	4.625	4.645	4.64
Standard Deviation	0.503	0.492	0.494	0.489	0.491

SCREEN SHOT OF THE EVALUATION COMPUTATON (RELIABILITY)

HC	Q1	Q2	Q3	Q4	Q5
1	5	5	5	5	5
2	5	5	5	5	5
3	5	5	5	5	5
4	4	4	4	4	4
5	5	5	5	5	5
6	4	5	5	5	5
7	5	5	5	5	5
8	5	5	5	5	5
9	5	5	5	5	5
10	5	5	5	5	5
11	5	5	5	5	5
12	5	5	5	5	5
13	5	5	5	5	5
14	5	5	5	5	5
15	4	3	4	4	4
16	5	5	5	5	5
17	5	5	5	5	5
18	5	5	5	5	5
19	4	5	5	5	5
20	5	5	5	5	5
21	5	5	5	5	5
22	5	5	5	5	5
23	5	5	5	5	5
24	5	5	5	5	5
25	5	5	5	5	5
26	5	5	5	5	5
27	5	5	5	5	5
28	5	5	5	5	5
29	5	5	5	5	5
30	5	5	5	5	5
31	5	5	5	5	5
32	5	5	5	5	5
33	5	5	5	5	5
34	5	5	5	5	5
35	5	4	5	4	5
36	4	5	5	5	5
37	5	5	5	5	5
38	5	5	5	5	5
39	5	5	5	5	5
40	5	5	5	5	5
41	5	5	5	5	5
42	5	5	5	5	5

43	5	5	5	5	5
44	5	5	5	5	5
45	5	5	5	5	5
46	5	5	5	5	5
47	5	5	5	5	5
48	5	5	5	5	5
49	5	5	5	5	5
50	5	5	5	5	5
51	5	5	5	5	5
52	5	5	5	5	5
53	5	5	5	5	5
54	5	5	5	5	5
55	5	5	5	5	5
56	5	5	5	5	5
57	5	5	5	5	5
58	5	5	5	5	5
59	5	5	5	5	5
60	5	5	5	5	5
61	5	5	5	5	5
62	5	5	5	5	5
63	5	5	5	5	5
64	5	5	5	5	5
65	5	5	5	5	5
66	5	5	5	5	5
67	5	5	5	5	5
68	5	5	5	5	5
69	5	5	5	5	5
70	5	5	5	5	5
71	5	5	5	5	5
72	5	5	5	5	5
73	5	5	5	5	5
74	5	5	5	5	5
75	5	5	5	5	5
76	5	5	5	5	5
77	5	5	5	5	5
78	5	5	5	5	5
79	5	5	5	5	5
80	5	5	5	5	5
81	5	5	5	5	5
82	5	5	5	5	5
83	5	5	5	5	5
84	5	5	5	5	5
85	5	5	5	5	5

86	5	5	5	5	5
87	5	5	5	5	5
88	5	5	5	5	5
89	5	5	5	5	5
90	5	5	5	5	5
91	5	5	5	5	5
92	5	5	5	5	5
93	5	5	5	5	5
94	5	5	5	5	5
95	5	5	5	5	5
96	5	5	5	5	5
97	5	5	5	5	5
98	5	5	5	5	5
99	5	5	5	5	5
100	5	5	5	5	5
101	5	5	5	5	5
102	5	5	5	5	5
103	5	5	5	5	5
104	5	5	5	5	5
105	5	5	5	5	5
106	5	5	5	5	5
107	5	5	5	5	5
108	5	5	5	5	5
109	5	5	5	5	5
110	5	5	5	5	5
111	5	5	5	5	5
112	5	5	5	5	5
113	5	5	5	5	5
114	4	4	4	4	4
115	4	3	4	3	4
116	4	4	4	4	4
117	4	4	4	4	4
118	4	4	4	4	4
119	4	4	4	4	4
120	4	4	4	4	4
121	4	4	4	4	4
122	4	4	4	4	4
123	4	4	4	4	4
124	4	4	4	4	4
125	4	4	4	4	4
126	4	4	4	4	4
127	4	4	4	5	4
128	4	4	4	4	4

129	4	4	4	4	4
130	5	4	4	5	4
131	4	4	4	4	4
132	4	4	4	4	4
133	4	4	4	4	4
134	4	4	4	4	4
135	4	4	4	4	4
136	4	4	4	4	4
137	4	4	4	4	4
138	4	4	4	4	4
139	4	4	4	4	4
140	4	5	4	5	5
141	4	5	4	5	4
142	4	5	4	5	4
143	4	4	4	4	4
144	4	4	4	4	4
145	4	4	4	4	4
146	5	4	5	4	5
147	4	4	4	4	4
148	4	4	4	4	4
149	4	4	4	4	4
150	4	4	4	4	4
151	4	4	4	4	4
152	5	4	5	4	5
153	4	4	4	5	5
154	4	5	5	4	5
155	4	5	4	5	4
156	4	5	4	5	4
157	4	5	4	5	4
158	4	4	4	4	4
159	4	5	4	4	5
160	4	4	4	4	4
161	5	5	4	5	5
162	4	4	4	4	4
163	4	4	4	4	4
164	4	4	4	4	4
165	4	4	4	4	4
166	4	4	4	4	4
167	4	4	4	4	4
168	4	4	4	4	4
169	4	5	5	4	5
170	4	4	5	4	5
171	4	4	4	5	4

172	4	5	5	4	4
173	5	5	5	5	5
174	4	4	4	4	4
175	5	5	5	5	5
176	4	4	4	4	4
177	4	4	4	5	4
178	4	4	4	4	4
179	4	5	4	5	5
180	4	4	4	4	4
181	4	4	4	4	5
182	5	5	4	5	5
183	4	4	4	4	4
184	5	5	5	5	5
185	4	4	4	4	4
186	4	4	4	4	5
187	4	4	4	4	4
188	4	4	4	4	4
189	4	5	4	5	4
190	4	5	4	4	5
191	5	4	5	4	5
192	5	5	5	5	5
193	5	5	5	5	5
194	5	5	5	5	5
195	5	5	5	5	5
196	4	4	4	4	4
197	4	4	4	4	4
198	5	5	5	5	5
199	5	4	5	4	5
200	4	4	4	4	4
Mean	4.615	4.655	4.635	4.66	4.675
Standard Deviation	0.498	0.486	0.492	0.484	0.476

SCREEN SHOT OF THE EVALUATION COMPUTATON (USER CONVENIENCE)

SOURCE CODES

//SERVER/CONTROLLER

//FILE CONTROLLER

CONST PATH = REQUIRE('PATH');

CONST FILESTORE = REQUIRE('../SERVICES/FILESTORE');

CONST FS = REQUIRE('FS');

CONST HANDLEUPLOAD = (REQ, RES) => {

IF (!REQ.FILE) {

RETURN RES.STATUS(400).SEND('NO FILE UPLOADED.');

}

CONST

EXT

=

PATH.EXTNAME(REQ.FILE.ORIGINALNAME).SUBSTRING(1).TOLOWERCAS

E());

CONST FILEDATA = {

ID: REQ.FILE.FILENAME,

NAME: REQ.FILE.ORIGINALNAME,

PATH: REQ.FILE.PATH,

TYPE: EXT,

PAGES: ['DOC', 'DOCX'].INCLUDES(EXT) ? 'UNKNOWN' : 'CALCULATED',

DATE: NEW DATE().TOLOCALTIMESTRING()

};

FILESTORE.ADDFILE(FILEDATA);

```

        RES.JSON({ SUCCESS: TRUE, MESSAGE: 'FILE  UPLOADED
SUCCESSFULLY', FILE: FILEDATA });
    };

    CONST GETFILES = (REQ, RES) => {

        CONST FILES = FILESTORE.GETFILES();

        RES.JSON({ SUCCESS: TRUE, FILES, COUNT: FILES.LENGTH });

    };

    CONST CLEARFILES = (REQ, RES) => {

        FILESTORE.CLEAR();

        RES.JSON({ SUCCESS: TRUE });

    };

    MODULE.EXPORTS = {

        HANDLEUPLOAD,

        GETFILES,

        CLEARFILES

    };

    //GENERALCONTROLLER

    CONST OS = REQUIRE('OS');

    CONST FILESTORE = REQUIRE('../SERVICES/FILESTORE');

    CONST FS = REQUIRE('FS');

    CONST GETCONFIG = (REQ, RES) => {

        CONST INTERFACES = OS.NETWORKINTERFACES();

        LET IP = 'LOCALHOST';

```

```

FOR (CONST NAME OF OBJECT.KEYS(INTERFACES)) {
  FOR (CONST IFACE OF INTERFACES[NAME]) {
    IF (IFACE.FAMILY === 'IPV4' && !IFACE.INTERNAL) {
      IP = IFACE.ADDRESS;
      BREAK;
    }
  }
  IF (IP !== 'LOCALHOST') BREAK;
}
RES.JSON({
  IP,
  PORT: PROCESS.ENV.PORT || 3000
});
};

CONST INITPAYMENT = (REQ, RES) => {
  SETTIMEOUT(() => {
    RES.JSON({ SUCCESS: TRUE });
  }, 1000);
};

CONST PRINTERSERVICE = REQUIRE('./SERVICES/PRINTERSERVICE');
CONST PRINTFILE = ASYNC (REQ, RES) => {
  CONST { FILEID, CONFIG } = REQ.BODY;
  CONST FILES = FILESTORE.GETFILES();

```

```

CONST FILE = FILES.FIND(F => F.ID === FILEID);

IF (FILE) {
  TRY {
    AWAIT PRINTERSERVICE.PRINTDOCUMENT(FILE.PATH, CONFIG);
    FS.UNLINKSYNC(FILE.PATH);
  } CATCH (E) {
    CONSOLE.ERROR("PRINT FAILED", E);
  }
  FILESTORE.REMOVEFILE(FILEID);
}

RES.JSON({ SUCCESS: TRUE, MESSAGE: 'SENT TO PRINTER' });
};

MODULE.EXPORTS = {
  GETCONFIG,
  INITPAYMENT,
  PRINTFILE
};

//PAYMENT CONTROLLER

CONST XENDITSERVICE = REQUIRE('../SERVICES/XENDITSERVICE');

CONST CREATEINVOICE = ASYNC (REQ, RES) => {
  CONST { AMOUNT } = REQ.BODY;
  TRY {

```

```

                                CONST      INVOICE      =      AWAIT
XENDITSERVICE.CREATEINVOICE(AMOUNT);

    RES.JSON({ SUCCESS: TRUE, INVOICE });

    } CATCH (ERROR) {

        RES.STATUS(500).JSON({ SUCCESS: FALSE, ERROR: 'FAILED TO
CREATE INVOICE' });

    }

};

CONST CHECKINVOICE = ASYNC (REQ, RES) => {

    CONST { ID } = REQ.PARAMS;

    TRY {

        CONST INVOICE = AWAIT XENDITSERVICE.GETINVOICE(ID);

        IF (!INVOICE) {

            RETURN RES.STATUS(404).JSON({ SUCCESS: FALSE, ERROR:
'INVOICE NOT FOUND' });

        }

        RES.JSON({ SUCCESS: TRUE, STATUS: INVOICE.STATUS });

    } CATCH (ERROR) {

        RES.STATUS(500).JSON({ SUCCESS: FALSE, ERROR: 'FAILED TO
CHECK INVOICE STATUS' });

    }

};

MODULE.EXPORTS = {

```

```
        CREATEINVOICE,  
        CHECKINVOICE  
    };
```

```
//UPLOAD
```

```
<!DOCTYPE HTML>
```

```
<HTML LANG="EN">
```

```
<HEAD>
```

```
    <META CHARSET="UTF-8">
```

```
    <META NAME="VIEWPORT" CONTENT="WIDTH=DEVICE-WIDTH, INITIAL-  
SCALE=1.0">
```

```
    <TITLE>PISOPRINT MOBILE UPLOAD</TITLE>
```

```
    <SCRIPT SRC="HTTPS://CDN.TAILWINDCSS.COM"></SCRIPT>
```

```
    <SCRIPT>
```

```
        TAILWIND.CONFIG = {
```

```
            THEME: {
```

```
                EXTEND: {
```

```
                    COLORS: {
```

```
                        BRAND: { 50: '#F0F9FF', 100: '#E0F2FE', 500: '#0EA5E9', 600:  
'#0284C7' }
```

```
                    },
```

```
                    ANIMATION: {
```

```

        'FLOAT': 'FLOAT 6S EASE-IN-OUT INFINITE',
    },
    KEYFRAMES: {
        FLOAT: { '0%', 100%': { TRANSFORM: 'TRANSLATEY(0)' }, '50%':
{ TRANSFORM: 'TRANSLATEY(-20PX)' } },
    }
}
}
}
}
</SCRIPT>

```

```

<LINK
HREF="HTTPS://FONTS.GOOGLEAPIS.COM/CSS2?FAMILY=INTER:WGHT@
400;600;800&DISPLAY=SWAP" REL="STYLESHEET">

```

```

<STYLE>

```

```

    BODY {
        FONT-FAMILY: 'INTER', SANS-SERIF;
        BACKGROUND-COLOR: #F8FAFC;
    }

```

```

.GLASS {
    BACKGROUND: RGBA(255, 255, 255, 0.7);
    BACKDROP-FILTER: BLUR(10PX);
    BORDER: 1PX SOLID RGBA(255, 255, 255, 0.5);
}

```

```

    }

</STYLE>

</HEAD>

<BODY CLASS="MIN-H-SCREEN FLEX ITEMS-CENTER JUSTIFY-CENTER P-
6 RELATIVE OVERFLOW-HIDDEN">

    <!-- ANIMATED PARAMS -->

    <DIV

        CLASS="ABSOLUTE TOP-[-10%] LEFT-[-10%] W-[50%] H-[50%] BG-
BRAND-500/20 ROUNDED-FULL BLUR-[100PX] ANIMATE-FLOAT">

    </DIV>

    <DIV

        CLASS="ABSOLUTE BOTTOM-[-10%] RIGHT-[-10%] W-[50%] H-[50%] BG-
PURPLE-500/20 ROUNDED-FULL BLUR-[100PX] ANIMATE-PULSE">

    </DIV>

    <DIV CLASS="GLASS W-FULL MAX-W-MD ROUNDED-3XL P-8 SHADOW-
2XL RELATIVE Z-10 TEXT-CENTER">

        <DIV CLASS="MB-8">

            <H1 CLASS="TEXT-3XL FONT-BLACK TEXT-SLATE-800 MB-
2">UPLOAD FILE</H1>

            <P CLASS="TEXT-SLATE-500 FONT-MEDIUM">SEND DOCUMENTS
TO THE KIOSK</P>

```

</DIV>

<DIV ID="UPLOADCONTAINER">

<INPUT TYPE="FILE" ID="FILE" NAME="DOCUMENT"
CLASS="HIDDEN"

ACCEPT=".PDF,.DOC,.DOCX,.XLS,.XLSX,.JPG,.JPEG,.PNG">

<LABEL FOR="FILE" ID="FILELABEL"

CLASS="BLOCK W-FULL ASPECT-SQUARE BORDER-2 BORDER-
DASHED BORDER-BRAND-200 ROUNDED-3XL BG-BRAND-50/50
HOVER:BG-BRAND-50 TRANSITION-COLORS CURSOR-POINTER FLEX
FLEX-COL ITEMS-CENTER JUSTIFY-CENTER GAP-4 GROUP">

<DIV

CLASS="W-20 H-20 BG-WHITE ROUNDED-FULL SHADOW-LG
FLEX ITEMS-CENTER JUSTIFY-CENTER TEXT-BRAND-500 GROUP-
HOVER:SCALE-110 TRANSITION-TRANSFORM">

<SVG XMLNS="HTTP://WWW.W3.ORG/2000/SVG" WIDTH="40"
HEIGHT="40" VIEWBOX="0 0 24 24" FILL="NONE"

STROKE="CURRENTCOLOR" STROKE-WIDTH="2" STROKE-
LINECAP="ROUND" STROKE-LINEJOIN="ROUND">

<PATH D="M21 15V4A2 2 0 0 1-2 2H5A2 2 0 0 1-2-2V-4" />

<POLYLINE POINTS="17 8 12 3 7 8" />

<LINE X1="12" X2="12" Y1="3" Y2="15" />

```

        </SVG>

    </DIV>

    <DIV CLASS="SPACE-Y-1">

        <P CLASS="FONT-BOLD TEXT-BRAND-600 TEXT-LG">SELECT
FILE OR PHOTO</P>

        <P CLASS="TEXT-XS FONT-SEMIBOLD TEXT-SLATE-400
UPPERCASE TRACKING-WIDE">PDF • WORD • EXCEL • PHOTOS

    </P>

</DIV>

</LABEL>

</DIV>

<DIV ID="LOADING"

    CLASS="HIDDEN ABSOLUTE INSET-0 BG-WHITE/80 BACKDROP-
BLUR-MD ROUNDED-3XL FLEX-COL ITEMS-CENTER JUSTIFY-CENTER Z-
20">

    <SVG CLASS="ANIMATE-SPIN H-10 W-10 TEXT-BRAND-600 MB-4"
XMLNS="HTTP://WWW.W3.ORG/2000/SVG" FILL="NONE"

    VIEWBOX="0 0 24 24">

        <CIRCLE CLASS="OPACITY-25" CX="12" CY="12" R="10"
STROKE="CURRENTCOLOR" STROKE-WIDTH="4"></CIRCLE>

        <PATH CLASS="OPACITY-75" FILL="CURRENTCOLOR"

```

D="M4 12A8 8 0 018-8V0C5.373 0 0 5.373 0 12H4ZM2 5.291A7.962
7.962 0 014 12H0C0 3.042 1.135 5.824 3 7.938L3-2.647Z">

</PATH>

</SVG>

<P CLASS="FONT-BOLD TEXT-SLATE-600">UPLOADING...</P>

</DIV>

<DIV ID="SUCCESS"

CLASS="HIDDEN MT-6 BG-EMERALD-50 TEXT-EMERALD-600 P-4
ROUNDED-XL BORDER BORDER-EMERALD-100 FLEX ITEMS-CENTER
JUSTIFY-CENTER GAP-2 FONT-BOLD ANIMATE-BOUNCE">

<SVG XMLNS="HTTP://WWW.W3.ORG/2000/SVG" WIDTH="20"
HEIGHT="20" VIEWBOX="0 0 24 24" FILL="NONE"

STROKE="CURRENTCOLOR" STROKE-WIDTH="3" STROKE-
LINECAP="ROUND" STROKE-LINEJOIN="ROUND">

<POLYLINE POINTS="20 6 9 17 4 12" />

</SVG>

SENT SUCCESSFULLY!

</DIV>

<DIV ID="ERROR"

```
CLASS="HIDDEN MT-6 BG-RED-50 TEXT-RED-600 P-4 ROUNDED-XL  
BORDER BORDER-RED-100 FLEX FLEX-COL ITEMS-CENTER JUSTIFY-  
CENTER GAP-1 FONT-BOLD">
```

```
<DIV CLASS="FLEX ITEMS-CENTER GAP-2">
```

```
<SVG XMLNS="HTTP://WWW.W3.ORG/2000/SVG" WIDTH="20"  
HEIGHT="20" VIEWBOX="0 0 24 24" FILL="NONE"
```

```
STROKE="CURRENTCOLOR" STROKE-WIDTH="3" STROKE-  
LINECAP="ROUND" STROKE-LINEJOIN="ROUND">
```

```
<CIRCLE CX="12" CY="12" R="10" />
```

```
<LINE X1="12" Y1="8" X2="12" Y2="12" />
```

```
<LINE X1="12" Y1="16" X2="12.01" Y2="16" />
```

```
</SVG>
```

```
<SPAN>UPLOAD FAILED</SPAN>
```

```
</DIV>
```

```
<SPAN ID="ERRORMESSAGE" CLASS="TEXT-XS FONT-  
NORMAL"></SPAN>
```

```
</DIV>
```

```
<SCRIPT>
```

```
CONST FILEINPUT = DOCUMENT.GETELEMENTBYID('FILE');
```

```
CONST LOADING = DOCUMENT.GETELEMENTBYID('LOADING');
```

```
CONST SUCCESS = DOCUMENT.GETELEMENTBYID('SUCCESS');
```

```
CONST ERROR = DOCUMENT.GETELEMENTBYID('ERROR');
```

```

                                CONST      ERRORMESSAGE      =
DOCUMENT.GETELEMENTBYID('ERRORMESSAGE');

FILEINPUT.ADDEVENTLISTENER('CHANGE', ASYNC (E) => {
    CONST FILE = E.TARGET.FILES[0];
    IF (!FILE) RETURN;

    // RESET UI
    SUCCESS.CLASSLIST.ADD('HIDDEN');
    ERROR.CLASSLIST.ADD('HIDDEN');
    LOADING.STYLE.DISPLAY = 'FLEX';
    LOADING.CLASSLIST.REMOVE('HIDDEN');

    CONST FORMDATA = NEW FORMDATA();
    FORMDATA.APPEND('DOCUMENT', FILE);

    TRY {
        CONST RESPONSE = AWAIT FETCH('/API/UPLOAD', {
            METHOD: 'POST',
            BODY: FORMDATA
        });

        IF (!RESPONSE.OK) {

```

```

        CONST TEXT = AWAIT RESPONSE.TEXT();

        THROW NEW ERROR(TEXT || `SERVER ERROR:
${RESPONSE.STATUS}`);

    }

    // SUCCESS

    LOADING.CLASSLIST.ADD('HIDDEN');
    LOADING.STYLE.DISPLAY = 'NONE';
    SUCCESS.CLASSLIST.REMOVE('HIDDEN');

    // RESET INPUT

    FILEINPUT.VALUE = "";

    // HIDE SUCCESS AFTER 3S

    SETTIMEOUT(() => {
        SUCCESS.CLASSLIST.ADD('HIDDEN');
    }, 3000);

} CATCH (ERR) {
    CONSOLE.ERROR('UPLOAD FAILED:', ERR);
    LOADING.CLASSLIST.ADD('HIDDEN');
    LOADING.STYLE.DISPLAY = 'NONE';
    ERROR.CLASSLIST.REMOVE('HIDDEN');
}

```

```

        ERRORMESSAGE.TEXTCONTENT = ERR.MESSAGE;

    }

});

</SCRIPT>

<DIV CLASS="MT-8 TEXT-XS TEXT-SLATE-300 FONT-MEDIUM">

    &COPY; 2024 PISOPRINT SYSTEM

</DIV>

</DIV>

</BODY>

</HTML>

//ROUTES

CONST EXPRESS = REQUIRE('EXPRESS');

CONST ROUTER = EXPRESS.ROUTER();

CONST MULTER = REQUIRE('MULTER');

CONST PATH = REQUIRE('PATH');

CONST                                FILECONTROLLER                                =
REQUIRE('../CONTROLLERS/FILECONTROLLER');

CONST                                GENERALCONTROLLER                                =
REQUIRE('../CONTROLLERS/GENERALCONTROLLER');

CONST STORAGE = MULTER.DISKSTORAGE({

```

```

DESTINATION: FUNCTION (REQ, FILE, CB) {
    CB(NULL, 'UPLOADS/')
},
FILENAME: FUNCTION (REQ, FILE, CB) {
    CB(NULL, DATE.NOW() + PATH.EXTNAME(FILE.ORIGINALNAME))
}
});

CONST UPLOAD = MULTER({ STORAGE: STORAGE });

ROUTER.GET('/CONFIG', GENERALCONTROLLER.GETCONFIG);

ROUTER.POST('/UPLOAD',          UPLOAD.SINGLE('DOCUMENT'),
FILECONTROLLER.HANDLEUPLOAD);

CONST          PAYMENTCONTROLLER          =
REQUIRE('../CONTROLLERS/PAYMENTCONTROLLER');

ROUTER.GET('/FILES', FILECONTROLLER.GETFILES);

ROUTER.POST('/CLEAR-FILES', FILECONTROLLER.CLEARFILES);

ROUTER.POST('/PAY', GENERALCONTROLLER.INITPAYMENT);

ROUTER.POST('/CREATE-INVOICE',
PAYMENTCONTROLLER.CREATEINVOICE);

ROUTER.GET('/CHECK-INVOICE/:ID',
PAYMENTCONTROLLER.CHECKINVOICE);

ROUTER.POST('/PRINT', GENERALCONTROLLER.PRINTFILE);

MODULE.EXPORTS = ROUTER;

```

```

//SERVICE

//FILESTORE

LET FILES = [];

CONST GETFILES = () => FILES;

CONST ADDFILE = (FILE) => {
    FILES.PUSH(FILE);
};

CONST REMOVEFILE = (FILEID) => {
    FILES = FILES.FILTER(F => F.ID !== FILEID);
};

CONST CLEAR = () => {
    FILES = [];
};

MODULE.EXPORTS = {
    GETFILES,
    ADDFILE,
    REMOVEFILE,
    CLEAR
};

//PRINT SERVER

CONST { EXEC } = REQUIRE('CHILD_PROCESS');

CONST PATH = REQUIRE('PATH');

```

```
CONST FS = REQUIRE('FS');

CONST SHARP = REQUIRE('SHARP');

CONST PDFDOCUMENT = REQUIRE('PDFKIT');

CONST PTP = REQUIRE('PDF-TO-PRINTER');


CONST DPI = 300;

CONST MM_TO_INCH = 25.4;


CONST MMTOPX = (MM) => MATH.ROUND((MM / MM_TO_INCH) * DPI);

CONST MMTOPT = (MM) => (MM / MM_TO_INCH) * 72;


CONST PAPER_SIZES = {

  'A4': { W: 210, H: 297 },

  'LETTER': { W: 216, H: 279 },

  'LEGAL': { W: 216, H: 356 }

};


CONST MARGINS = {

  'NORMAL': 20,

  'NARROW': 10,

  'WIDE': 40

};
```

```

CONST PROCESSIMAGE = ASYNC (FILEPATH, OPTIONS) => {
  TRY {
    CONST EXT = PATH.EXTNAME(FILEPATH).TOLOWERCASE();

    CONST RAWDIM = PAPER_SIZES[OPTIONS.PAPERSIZE || 'A4'] ||
PAPER_SIZES['A4'];

    CONST ISLANDSCAPE = OPTIONS.ORIENTATION === 'LANDSCAPE';
    CONST DOCW_MM = ISLANDSCAPE ? RAWDIM.H : RAWDIM.W;
    CONST DOCH_MM = ISLANDSCAPE ? RAWDIM.W : RAWDIM.H;

    CONST CANVASW = MMTOPX(DOCW_MM);
    CONST CANVASH = MMTOPX(DOCH_MM);

    CONST MARGINMM = MARGINS[OPTIONS.MARGINS || 'NORMAL'] || 20;
    CONST MARGINPX = MMTOPX(MARGINMM);
    CONST PRINTW = CANVASW - (MARGINPX * 2);
    CONST PRINTH = CANVASH - (MARGINPX * 2);

    LET IMG = SHARP(FILEPATH);
    CONST METADATA = AWAIT IMG.METADATA();

    IF (OPTIONS.IMGROTATION) {

```

```

    IMG = IMG.ROTATE(OPTIONS.IMGROTATION);
}

IF (OPTIONS.COLOR === 'BW') {
    IMG = IMG.GRAYSCALE();
}

CONST MODULATEOPTS = {};
IF (OPTIONS.IMGBRIGHTNESS && OPTIONS.IMGBRIGHTNESS !== 100)
{
    MODULATEOPTS.BRIGHTNESS = OPTIONS.IMGBRIGHTNESS / 100;
}
IF (OPTIONS.IMGSATURATION && OPTIONS.IMGSATURATION !== 100)
{
    MODULATEOPTS.SATURATION = OPTIONS.IMGSATURATION / 100;
}
IF (OBJECT.KEYS(MODULATEOPTS).LENGTH > 0) {
    IMG = IMG.MODULATE(MODULATEOPTS);
}

IF (OPTIONS.IMGCONTRAST && OPTIONS.IMGCONTRAST !== 100) {
    CONST CONTRAST = OPTIONS.IMGCONTRAST / 100;
    IMG = IMG.LINEAR(CONTRAST, -(128 * CONTRAST) + 128);
}

```

```
}
```

```
CONST TARGETSCALE = (OPTIONS.IMGSCALE || 100) / 100;
```

```
LET RESIZEW = PRINTW;
```

```
LET RESIZEH = PRINTH;
```

```
RESIZEW = MATH.ROUND(RESIZEW * TARGETSCALE);
```

```
RESIZEH = MATH.ROUND(RESIZEH * TARGETSCALE);
```

```
CONST FITENUM = OPTIONS.IMGFIT === 'FILL' ? 'FILL' :
```

```
  OPTIONS.IMGFIT === 'COVER' ? 'COVER' : 'INSIDE';
```

```
IMG = IMG.RESIZE({
```

```
  WIDTH: RESIZEW,
```

```
  HEIGHT: RESIZEH,
```

```
  FIT: FITENUM,
```

```
  BACKGROUND: { R: 255, G: 255, B: 255, ALPHA: 0 }
```

```
});
```

```
CONST PROCESSEDIMGBUFFER = AWAIT IMG.TOBUFFER();
```

```
          CONST    PROCESSEDMETA    =    AWAIT  
SHARP(PROCESSEDIMGBUFFER).METADATA();
```

```
CONST POS = OPTIONS.IMGPOSITION || 'CENTER';
```

```
LET TOP = MARGINPX;
```

```
LET LEFT = MARGINPX;
```

```
CONST AVAILW = PRINTW;
```

```
CONST AVAILH = PRINTH;
```

```
CONST FINALIMGW = PROCESSEDMETA.WIDTH;
```

```
CONST FINALIMGH = PROCESSEDMETA.HEIGHT;
```

```
IF (POS.STARTSWITH('TOP')) {
```

```
    TOP = MARGINPX;
```

```
} ELSE IF (POS.STARTSWITH('BOTTOM')) {
```

```
    TOP = CANVASH - MARGINPX - FINALIMGH;
```

```
} ELSE {
```

```
    TOP = MARGINPX + (AVAILH - FINALIMGH) / 2;
```

```
}
```

```
IF (POS.INCLUDES('LEFT')) {
```

```
    LEFT = MARGINPX;
```

```
} ELSE IF (POS.INCLUDES('RIGHT')) {
```

```
    LEFT = CANVASW - MARGINPX - FINALIMGW;
```

```
} ELSE {
```

```
    LEFT = MARGINPX + (AVAILW - FINALIMGW) / 2;
```

```
}
```

```
TOP = MATH.ROUND(TOP);
```

```
LEFT = MATH.ROUND(LEFT);
```

```
CONST FINAL = AWAIT SHARP({
```

```
  CREATE: {
```

```
    WIDTH: CANVASW,
```

```
    HEIGHT: CANVASH,
```

```
    CHANNELS: 4,
```

```
    BACKGROUND: { R: 255, G: 255, B: 255, ALPHA: 1 }
```

```
  }
```

```
})
```

```
  .COMPOSITE([
```

```
    INPUT: PROCESSEDIMGBUFFER,
```

```
    TOP: TOP,
```

```
    LEFT: LEFT
```

```
  ])
```

```
  .FLATTEN({ BACKGROUND: { R: 255, G: 255, B: 255 } })
```

```
  .PNG()
```

```
  .TOBUFFER();
```

```
RETURN FINAL;
```

```

    } CATCH (ERROR) {
        THROW ERROR;
    }
};

```

```

CONST CREATEPDF = ASYNC (IMAGEBUFFER, OPTIONS) => {
    RETURN NEW PROMISE((RESOLVE, REJECT) => {
        TRY {
            CONST RAWDIM = PAPER_SIZES[OPTIONS.PAPERSIZE || 'A4'] ||
PAPER_SIZES['A4'];
            CONST ISLANDSCAPE = OPTIONS.ORIENTATION === 'LANDSCAPE';

            CONST DOCW_PT = ISLANDSCAPE ? MMTOPT(RAWDIM.H) :
MMTOPT(RAWDIM.W);
            CONST DOCH_PT = ISLANDSCAPE ? MMTOPT(RAWDIM.W) :
MMTOPT(RAWDIM.H);

            CONST DOC = NEW PDFDOCUMENT({
                SIZE: [DOCW_PT, DOCH_PT],
                MARGIN: 0,
                AUTOFIRSTPAGE: TRUE
            });

```

```

        CONST PDFPATH = PATH.JOIN(__DIRNAME,
`../UPLOADS/PRINT_${DATE.NOW()}.PDF`);

    CONST STREAM = FS.CREATEWRITESTREAM(PDFPATH);

    DOC.PIPE(STREAM);

    DOC.IMAGE(IMAGEBUFFER, 0, 0, {
        WIDTH: DOCW_PT,
        HEIGHT: DOCH_PT
    });

    DOC.END();

    STREAM.ON('FINISH', () => RESOLVE(PDFPATH));
    STREAM.ON('ERROR', REJECT);

    } CATCH (E) {
        REJECT(E);
    }

    });
};

```

```

CONST PRINTDOCUMENT = ASYNC (FILEPATH, OPTIONS = {}) => {
  LET PDFPATH = NULL;
  TRY {
    CONST IMAGEBUFFER = AWAIT PROCESSIMAGE(FILEPATH,
    OPTIONS);

    PDFPATH = AWAIT CREATEPDF(IMAGEBUFFER, OPTIONS);

    AWAIT PTP.PRINT(PDFPATH);

    SETTIMEOUT(() => {
      IF (FS.EXISTSSYNC(PDFPATH)) FS.UNLINKSYNC(PDFPATH);
    }, 5000);

    RETURN { SUCCESS: TRUE, MESSAGE: 'PRINT JOB SENT' };
  } CATCH (ERROR) {
    IF (PDFPATH && FS.EXISTSSYNC(PDFPATH)) {
      TRY { FS.UNLINKSYNC(PDFPATH); } CATCH (E) {}
    }
    THROW ERROR;
  }
};

```

```

MODULE.EXPORTS = {
  PRINTDOCUMENT
};

//XENDIT SERVICE

CONST AXIOS = REQUIRE('AXIOS');
CONST DOTENV = REQUIRE('DOTENV');

DOTENV.CONFIG();

CONST XENDIT_API_URL = 'HTTPS://API.XENDIT.CO/V2/INVOICES';

CONST GETHEADERS = () => {
  CONST SECRETKEY = PROCESS.ENV.XENDIT_SECRET_KEY || "";
  CONST TOKEN = BUFFER.FROM(SECRETKEY + ':').TOSTRING('BASE64');
  RETURN {
    'AUTHORIZATION': `BASIC ${TOKEN}`,
    'CONTENT-TYPE': 'APPLICATION/JSON'
  };
};

CONST CREATEINVOICE = ASYNC (AMOUNT) => {

```

```

TRY {

    CONST ID = 'INV_' + DATE.NOW();

    CONST DATA = {

        EXTERNAL_ID: ID,

        AMOUNT: AMOUNT,

        DESCRIPTION: 'KIOSK PRINTING PAYMENT',

        INVOICE_DURATION: 300,

        CURRENCY: 'PHP'

    };


    CONST RESPONSE = AWAIT AXIOS.POST(XENDIT_API_URL, DATA, {

        HEADERS: GETHEADERS()

    });


    CONST INV = RESPONSE.DATA;

    RETURN {

        ID: INV.ID,

        EXTERNALID: INV.EXTERNAL_ID,

        AMOUNT: INV.AMOUNT,

        STATUS: INV.STATUS,

        INVOICEURL: INV.INVOICE_URL,

        EXPIRYDATE: INV.EXPIRY_DATE

    };

```

```

    } CATCH (ERROR) {
        THROW ERROR;
    }
};

CONST GETINVOICE = ASYNC (ID) => {
    TRY {
        CONST RESPONSE = AWAIT AXIOS.GET(`${XENDIT_API_URL}/${ID}`, {
            HEADERS: GETHEADERS()
        });

        CONST INV = RESPONSE.DATA;

        RETURN {
            ID: INV.ID,
            EXTERNALID: INV.EXTERNAL_ID,
            AMOUNT: INV.AMOUNT,
            STATUS: INV.STATUS,
            INVOICEURL: INV.INVOICE_URL,
            EXPIRYDATE: INV.EXPIRY_DATE
        };
    } CATCH (ERROR) {
        IF (ERROR.RESPONSE && ERROR.RESPONSE.STATUS === 404) {
            RETURN NULL;
        }
    }
};

```

```
    }  
    THROW ERROR;  
  }  
};
```

```
MODULE.EXPORTS = {  
  CREATEINVOICE,  
  GETINVOICE  
};
```