


1. បង្កើត model ថ្មីមួយមានឈ្មោះថា Category តាមបញ្ជាដូចខាងក្រោម៖

php artisan make:model Category

```
php artisan make:model Category
```

2. បើក Category.php model in App\Models




```

1  <?php
2
3  namespace App\Models;
4
5  use Illuminate\Database\Eloquent\Model;
6
7  7 references | 0 implementations
8  class Category extends Model
9  {
10 |     //
11 |     0 references
12 |     protected $fillable = ['name', 'description'];

```

3. បង្កើត views ចំនួន ៣ ក្នុង resources/views ដូចរូប



create.blade.php

```
!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Create Category</title>
</head>
<body>
  <h1>Create Category</h1>
  <form action="{{ route('categories.store') }}" method="POST">
    @csrf
    <div>
      <label for="name">Name:</label>
      <input type="text" name="name" id="name" required>
    </div>
    <div>
      <label for="description">Description:</label>
      <textarea name="description" id="description"></textarea>
    </div>
  </form>
</body>
</html>
```

```
        </div>
        <button type="submit">Create Category</button>
    </form>
</body>
</html>
```

edit.blade.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Edit Category</title>
</head>
<body>
    form action="{{ route('categories.update', $category->id) }}" method="POST">
        @csrf
        @method('PUT')
        <div>
            <label for="name">Name:</label>
            <input type="text" name="name" id="name" value="{{ $category->name }}" required>
        </div>
        <div>
            <label for="description">Description:</label>
            <textarea name="description" id="description">{{ $category->description }}</textarea>
        </div>
        <button type="submit">Update Category</button>
    </body>
```

```
</html>
```

index.blade.php

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <meta http-equiv="X-UA-Compatible" content="ie=edge">
    <title>Index</title>
</head>
<body>
    <a href="{{ route('categories.create') }}">Create New</a>


    <table>
        <thead>
            <tr>
                <th>Name</th>
                <th>Description</th>
                <th>Actions</th>
            </tr>
        </thead>
        <tbody>
            @foreach($categories as $category)
                <tr>
                    <td>{{ $category->name }}</td>
                    <td>{{ $category->description }}</td>
                    <td>
                        <a href="{{ route('categories.edit', $category->id) }}">Edit</a>
                        <a href="{{ route('categories.show', $category->id) }}">Details</a>
                    </td>
                </tr>
            @endforeach
        </tbody>
    </table>
</body>
</html>
```

```

        <form action="{{ route('categories.destroy', $category->id) }}" method="POST"
style="display:inline;">
            @csrf
            @method('DELETE')
            <button type="submit">Delete</button>
        </form>
    </td>
</tr>
@endforeach
</tbody>
</table>
</body>
</html>

```

4. បង្កើត Controller មួយដាក់ឈ្មោះថា CategoryController ដូចរូប និង សរសេរកូដដូចខាងក្រោម៖



```
<?php
```

```
namespace App\Http\Controllers;
```

```
use Illuminate\Http\Request;
```

```
use App\Models\Category;
```

```
class CategoryController extends Controller
{
    public function index()
    {
        $categories = Category::all();
        return view('categories.index', compact('categories'));
    }
    public function create()
    {
        return view('categories.create');
    }

    public function store(Request $request)
    {
        $validatedData = $request->validate([
            'name' => 'required|string|max:255|unique:categories,name',
            'description' => 'nullable|string',
        ]);

        Category::create($validatedData);
        return redirect()->route('categories.index')->with('success', 'Category created successfully!');
    }

    public function show($id)
    {
        $category = Category::findOrFail($id);

        return view('categories.show', compact('category'));
    }
}
```

```
public function edit($id)
{
    $category = Category::findOrFail($id);

    return view('categories.edit', compact('category'));
}

public function update(Request $request, $id)
{
    $category = Category::findOrFail($id);

    $validatedData = $request->validate([
        'name' => 'required|string|max:255|unique:categories,name,' . $category->id,
        'description' => 'nullable|string',
    ]);

    $category->update($validatedData);
    return redirect()->route('categories.index')->with('success', 'Category updated successfully!');
}

public function destroy($id)
{
    $category = Category::findOrFail($id);

    $category->delete();

    return redirect()->route('categories.index')->with('success', 'Category deleted successfully!');
}
```

}

5. បង្កើត Route

```
35 Route::prefix("categories")->group(function(){
36
37     Route::name("categories.")->group(function(){
38
39         Route::controller(CategoryController::class)->group(function(){
40
41             Route::get("/", 'index')->name("index");
42             Route::get("create", "create")->name("create");
43             Route::get("/edit/{id}", "edit")->name("edit");
44             Route::get("{id}", "show")->name("show");
45             Route::post("/", "store")->name("store");
46             Route::put("{id}", "update")->name('update');
47             Route::delete("{id}", "destroy")->name("destroy");
48
49         });
50
51     });
52
53 });
```