

PRACTICE QUESTIONS

PPS-I

```
int main()
{
    int a=0;
    for( ; a<=5; a++);
        printf("%d", a);
    return 0;
}
```

```
int main()
{
    if(printf(""))
        printf("It matters\n");
    else
        printf("It doesn't matters\n");
return 0;
}
```

```
int main()
{
    if(printf("A"))
        printf("It matters\n");
    else
        printf("It doesn't matters\n");
return 0;
}
```

```
int main()
{
    int a=20, b=10, c=20;
    a += a ? b : c;
    printf("%d %d %d", a, b, c);
    return 0;
}
```

```
int main()
{
    int a=0, b=10, c=20;
    a += a ? b : c;
    printf("%d %d %d", a, b, c);
    return 0;
}
```

```
int main()
{
    int x, num = 30;
    x = (num < 10) ? 10 : 20;
    printf("%d\n", num);
    return 0;
}
```

```
int main()
{
    int a = 10, b, c;
    if(a >= 20)
        b = 30;
    c = 20;
    printf("%d %d %d",a,b,c);
    return 0;
}
```

```
int main()
{
    int i = 1;
    while(++i <= 5)
        printf("%d ",i);

    return 0;
}
```

```
int main()
{
    int i = 1;
    while(i++ <= 5)
        printf("%d ",i);

    return 0;
}
```

Practice Questions

switch(i)

{

default:

printf("This is default\n");

case 1:

printf("This is case 1\n");

break;

case 2:

printf("This is case 2\n");

break;

case 3:

printf("This is case 3\n");

}

int i=4;

switch

```
switch(i)
```

Practice Questions

```
{
```

```
int i=3;
```

```
switch
```

```
case 1:
```

```
    printf("This is case 1\n");
```

```
    break;
```

```
case 2:
```

```
    printf("This is case 2\n");
```

```
    break;
```

```
case 2*4-5:
```

```
    printf("This is case 3\n");
```

```
    break;
```

```
default:
```

```
    printf("This is default\n");
```

```
}
```

```
switch(i)
```

Practice Questions

```
{
```

```
int i=3;
```

```
switch
```

```
case 1:
```

```
    printf("This is case 1\n");
```

```
    break;
```

```
case 2:
```

```
    printf("This is case 2\n");
```

```
    break;
```

```
case 2*4-6:
```

```
    printf("This is case 3\n");
```

```
    break;
```

```
default:
```

```
    printf("This is default\n");
```

```
}
```

```
switch(i)
```

Practice Questions

```
{
```

```
    default:
```

```
        printf("This is default\n");
```

```
        break;
```

```
    case 1:
```

```
        printf("This is case 1\n");
```

```
        break;
```

```
    case 2:
```

```
        printf("This is case 2\n");
```

```
        break;
```

```
    case 3:
```

```
        printf("This is case 3\n");
```

```
}
```

```
int i=4;
```

```
switch
```

Practice Questions

switch

```
int main()
{
    int i = 1;
    switch(i)
    {
        printf("Hello\n");
        case 1:
            printf("Hi\n");
            break;
        case 2:
            printf("\nBye\n");
            break;
    }
```

```
int main()
{
    enum status { pass, fail, atkt};
    enum status stud1, stud2, stud3;
    stud1 = pass;
    stud2 = atkt;
    stud3 = fail;
    printf("%d, %d, %d\n", stud1, stud2, stud3);
    return 0;
}
```

```
int main()
{
    int i=-3, j=2, k=0, m;
    m = ++i && ++j && ++k;
    printf("%d %d %d %d ", i, j, k, m);
    return 0;
}
```

```
int main()
{
    int i=-3, j=2, k=0, m;
    m = ++i && ++j && k++;
    printf("%d %d %d %d", i, j, k, m);
    return 0;
}
```

```
int main()
{
    int x=12, y=7, z;
    z = x!=4 || y == 2;
    printf("z=%d\n", z);
    return 0;
}
```

```
int main()
{
    int x=4, y, z;
    y = --x;
    z = x--;
    printf("%d %d %d", x, y, z);
    return 0;
}
```

```
int main()
{
    int a;

    printf("%d\n", scanf("%d", &a));

    return 0;
}
```

```
int main()
{
    enum color{red, green, blue};
    enum color mycolor;
    mycolor = blue;
    printf("%d", mycolor);
    return 0;
}
```

```
int main()
{
    int x = 1;
    if (x == 0)
        printf("hi ");
    else
        printf("how are u ");
        printf("hello");
    return 0;
}
```

```
int main()
{
    int a = 0, i = 0, b;
    for (i = 0; i < 5; i++)
    {
        if(i < 2)
            continue;
        a++;
    }
    printf("%d", a);
}
```

```
int main()
{
    int a = 0, i = 0, b;
    for (i = 0; i < 5; i++)
    {
        if(i < 2)
            break;
        a++;
    }
    printf("%d", a);
}
```

Practice Questions

WAP to print Floyd's triangle.

1

2 3

4 5 6

7 8 9 10

Practice Questions

WAP to check entered number is palindrome or not.

Practice Questions

WAP to print grade of a student according to marks obtained using **else-if ladder/switch** case.

Average Marks	Grades
80 – 100	Honors
60 – 79	First Division
50 – 59	Second Division
40 – 49	Third Division
0 – 39	Try Again!

Practice Questions

WAP to print the following pattern using loops.

* * * * *

* * * *

* * *

*