SET-9

QUESTION-1



CODE:

```
# Product Inventory Data
product <- c("Product A", "Product B", "Product C")
quantity <- c(250, 175, 300)
# Bar Chart
barplot(quantity,
        names.arg = product,
        col = c("skyblue", "lightgreen", "pink"),
        xlab = "Product Name",
        ylab = "Quantity Available",
        main = "Product Inventory")
```

QUESTION-2



CODE:

```
# Product Categories

category <- c("Electronics", "Electronics", "Furniture")

quantity <- c(250, 175, 300)

# Create Matrix

inventory <- matrix(quantity,

                    nrow = 1,

                    byrow = TRUE)

colnames(inventory) <- category

# Stacked Bar Chart

barplot(inventory,

        col = c("red", "green", "blue"),

        main = "Inventory by Product Category",

        xlab = "Product Category",

        ylab = "Quantity",

        legend.text = category)
```

QUESTION-3



CODE:

```r
# Inventory Dataset
inventory_data <- data.frame(
  Product_ID = c(1,2,3),
  Product_Name = c("Product A","Product B","Product C"),
  Quantity_Available = c(250,175,300),
  Price = c(20,15,18)
)
print(inventory_data)
```

QUESTION-4



CODE:

```
# Inventory Dataset

inventory_data <- data.frame(

  Product_ID = c(1,2,3),

  Product_Name = c("Product A","Product B","Product C"),

  Quantity_Available = c(250,175,300),

  Price = c(20,15,18)

)

# Export Dataset

write.csv(inventory_data,

          "Product_Inventory.csv",

          row.names = FALSE)

print("Product_Inventory.csv created successfully.")
```