


SET-10

QUESTION-1



CODE:

Survey Responses for Question 1

```
q1 <- c("A", "B", "C")
```

Count Responses

```
q1_count <- table(q1)
```

Grouped Bar Chart

```
barplot(q1_count,
```

```
  beside = TRUE,
```


```
  col = c("skyblue", "lightgreen", "pink"),
```

```
  xlab = "Response Options",
```

```
  ylab = "Frequency",
```

```
  main = "Distribution of Responses for Question 1")
```

QUESTION-2



CODE:

Survey Responses

```
survey <- matrix(c(
```

```
  1,1,1,
```

```
  1,1,0,
```

```
  1,0,1,
```

```
  0,1,0
```

```
), nrow = 4, byrow = TRUE)
```

```
rownames(survey) <- c("A","B","C","D")
```

```
colnames(survey) <- c("Question1","Question2","Question3")
```

Stacked Bar Chart

```
barplot(survey,
```

```
        beside = FALSE,
```

```
        col = c("red","green","blue","yellow"),
```


```
        xlab = "Questions",
```

```
        ylab = "Response Count",
```

```
        main = "Overall Distribution of Survey Responses",
```

```
legend.text = rownames(survey))
```

QUESTION-3




CODE:

```
# Survey Dataset
```

```
survey_data <- data.frame(
  Survey_ID = c(1,2,3),
  Question_1 = c("A","B","C"),
  Question_2 = c("B","A","A"),
  Question_3 = c("C","D","B")
)
print(survey_data)
```

QUESTION-4



CODE:

Survey Dataset

```
survey_data <- data.frame(
  Survey_ID = c(1,2,3),
  Question_1 = c("A","B","C"),
  Question_2 = c("B","A","A"),
  Question_3 = c("C","D","B")
)
```

Export to CSV

```
write.csv(survey_data,
          "Survey_Responses.csv",
          row.names = FALSE)

print("Survey_Responses.csv created successfully.")
```