Q1)

```html
<html>
<head><title>Javascript</title>
</head>
<body>
<p id="demo"></p>
<script>

function square(x)
{return x * x};
document.getElementById("demo").innerHTML = square(4);

</script>
</body>
```

Q2)

```html
02.<html>
<head><title>Javascript</title>
</head>
<body>
<p id="demo"></p>
<script>

function square(num1,num2)
{ var add,sub,mul,div
add=x+y
sub=x-y
mul=x*y
div=x/y
return "The addition of the two numbers is"+add+"<br>"+
"The multiplication of the two numbers is"+mal+"<br>"+
"The subtraction of the two numbers is "+sub+"<br>"+
"The division of the two numbers is"+" "+div};
document.getElementById("demo").innerHTML = square(2,2);
</script>
</body>
</html>
```

Q3)

```html
<html>
<head><title>Javascript</title>
</head>
<body>
```

```
<button onclick="fun()">Click here</button>
<script>
function fun() {
alert("Hello World");}
</script>
</body>
</html>
```

Q4)

```
<html>
<head><title>Javascript</title>
</head>
<body>
<p id="demo"></p>
<script>

function square(l,w,h)
{ var vol,l,w,h
vol=l*h*w
return "Volume is"+" "+ vol};
document.getElementById("demo").innerHTML = square(2,2,3);
</script>
</body>
</html>
```