

TROVAN

# Customer Launch Docket

A customer-led implementation packet for setup, role-based training, one practice route, proof, and launch-readiness review.

| VERSION               | OWNER             | STANDARD LIVE SUPPORT          |
|-----------------------|-------------------|--------------------------------|
| 1.2   August 19, 2026 | Customer Champion | One 30-minute readiness review |



## SCAN TO OPEN TROVAN ACADEMY

Searchable lessons are canonical. Use this packet for handoff, facilitation, and quick reference.

Use sanitized operational data during training. Never place passwords, API tokens, access codes, or private customer records in support messages.

# Index and how to use this docket

Use the Academy for searchable, current instructions and completion tracking. Use this PDF as the printable implementation handoff.

| Section                                  | Use it for                                                                    |
|------------------------------------------|-------------------------------------------------------------------------------|
| 1. Start here                            | Implementation ownership and service boundary                                 |
| 2. Seven-day schedule                    | Daily rollout sequence and evidence                                           |
| 3. Roles                                 | Champion, Dispatcher, Driver, Viewer, and support boundaries                  |
| 4. Data preparation                      | Import fields and acceptance checks                                           |
| 5. Practice-route checklist              | Eight evidence-backed readiness steps                                         |
| 6. Dispatcher runbook                    | Before, during, and after the pilot route                                     |
| 7. Exception ownership                   | First owner, required response, and escalation                                |
| 8. Driver Quick Start                    | Mobile stop flow and proof                                                    |
| 9. Security, privacy, support            | Safe data handling and request details                                        |
| 10. Signoff                              | Customer launch-readiness acknowledgement                                     |
| 11. KPI review                           | Week-one and day-30 measures                                                  |
| Appendix A. 21 click-by-click procedures | Eight stages with annotated screenshots, exact controls, and success evidence |
| Appendix B. Troubleshooting              | Symptoms, likely causes, ordered fixes, and escalation points                 |
| Appendix C. Common Q&A                   | Frequent implementation and route-day questions                               |

## How to follow a procedure

- Choose video, written, or both. The Academy video chapters and Appendix A procedures cover the same implementation stages.
- Confirm you are signed in with the audience role shown for the procedure.
- Find the numbered copper callout in the screenshot, then click the matching control in your workspace.
- Read the Confirm statement before moving to the next step; intent is not accepted in place of saved evidence.
- If the expected result does not appear, stop and use Appendix B rather than forcing the workflow forward.

# 1. Start here

**Outcome: the customer can reach launch readiness with self-guided materials and one focused checkpoint.**

- The customer Champion owns data preparation, team scheduling, lesson completion, the practice route, and internal reinforcement.
- Trovan owns accurate Academy content, the launch docket, product support, and final assisted-pilot readiness review.
- Start with one depot, one Dispatcher, one Driver, one ready vehicle, and one representative route day.
- Do not treat the 30-minute readiness review as a general training session; arrive with the checklist and practice evidence complete.

## Standard service boundary

| Included                                                      | Separately scoped                                          |
|---------------------------------------------------------------|------------------------------------------------------------|
| Trovan Academy and this docket                                | Customer data cleanup or conversion                        |
| Best-effort support; one-business-day initial response target | Custom integrations or customer-specific process design    |
| One 30-minute launch-readiness review                         | Live team training, onsite work, or managed implementation |
| Product defect investigation                                  | Additional enablement or operational consulting            |

## 2. Seven-day implementation schedule

| Day | Customer Champion outcome                                                    | Evidence                                                             |
|-----|------------------------------------------------------------------------------|----------------------------------------------------------------------|
| 1   | Confirm Champion, roles, timezone, depot, and support contact.               | Owner/Admin, Dispatcher, and pilot Driver can sign in.               |
| 2   | Prepare one active driver, one ready vehicle, customers, and route-day data. | Fleet and customer records match the practice scope.                 |
| 3   | Import jobs and correct every location or constraint blocker.                | All pilot jobs are routable or deliberately excluded.                |
| 4   | Create a provider-backed plan and review unassigned work.                    | Optimizer provenance is live, no unsupported fallback is used.       |
| 5   | Complete Driver Quick Start and dispatch the practice route.                 | Driver assignment, dispatch state, and team completion are recorded. |
| 6   | Capture proof, rehearse one exception, and complete signoff.                 | Proof artifact, message/escalation path, and KPI baseline exist.     |
| 7   | Complete the 30-minute Trovan readiness review.                              | Blockers, owner, fallback procedure, and launch date are confirmed.  |

**Stop the sequence when a prerequisite is incomplete. Do not hide a data, provider, permissions, or proof blocker simply to preserve the calendar.**

### 3. Roles and responsibilities

| Role                            | Owns                                                                                 | Does not own                                              |
|---------------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------|
| Customer Champion (Owner/Admin) | Implementation schedule, team completion, data readiness, practice route, signoff    | Daily driving or every dispatch decision                  |
| Dispatcher                      | Import review, route planning, publish readiness, driver assignment, live exceptions | Organization security policy or billing                   |
| Driver                          | Assigned route execution, arrival/departure, proof, exceptions, dispatch messages    | Route optimization or administrative configuration        |
| Viewer                          | Read-only dashboard, tracking, proof, and reporting review                           | Changing operational records                              |
| Trovan                          | Materials, product support, readiness review, platform defects                       | Routine customer data cleanup or internal team management |

### Required Academy tracks

| Track              | Audience                    | Target | Completion evidence                          |
|--------------------|-----------------------------|--------|----------------------------------------------|
| Start Here         | Champion, Owner, Admin      | 15 min | Knowledge check passed                       |
| Workspace Setup    | Champion, Admin             | 25 min | Knowledge check plus saved depot/fleet/users |
| Route Operations   | Champion, Dispatcher, Admin | 40 min | Knowledge check plus practice route          |
| Driver Quick Start | Pilot Driver                | 15 min | Knowledge check plus practice stop/proof     |
| Go-Live            | Champion                    | 15 min | Knowledge check and signoff                  |
| Viewer Basics      | Viewer                      | 5 min  | Optional                                     |

## 4. Data preparation

Use the included CSV template for one representative route day. Start with the minimum fields, then add routing-critical constraints only when they affect the actual operation.

| Field                               | Required        | Purpose / example                                                       |
|-------------------------------------|-----------------|-------------------------------------------------------------------------|
| customerName                        | Yes             | Receiver or location display name                                       |
| deliveryAddress                     | Yes             | Complete street, city, state, and postal code                           |
| timeWindowStart / timeWindowEnd     | Recommended     | ISO timestamp or agreed import format                                   |
| serviceDuration                     | Recommended     | Minutes expected at the stop                                            |
| weight / volume / pallet dimensions | When applicable | Vehicle capacity and floor-position fit                                 |
| requiredEquipment / certifications  | When applicable | Liftgate, refrigeration, hazmat, credential rules                       |
| accessCode / gateInstructions       | Sensitive       | Enter only in approved Trovan fields; never email or paste into tickets |
| temperature / hazmat / handling     | When applicable | Safety and compatibility constraints                                    |

### Import acceptance checklist

- Every row has a recognizable customer name and complete delivery address.
- Time windows use one timezone and do not contradict each other.
- Loads use consistent units and include dimensions when pallet fit matters.
- Driver, equipment, access, temperature, and hazmat rules are intentional.
- Duplicate external references are resolved before import.
- Sensitive access instructions remain inside approved product fields.

## 5. Eight-step practice-route checklist

| # | Readiness step               | Complete when                                                      | Owner       |
|---|------------------------------|--------------------------------------------------------------------|-------------|
| 1 | Confirm primary depot        | The correct service location and timezone are saved.               | Champion    |
| 2 | Add active driver            | The pilot Driver identity and contact information are active.      | Champion    |
| 3 | Add ready vehicle            | An available vehicle has realistic capacity and equipment.         | Fleet owner |
| 4 | Import route day             | One representative job file is persisted.                          | Dispatcher  |
| 5 | Validate locations           | Every pilot job has a routable pickup or delivery location.        | Dispatcher  |
| 6 | Create provider-backed route | Road-network provenance is live and publish blockers are resolved. | Dispatcher  |
| 7 | Dispatch practice route      | The trained Driver is assigned and the route is dispatched.        | Dispatcher  |
| 8 | Capture proof                | At least one required proof artifact is persisted and reviewable.  | Driver      |

**The Academy readiness card combines these workspace facts with Champion and Driver training completion. Browser-local checkboxes are not accepted as launch evidence.**

## 6. Dispatcher pilot-day runbook

### Before dispatch

- Confirm the runtime status is live and required services are healthy.
- Verify the service date, depot, drivers, vehicles, time windows, and customer instructions.
- Review unassigned jobs and every capacity, appointment, equipment, driver, or access blocker.
- Confirm provider-backed road-network provenance and no unsupported fallback.
- Assign the trained pilot Driver and communicate the support/escalation path.

### During the route

- Monitor status, messages, ETA changes, exceptions, and proof requirements from Dispatch.
- Keep route changes in Trovan so the operational record and audit trail remain complete.
- For failed stops, record the reason, customer impact, owner, and next action.
- Do not exchange access codes, tokens, or private customer data in unapproved messages.

### After the route

- Resolve every route and stop state; do not leave a silent skipped stop.
- Verify required proof is persisted and visible in Proof of Delivery.
- Record what confused the team and search the knowledge base before opening support.
- Capture planning time, mileage, late-risk stops, failed deliveries, and proof completion.



## 7. Exception ownership and escalation

| Condition                          | First owner | Required response                                       | Escalate when                                                 |
|------------------------------------|-------------|---------------------------------------------------------|---------------------------------------------------------------|
| Bad or ambiguous address           | Dispatcher  | Correct or validate location; rerun readiness.          | Location remains unresolved or geocoder is unavailable.       |
| Capacity / equipment mismatch      | Dispatcher  | Choose an eligible vehicle or correct load data.        | No eligible asset exists or policy is unclear.                |
| Driver cannot complete stop        | Driver      | Record exception, reason, note, and message Dispatch.   | Safety, customer impact, access, or route timing changes.     |
| Route provider degraded            | Dispatcher  | Stop publication; preserve warning/provenance details.  | Hosted road-network input is unavailable or fallback appears. |
| Proof missing or failed            | Driver      | Retry at the stop; record why proof cannot be captured. | Device/storage failure or policy exception persists.          |
| Access / permissions issue         | Owner/Admin | Review membership and least-privileged role.            | Invite, session, SSO, or tenant boundary appears incorrect.   |
| Possible security/privacy incident | Champion    | Stop sharing, preserve IDs, contact Trovan immediately. | Always; do not include secrets in the message.                |

### Support request template

**Organization:** \_\_\_\_\_ **Role:** \_\_\_\_\_ **Page:** \_\_\_\_\_ **Route/job ID:** \_\_\_\_\_  
**Expected:** \_\_\_\_\_  
**Observed:** \_\_\_\_\_  
**Request ID:** \_\_\_\_\_ **Time/timezone:** \_\_\_\_\_ **Redacted screenshot attached:** Yes / No

## 8. Driver Quick Start

Use the mobile Driver workspace only with your assigned authenticated identity.

| Step        | Driver action                                                                       | Evidence                                            |
|-------------|-------------------------------------------------------------------------------------|-----------------------------------------------------|
| 1. Review   | Open the assigned route; check stop order, timing, and instructions.                | Correct route and vehicle are visible.              |
| 2. Start    | Start the route only when ready to leave.                                           | Route enters active execution.                      |
| 3. Arrive   | Record arrival when physically at the stop.                                         | Arrival timestamp is attached to the stop.          |
| 4. Prove    | Capture required photo, signature, recipient, or note before leaving.               | Proof is persisted and reviewable.                  |
| 5. Except   | When service fails, choose the exception path and explain what happened.            | Reason and customer impact are visible to Dispatch. |
| 6. Message  | Notify Dispatch when the exception affects timing, route, or customer expectations. | Message stays attached to the route.                |
| 7. Depart   | Record departure, then continue to the next stop.                                   | Stop state is resolved.                             |
| 8. Complete | Finish the route only after every stop is resolved.                                 | Route history is complete.                          |

Never forward access codes, proof images, customer details, or tracking links outside approved operational channels.

## 9. Security, privacy, and support

- Use the least-privileged role and individual accounts; do not share sessions.
- Treat route, driver, customer, location, proof, and access-instruction data as operationally sensitive.
- Include identifiers and request IDs in support requests, but redact tokens, passwords, access codes, signatures, and unnecessary customer data.
- Public tracking links are scoped to one delivery context; report unexpected exposure immediately.
- The assisted pilot offers best-effort support with a target initial response within one business day and no contractual uptime SLA unless the order form says otherwise.
- Billing and production onboarding remain manually approved; there is no public self-service checkout or free trial.

### Common questions

| Question                   | Answer                                                                                                           |
|----------------------------|------------------------------------------------------------------------------------------------------------------|
| Why is my job blocked?     | Open job readiness and correct the named location, capacity, appointment, equipment, driver, or site constraint. |
| Why can't I dispatch?      | Confirm publish state, eligible Driver/vehicle assignment, readiness blockers, and reroute state.                |
| What counts as proof?      | The configured photo, signature, recipient, note, and timestamps attached to the stop.                           |
| Is live training included? | No. The standard plan includes Academy, docket, support, and one readiness review.                               |
| What belongs in support?   | Organization, role, page, record ID, expected/observed behavior, request ID, time, and redacted screenshot.      |

# 10. Launch-readiness signoff

The Customer Champion completes this page after the practice route and before the Trovan readiness review.

| Confirmation                                                         | Initial / date |
|----------------------------------------------------------------------|----------------|
| Champion, Dispatcher, and pilot Driver roles and access are correct. | _____          |
| Required Academy tracks are complete with passing knowledge checks.  | _____          |
| Depot, driver, vehicle, jobs, and every pilot location are ready.    | _____          |
| The provider-backed practice route was published and dispatched.     | _____          |
| At least one stop captured persisted proof.                          | _____          |
| The team rehearsed one exception and knows the escalation path.      | _____          |
| Customer responsibilities and separately scoped work are understood. | _____          |
| Week-one and day-30 KPI owners and review dates are set.             | _____          |

Customer Champion: \_\_\_\_\_ Date: \_\_\_\_\_

Trovan readiness reviewer: \_\_\_\_\_ Date: \_\_\_\_\_

Approved launch date / next action: \_\_\_\_\_

# 11. First-week and day-30 KPI review

| Metric                                    | Baseline | Week 1 | Day 30 | Owner / action |
|-------------------------------------------|----------|--------|--------|----------------|
| Minutes to prepare and publish route day  |          |        |        |                |
| Planned and actual route miles            |          |        |        |                |
| Unassigned / blocked jobs                 |          |        |        |                |
| Late-risk or missed-window stops          |          |        |        |                |
| Failed deliveries                         |          |        |        |                |
| Required proof completion rate            |          |        |        |                |
| Driver / Dispatcher support questions     |          |        |        |                |
| Knowledge-base searches without an answer |          |        |        |                |

## Review questions

- Which step still depends on a spreadsheet, text thread, or repeated manual explanation?
- Which support question should become an Academy article or checklist instruction?
- Which route constraints or customer instructions were missing at import time?
- Did Driver status and proof match what Dispatch expected?
- What must be fixed before expanding to another depot, team, or route day?



Open Trovan Academy for the latest lesson text, captions, knowledge checks, and persisted readiness status.


# Appendix A. 21 click-by-click implementation procedures

The Academy version is searchable and canonical. Choose video, written, or both; each format follows the same eight-stage implementation program. These printable pages point to the exact control in the sanitized product interface.

| Stage                          | Procedures |
|--------------------------------|------------|
| 1. Kickoff and ownership       | A1-A2      |
| 2. Workspace foundation        | A3-A4      |
| 3. Operational records         | A5-A7      |
| 4. Route-day data              | A8-A9      |
| 5. Plan and approve            | A10-A11    |
| 6. Dispatch and practice       | A12-A15    |
| 7. Monitor and close           | A16-A18    |
| 8. Readiness and first 30 days | A19-A21    |

# A1. Assign the Customer Champion

Audience: Owner or Admin




| Step    | Click                               | Confirm                                                               |
|---------|-------------------------------------|-----------------------------------------------------------------------|
| Open    | Account menu > Help & Training      | The required Champion lessons and Launch readiness panel are visible. |
| Assign  | Customer Champion > Select Champion | The selected Owner/Admin remains after refresh.                       |
| Prepare | Download launch docket              | The PDF and editable roster, import, and KPI files open.              |

Complete when: Champion, Dispatcher, Driver, practice date, and escalation contact are recorded.

# A2. Complete the first-login system tour

Audience: Champion, Owner, or Admin




| Step      | Click                                            | Confirm                                                          |
|-----------|--------------------------------------------------|------------------------------------------------------------------|
| Verify    | Account menu > organization name                 | The correct work identity, organization, and role are active.    |
| Orient    | Dashboard > Jobs > Routing > Dispatch > Tracking | The Champion can explain where each phase of route work occurs.  |
| Find help | Account menu > Help & Training                   | Academy, written guide, Q&A;, troubleshooting, and Support open. |

**Complete when: The Champion can identify the tenant, explain the Jobs-to-Tracking flow, and find help.**



# A3. Confirm users and roles

Audience: Champion or Admin




| Step      | Click                          | Confirm                                                                         |
|-----------|--------------------------------|---------------------------------------------------------------------------------|
| Review    | Settings > Team                | Every pilot participant appears once with the correct work email.               |
| Set roles | Role selector beside each user | Owner/Admin, Dispatcher, Driver, and Viewer boundaries match the person's work. |
| Test      | Send or resend invitation      | Each person signs in and sees the correct role-based workspace.                 |

Complete when: The pilot team can sign in without shared accounts or unnecessary Admin access.

# A4. Set timezone and depot

Audience: Champion or Admin




| Step | Click                 | Confirm                                                                  |
|------|-----------------------|--------------------------------------------------------------------------|
| Open | Settings > Operations | The service timezone matches the local operating day.                    |
| Save | Primary depot > Save  | The real vehicle origin persists and readiness marks the depot complete. |

Complete when: One accurate primary depot and timezone persist after refresh.

# A5. Create the pilot Driver

Audience: Champion, Admin, or fleet owner




| Step    | Click                            | Confirm                                                                     |
|---------|----------------------------------|-----------------------------------------------------------------------------|
| Open    | Drivers > Add Driver             | The form uses the invited Driver's real work identity.                      |
| Qualify | License and certification fields | License, certifications, territory, shift, and restrictions match the work. |
| Save    | Save Driver                      | The active Driver persists and Academy recognizes the record.               |

Complete when: The pilot Driver is active, qualified, and linked to the invited Driver identity.

# A6. Create the practice vehicle

Audience: Champion, Admin, or fleet owner



| Step      | Click                         | Confirm                                                                        |
|-----------|-------------------------------|--------------------------------------------------------------------------------|
| Open      | Vehicles > Add Vehicle        | The unit, type, status, and home depot identify the real vehicle.              |
| Constrain | Capacity and equipment fields | Approved weight, volume, equipment, territory, and Driver limits are recorded. |
| Save      | Save Vehicle                  | The vehicle persists, is available, and is compatible with the pilot Driver.   |

Complete when: One active, available, accurately constrained vehicle is ready for the pilot.

# A7. Add pilot customers

Audience: Champion, Admin, or Dispatcher



OPERATIONS

- Dashboard
- Dispatch
- Routing
- Jobs
- Customers**
- Drivers
- Vehicles
- Tracking
- Proof of Delivery
- Exceptions
- Reports
- Settings

Preview workspace

© 2026 Trovan Dispatch  
Local synthetic data

Customers

ns, contacts, and delivery

Preview data mode Local preview state; not back...

Aug 19, 2026

1 Click Add Customer

+ Add Customer

Import

Segments

Completed Jobs

0

Live job status

Customer Jobs

54

Open and historical jobs

Customers

18

Loaded customer records

Constraint Notes

18

Customers with delivery rules

Segments

All

Construction

Distribution

Field Service

Food service

Grocery

Healthcare

Laboratory

Office supply

+ Add Segment

Clear

Save View

Search customers...

Industry

Status

More Filters


| Customer Name                                        | Locations | Industry     | Open Jobs | SLA / Service Level | Last Delivery   | Revenue | Status | Actions |
|------------------------------------------------------|-----------|--------------|-----------|---------------------|-----------------|---------|--------|---------|
| <div>JA</div> Jane & Sons Bakery<br>CUST-ROUTE-1001  | 1         | Food service | 1         | 0% completed        | Aug 19, 3:30 AM | —       | Active | ...     |
| <div>OM</div> Omega Medical<br>CUST-ROUTE-1002       | 1         | Healthcare   | 1         | 0% completed        | Aug 19, 3:45 AM | —       | Active | ...     |
| <div>PI</div> Pioneer Logistics<br>CUST-ROUTE-1003   | 1         | Distribution | 1         | 0% completed        | Aug 19, 4:00 AM | —       | Active | ...     |
| <div>RI</div> Ridgewood Labs<br>CUST-ROUTE-1004      | 1         | Laboratory   | 1         | 0% completed        | Aug 19, 4:15 AM | —       | Active | ...     |
| <div>RI</div> Riverfront Catering<br>CUST-ROUTE-1005 | 1         | Food service | 1         | 0% completed        | Aug 19, 4:20 AM | —       | Active | ...     |

| Step     | Click                     | Confirm                                                                 |
|----------|---------------------------|-------------------------------------------------------------------------|
| Create   | Customers > Add Customer  | Name, service address, contact, and reference are accurate.             |
| Describe | Service details and notes | Windows, access, equipment, duration, and safe instructions are usable. |
| Verify   | Save Customer             | The saved map location represents the intended service entrance.        |

Complete when: Every pilot customer has an accurate service location and safe operating instructions.

# A8. Import the route day

Audience: Dispatcher, Champion, or Admin




| Step    | Click                       | Confirm                                                                 |
|---------|-----------------------------|-------------------------------------------------------------------------|
| Prepare | Docket > Job import CSV     | Headers remain unchanged and every row represents one intended stop.    |
| Import  | Jobs > Import CSV           | The preview has the intended row count and identifies invalid data.     |
| Correct | Job row > readiness details | Every pilot location is routable and constraint blockers are explained. |

Complete when: All intended jobs are saved and excluded rows have an explicit reason.

# A9. Review imported jobs

Audience: Dispatcher or Champion




| Step      | Click                      | Confirm                                                                    |
|-----------|----------------------------|----------------------------------------------------------------------------|
| Reconcile | Jobs > service-date filter | Saved, rejected, duplicate, and excluded counts explain every source row.  |
| Inspect   | Open a representative job  | Address, time, service, quantity, units, and constraints match the source. |
| Clear     | Job readiness details      | All included jobs are routable and exclusions have a reason and owner.     |

Complete when: The saved count is reconciled, a sample is field-checked, and included jobs are ready.

# A10. Create a provider-backed route

Audience: Dispatcher or Admin




| Step    | Click                          | Confirm                                                            |
|---------|--------------------------------|--------------------------------------------------------------------|
| Draft   | Routing > Generate route draft | Assigned and unassigned work are separated for review.             |
| Resolve | Exceptions only                | No required job remains unassigned without a documented decision.  |
| Verify  | Optimizer provenance           | Road-network provider details are live with no simulated fallback. |

Complete when: The plan is provider-backed and every assignment or exclusion is explainable.



# A11. Review, adjust, and publish the route

Audience: Dispatcher




| Step    | Click                              | Confirm                                                                       |
|---------|------------------------------------|-------------------------------------------------------------------------------|
| Review  | Selected route                     | Sequence, drive time, service, windows, load, return, and shift are feasible. |
| Adjust  | Stop timeline or route action menu | Any operational change is recalculated and constraints remain valid.          |
| Publish | Publish route plan                 | The approved version, timestamp, and provider provenance are visible.         |

Complete when: One identifiable, fully reviewed, provider-backed version is published.

# A12. Dispatch the practice route

Audience: Dispatcher




| Step    | Click                      | Confirm                                                           |
|---------|----------------------------|-------------------------------------------------------------------|
| Check   | Dispatch > Needs attention | The practice route has no missing assignment or pending decision. |
| Assign  | Route > Driver and vehicle | The trained Driver and eligible vehicle appear without warnings.  |
| Release | Publish, then Dispatch     | The route appears in the authenticated Driver workspace.          |

Complete when: Dispatch and Driver see the same route, vehicle, version, and state.

# A13. Start the assigned Driver route

Audience: Pilot Driver




| Step    | Click                           | Confirm                                                                |
|---------|---------------------------------|------------------------------------------------------------------------|
| Sign in | Driver sign-in > assigned route | Date, route, Driver, and vehicle match the Dispatch handoff.           |
| Review  | Route summary and stop list     | The Driver understands stops, windows, instructions, and support path. |
| Start   | Start stop flow                 | The route becomes active and Dispatch sees the same state.             |

**Complete when: The authenticated Driver starts the correct dispatched route and vehicle.**

# A14. Complete a Driver practice stop

Audience: Pilot Driver




| Step    | Click                              | Confirm                                                            |
|---------|------------------------------------|--------------------------------------------------------------------|
| Review  | Driver workspace > Start stop flow | Route, vehicle, stop order, and instructions match the assignment. |
| Arrive  | Arrive                             | The physical arrival timestamp is attached to the stop.            |
| Resolve | Add proof or Report exception      | Saved proof or the real exception remains attached after refresh.  |
| Depart  | Depart                             | Dispatch sees the same resolved stop state.                        |

**Complete when: Arrival, proof or exception, message when needed, and departure are visible to Dispatch.**

# A15. Record and resolve an exception

Audience: Driver and Dispatcher




| Step       | Click                               | Confirm                                                                    |
|------------|-------------------------------------|----------------------------------------------------------------------------|
| Create     | Route run > New exception           | Reason, severity, time, customer impact, and route/stop context are saved. |
| Coordinate | Driver Messages > Message driver    | The next action, owner, and update time are visible to both roles.         |
| Close      | Exceptions > Acknowledge or Resolve | Owner, action, outcome, and final status persist after refresh.            |

**Complete when: One practice exception has context, an owner, message history, outcome, and resolved status.**

# A16. Monitor route progress

Audience: Dispatcher or Champion



| Step   | Click                       | Confirm                                                                           |
|--------|-----------------------------|-----------------------------------------------------------------------------------|
| Open   | Tracking > Both             | The intended route, Driver, vehicle, stops, state, and latest signal are visible. |
| Assess | Refresh signals             | Current progress, signal age, ETA, windows, and exceptions explain the risk.      |
| Act    | Open route run or exception | The next action and owner are recorded in the operational system.                 |

Complete when: The team identifies a practice risk and records the correct action and owner.

# A17. Verify proof

Audience: Dispatcher or Champion

TROVAN

OPERATIONS

Dashboard

Dispatch

Routing

Jobs

Customers

Drivers

Vehicles

Tracking

Proof of Delivery

Exceptions

Reports

Settings

Preview workspace

© 2026 Trovan Dispatch

Local synthetic data

Proof of Delivery

Review proof capture, delivery evidence, exceptions, and route-linked records

Preview data mode

Local preview state; not back...

Aug 19, 2026

STATUS

DATE DELIVERED

DRIVER

CUSTOMER

All

All dates

All Drivers

All Customers

ROUTE

EXCEPTION STATE

All Routes

All

1 Click Filters

Export

Reset

Apply Filters

1 - 4 of 4 PODs

Auto refresh

| <input type="checkbox"/>            | Status      | Delivered               | Customer                         | Driver                             | Route           | Stop | Job           |
|-------------------------------------|-------------|-------------------------|----------------------------------|------------------------------------|-----------------|------|---------------|
| <input checked="" type="checkbox"/> | DELIVERED   | Aug 19, 2026<br>3:41 PM | Jane & Sons Bakery<br>Denver, CO | Driver pending<br>Ford Transit     | route-alpha-001 | 1    | job-jane-1    |
| <input type="checkbox"/>            | MISSING POD | Aug 19, 2026<br>4:01 PM | Omega Medical<br>Denver, CO      | Driver pending<br>Ford Transit     | route-alpha-001 | 2    | job-omega-2   |
| <input type="checkbox"/>            | MISSING POD | Aug 19, 2026<br>3:26 PM | Pioneer Logistics<br>Denver, CO  | Anna Quinn<br>Chevy Express        | route-beta-002  | 1    | job-pioneer-3 |
| <input type="checkbox"/>            | MISSING POD | Aug 19, 2026<br>2:34 PM | Ridgewood Labs<br>Denver, CO     | driver-carl-3<br>Mercedes Sprinter | route-gamma-003 | 1    | job-ridge-4   |

1

25 per page

POD-alpha-001


DELIVERED

| Step    | Click                       | Confirm                                                             |
|---------|-----------------------------|---------------------------------------------------------------------|
| Find    | Proof of Delivery > Filters | The practice route and expected stop appear.                        |
| Inspect | Proof record                | Required artifacts and timestamps load in the correct stop context. |
| Close   | Exceptions > open item      | Every failed or delayed stop has a reason, owner, and next action.  |

Complete when: At least one persisted proof is verified and no practice exception is ownerless.

# A18. Review as a Viewer

Audience: Viewer




| Step    | Click                          | Confirm                                                          |
|---------|--------------------------------|------------------------------------------------------------------|
| Locate  | Navigation > Tracking          | Route progress, ETA, completion, and exceptions are visible.     |
| Inspect | Proof of Delivery or Analytics | The business question is answered without editing route records. |

Complete when: The Viewer knows where to look and when a Dispatcher must make the change.



# A19. Complete launch signoff

Audience: Customer Champion




| Step    | Click                                    | Confirm                                                                       |
|---------|------------------------------------------|-------------------------------------------------------------------------------|
| Clear   | Launch readiness > next action           | Every requirement is backed by saved workspace or training evidence.          |
| Sign    | Go-Live > responsibility acknowledgement | Customer signoff, escalation, fallback, KPI owner, and date persist.          |
| Request | Request review                           | The checkpoint request names the launch date and any remaining owner/blocker. |

Complete when: Academy says Ready for Review and matches the signed docket.

# A20. Review first-week and day-30 KPIs

Audience: Champion, Owner, or Viewer




| Step   | Click                         | Confirm                                                                             |
|--------|-------------------------------|-------------------------------------------------------------------------------------|
| Scope  | Analytics > date range > View | The period and population match the signed launch plan.                             |
| Review | KPI summary                   | Adoption, dispatch, service, exceptions, proof, and support have values or reasons. |
| Assign | Export                        | The report is saved and every off-target KPI has an owner and due date.             |

Complete when: Week-one and day-30 reviews are scheduled with named owners and corrective actions.

# A21. Use support and escalation

Audience: All roles; Champion coordinates



| Step    | Click                                    | Confirm                                                                              |
|---------|------------------------------------------|--------------------------------------------------------------------------------------|
| Search  | Support > Search knowledge base          | A relevant article or troubleshooting item supplies a safe next action.              |
| Own     | Docket > exception and escalation matrix | The issue has one owner, priority, impact, and next update time.                     |
| Request | Support > Request access/support         | The request safely includes organization, role, page, IDs, time, result, and checks. |

Complete when: The Champion can classify the issue, identify the owner, and prepare a safe complete request.

## Appendix B. Troubleshooting

**Start with the symptom. Follow the checks in order. Preserve record IDs and the visible request ID, but never send passwords, tokens, access codes, signatures, or unrelated customer data.**

### Invitation or sign-in fails

|               |                                                                                                                        |
|---------------|------------------------------------------------------------------------------------------------------------------------|
| Likely cause  | Wrong email, expired invite, revoked membership, or stale session.                                                     |
| Resolve       | Confirm the invited address; resend from Settings > Team; sign out of other organizations; retry in a current browser. |
| Escalate when | Correct active membership still fails in a clean session.                                                              |

### Expected page or action is missing

|               |                                                                                                                                     |
|---------------|-------------------------------------------------------------------------------------------------------------------------------------|
| Likely cause  | Wrong role or signed-in identity.                                                                                                   |
| Resolve       | Compare the guide audience with the membership; confirm the email; correct the role only when the responsibility truly requires it. |
| Escalate when | Correct role and identity still do not expose the documented control.                                                               |

### CSV import is rejected

|               |                                                                                   |
|---------------|-----------------------------------------------------------------------------------|
| Likely cause  | Changed headers, encoding, invalid dates, quoted commas, or inconsistent rows.    |
| Resolve       | Restart from the template; keep headers; export UTF-8 CSV; test a two-row sample. |
| Escalate when | A minimal sanitized template file still fails.                                    |

### Job is blocked from routing

|               |                                                                                                                   |
|---------------|-------------------------------------------------------------------------------------------------------------------|
| Likely cause  | Address or appointment, capacity, equipment, certification, territory, access, temperature, or hazmat constraint. |
| Resolve       | Open job readiness; correct the named field; revalidate before optimizing.                                        |
| Escalate when | Readiness conflicts with the saved record after refresh.                                                          |

### Optimization is degraded

|               |                                                                                              |
|---------------|----------------------------------------------------------------------------------------------|
| Likely cause  | Provider configuration, coverage, timeout, or unreachable location.                          |
| Resolve       | Read provenance; validate locations; retry once after correction; do not publish a fallback. |
| Escalate when | Covered validated locations repeatedly fail with the same request details.                   |

## Route cannot publish

|               |                                                                                                                |
|---------------|----------------------------------------------------------------------------------------------------------------|
| Likely cause  | Unassigned work, unresolved blocker, degraded provider result, or pending risk decision.                       |
| Resolve       | Use Exceptions only; resolve or deliberately exclude each job; confirm provider-backed provenance; regenerate. |
| Escalate when | Publish remains blocked after readiness shows no blockers.                                                     |

## Route cannot dispatch

|               |                                                                                                     |
|---------------|-----------------------------------------------------------------------------------------------------|
| Likely cause  | Missing/ineligible Driver or vehicle, stale route version, open exception, or pending reroute.      |
| Resolve       | Use Needs attention; confirm published state; assign eligible resources; resolve pending decisions. |
| Escalate when | The route shows ready but Dispatch rejects it.                                                      |

## Driver cannot see route

|               |                                                                                                                 |
|---------------|-----------------------------------------------------------------------------------------------------------------|
| Likely cause  | Wrong Driver identity, route not dispatched, or changed assignment.                                             |
| Resolve       | Confirm work identity; have Dispatch confirm state and assignment; refresh; never share another Driver session. |
| Escalate when | Both workspaces agree but the route remains absent.                                                             |

## Stop status or proof will not save

|               |                                                                                                                   |
|---------------|-------------------------------------------------------------------------------------------------------------------|
| Likely cause  | Network, required field, camera/location permission, or stale stop state.                                         |
| Resolve       | Keep page open; read inline error; restore permission/network; note saved state; message Dispatch before leaving. |
| Escalate when | The action repeatedly fails after connectivity returns.                                                           |

## Proof exists but readiness is incomplete

|               |                                                                                               |
|---------------|-----------------------------------------------------------------------------------------------|
| Likely cause  | Unsaved artifact, wrong stop/route, or missing configured requirement.                        |
| Resolve       | Filter to the practice route; verify association, artifacts, and timestamps; refresh Academy. |
| Escalate when | The correct persisted proof is visible but readiness remains incomplete.                      |

## Training completion disappeared

|               |                                                                                   |
|---------------|-----------------------------------------------------------------------------------|
| Likely cause  | Major-version recertification or another user identity.                           |
| Resolve       | Confirm identity and version; complete the updated knowledge check when required. |
| Escalate when | A minor edit removed same-user, same-organization completion.                     |

Readiness does not match workspace

|               |                                                                                           |
|---------------|-------------------------------------------------------------------------------------------|
| Likely cause  | Unsaved record, wrong organization, incomplete role requirement, or refresh delay.        |
| Resolve       | Use next action; save the source record; confirm organization and Champion; refresh once. |
| Escalate when | Source data and readiness remain inconsistent.                                            |

If the issue still needs support

Copy this information into the request. Redact customer-sensitive data before attaching a screenshot.

Organization: \_\_\_\_\_ Role: \_\_\_\_\_ Page: \_\_\_\_\_ Route/job/stop ID: \_\_\_\_\_  
Expected result: \_\_\_\_\_  
Observed result: \_\_\_\_\_  
Request ID: \_\_\_\_\_ Local time/timezone: \_\_\_\_\_  
Checks already completed: \_\_\_\_\_

# Appendix C. Common implementation Q&A

## Where should a customer begin?

Assign an Owner/Admin Champion, download the docket, and record the pilot team, depot, vehicle, date, and escalation contact.

## Should we import everything before the pilot?

No. Prove one representative route day with one depot, Driver, and vehicle before expanding.

## Why can a user not see this guide's page?

Confirm the invited identity and required role. Do not grant Admin simply to bypass an access problem.

## Can we rename CSV columns?

Keep supported headers. `customerName` and `deliveryAddress` are required; optional constraints may be blank only when they do not apply.

## What does provider-backed mean?

The route used road-network travel inputs. Confirm solver, matrix mode, coverage, fallback state, solve time, and warnings.

## What should happen to an unassigned job?

Resolve the underlying blocker or deliberately exclude the job with a recorded reason.

## What if the Driver sees the wrong route or vehicle?

Do not start. Confirm identity and have Dispatch correct the assignment until both workspaces match.

## What counts as proof?

A persisted artifact attached to the correct stop, including each configured photo, signature, recipient, note, or timestamp.

## Can readiness be checked manually?

No. Training and operational steps come from saved evidence. Use the next-action link to correct the source record.

## What belongs in support?

Organization, role, page, record ID, expected and observed behavior, local time, request ID, and a redacted screenshot.