Extermination 100%

August 2, 2020

Contents

- 1 Fort Stewart
- 2 Underground Tunnel
- 3 Water Filtration Plant
- 4 Research Labs
- 5 Power Reactor
- 6 Max Security Lab
- 7 LCAC
- 8 Glossary

Acknowledgements

MrTyton for the latex template (www.github.com/MrTyton). All the other runners for actually running this game. Laud, Josha, Retroid, and DemonicRobots.

Fort Stewart

FORT STEWART - REAR COMPOUND

- Battery Pack 6 Gauge (Elevator)
- Rear Entrance Map (Below ramp)
- SPR4 Magazine (Through gate)
- Journal: George H., observer (First ladder)

Underground Tunnel

UNDERGROUND TUNNEL - AREA B

- Activation of Sentry Gun (Mid tunnel)
- Underground Tunnel Map (Control room)
- Manual: Save Terminal (Control room)
- Letter from Drawbridge Tech (Control room)

UNDERGROUND TUNNEL - AREA A

- Getting into Transformer Room (Door)
- Note: Advisory: Fuel Storage Drums (Puddle)
- Last Log of Dr.Jim Jorgensen (Middle platform)
- Memo: Corporal Kirkwood (Top corpse)
- SPR4 Magazine (Back ledge)
- New Security System (Padlock corpse)
- Usage Note: Slide Rail (Train)
- Notice to All Personnel (Transformer Room)
- SPR4 Magazine (Vent)

UNDERGROUND TUNNEL - AREA B

- About Infectious Fluid (Middle train)
- SPR4 Magazine (After cutscene)

SUPPLY ROOM

- Manual: MTS Bed (MTS Bed)
- Notice: Ammo Supply Storage (Door)

UNDERGROUND TUNNEL - AREA C

- Procedure: Biohazard Shutters (Center wall)
- Storage/Area D Map (Ladder)
- Work Log: Dr.Jim Jorgensen (Ladder)
- Dogtag 5 (Metal boxes)

STORAGE / Lvl 1 LAB — SECURITY

- SPR4 Magazine (Metal cage)
- Notice to Security Officers (Lab door)
- Command Center Map (LCAC door)
- Memo: Robert Cameron (LCAC door)
- Card Key Directive (Freight elevator)

COMMAND CENTER CORRIDOR

• Security Lockdown Release (Left second door)

UNDERGROUND TUNNEL - AREA B

• Work Log: Dr.Ernie Hartmann (After jump)

COMMAND CENTER

- SPR4 Magazine (Left corner)
- Memo: Robert C., Engineer (Terminals)
- Fort Stewart Security Manual (Barrels)
- Dogtag 4 (Ladder)
- Work Log: Michael, Engineer (Middle platform)
- Sealing Maximum Security Area (Max lab door)

STORAGE / Lvl 1 LAB — SECURITY

- Zoom Scope (Cindy)
- Shotgun Unit (Cindy)
- Dogtag 1 (Freight Elevator)

Water Filtration Plant

MAIN COMPOUND

- Addition by George, an observer (Table by Travis)
- Main Compound Map (Ladder by elevator)
- Dogtag 12 (Steel tower)
- Last Note from Recon Member (Steel tower)
- Flamethrower Unit (Close left corner snow)
- Missile Launcher Unit-A (Snow truck)
- Recon Instructions 1 (Stairs)
- Recon Instructions 2 (Manhole)
- Notice: Boiler Room Tools (Manhole wall)

WATER FILTRATION PLANT

- Through Water Filtration (Door)
- Dogtag 11 (Behind ladder)
- Water Filtration Map (Above ladder)
- Usage: Water Drainage Valve (Valve)
- SPR4 Magazine (Straight through door, below ledge)

GROUND FACILITY — BUILDING B

• Memo: Graham M., Engineer (corner barrels)

GROUND FACILITY — BUILDING B

• Letter from Sonia to Cindy (Stairwell wall)

BLDG. B, INFIRMARY / BAR

- Facility Interior Summary (Center table)
- Recon Urgent Instructions (Center table)
- Life Forms Weakpoint (Back corner)

BLDG. B, ROOF

- SPR4 Magazine (Under helipad)
- Dogtag 9 (Under helipad)

BLDG. B, INFIRMARY / BAR

• Guide: Ground Facility Bldg B (Stairwell door)

GROUND FACILITY — BUILDING B

- Recon Instructions 3 (Stairwell door)
- Battery Pack 18 Gauge (Snow truck)

WATER FILTRATION PLANT

• Notice: Door Operation (16 battery door)

Research Labs

UNDERGROUND TUNNEL — AREA D

- Memo: Duane J., Researcher (Under turret)
- Dogtag 6 (Train)

Lvl 2 LAB — ACCESS WAY

- Memo: Curtis A., Researcher (center stairs)
- Dogtag 7 (Behind metal crate)
- Interceptor Unit (before vent, bottom corner)
- Dogtag 13 (first vent, last right)
- Dogtag 3 (Lab code)
- Last Memo by Julian H. (Lab code)

Lvl 2 LAB — SECURITY

• Dogtag 10 (locker corner)

Lvl 2 LAB — RESEARCH LABS

- Memo by Excavation Engineer (left door, right side)
- Night Vision Scope (left door, boxes)
- SPR4 Magazine (left door, boxes)
- Travis' Note (left door, smaller room)
- Excavation Duty Log (left door, smaller room)
- Note: James B., Researcher (far door)

Lvl 2 LAB — RESTRICTED AREA

- HO213 Incubation Data (Detonator)
- Classified Document A (Ladder)

Lvl 2 LAB — RESEARCH LABS

- Lvl 2 Lab Security Corridor (Save room)
- Lvl 2 Lab Map (Save room)

Lvl 2 LAB - ACCESS WAY

- Database Search B (above center stairs)
- Notice: Air Vents (by vent)

Lvl 1 LAB — RESEARCH LABS

- Findings on HO213 (left door, 1st room)
- Delta Auto Sight (left door, 2nd room)

Lvl 1 LAB - RESTRICTED AREA

• Research on HO213 (Detonator)

Lvl 1 LAB — RESEARCH LABS

- Lvl 1 Lab Security Corridor (Save room)
- Lvl 1 Lab Map (Save room)
- Memo by Cindy Chen (Save room)

Power Reactor

UNDERGROUND TUNNEL - AREA A

- Grenade Launcher Unit (Executioner)
- Power Reactor Area Map (Save room)
- Fort Stewart Power System (Save room)

POWER REACTOR AREA

- Note by Train Mechanic (Wooden box)
- Usage: Climbing Spikes (Barrels)
- Dogtag 2 (Filel)

C-17E MILITARY TRANSPORT

• SPML (Missile Launcher) (Left)

POWER REACTOR AREA

• Usage: Power Reactor Elevator (Elevator)

POWER REACTOR BUILDING - ROOF

- Roger's Knife (Center)
- Dogtag 14 (Center)
- Usage: Power Reactor Crane (Control panel)
- Dogtag 15 (Zipline)

Max Security Lab

WATER FILTRATION PLANT

• Grenade Launcher Unit-AT6 (Zipline room)

FORT STEWART — MAIN COMPOUND

• Notice: Arctic Manholes (Manhole)

WATER FILTRATION PLANT

- Missile Launcher Unit-B (B door)
- Battery Pack 24 Gauge (B door)
- Water Filter System (B door)

MAXIMUM SECURITY AREA - CORRIDOR

• Classified Document B (pipe)

${\rm MAXIMUM\ SECURITY\ AREA-LAB}$

- Maximum Security Area Structure (window)
- Classified Document C (Origin)
- SPR4 Magazine (Top of escalator)
- Maximum Security Area Map (Window)
- Hydraulic Observation Booth (Window)
- Hydroclast Report (Window)
- Secret Military Dock Map (Save room)

MAXIMUM SECURITY AREA - CORRIDOR

• Missile Launcher Unit-C (24 Battery door)

LCAC

SECRET MILITARY DOCK / LCAC

- Delivery log (Ladders)
- SPR4 Magazine (Metal boxes)
- SPR4 Magazine (Metal boxes)
- Dogtag (Center barrels)
- Device: LCAC Assault Craft (Center puddle)
- Memo by Dudley (Zipline end)

LCAC

- Manual: M-2HB Machine Gun (Cindy)
- Manual: M129 Gun Turret (Hummer)
- Department of Defense Orders (Ladder barrels)

Maps

- Secret Military Dock
- Rear Entrance
- Main Compound
- Power Reactor Area
- Underground Tunnel
- Command Center
- Water Filtration
- Maximum Security Area
- Storage/Area D
- Lvl 1 Lab
- Lvl 2 Lab

SPR4

Upper U.R.S.

- U.R.S. Cover
- Dog Tag Receiver Unit

M.A. Components

- Delta Auto Sight
- Interceptor Unit
- Missile Launcher Unit A
- Missile Launcher Unit B
- Missile Launcher Unit C

Scope Mount

- Dot Sight
- Zoom Scope
- Night Vision Scope

Lower U.R.S.

- Tactical Grip Unit
- Shotgun Unit
- Grenade Launcher Unit
- Grenade Launcher Unit AT-6
- Flamethrower Unit

Dennis' Memos

- Getting Inside the Facility
- Navigating Elevations and Cliffs
- Shortest Route to Rally Point
- Operating the Drawbridge
- Getting into Transformer Room
- Rally Point Confirmed
- Deactivate Security Lockdown
- Security Lockdown Deactivated
- Activate Freight Elevator
- Way to Ground Facility Bldg. B
- Through Water Filtration
- Effects of Fuel Drum Explosion
- To Bldg. B from Water Filtration
- Mission: Destroy the Fort
- Mission: Destroy the For (rev)
- Route Back to Lab Area
- Detonator in Lvl 1 Lab Area
- Detonator in Lvl 1 Lab Armed
- Detonator in Lvl 2 Lab Area
- Detonator in Lvl 2 Lab Armed
- Head Back to Infirmary
- Route to Power Reactor Area
- Route to Power Reactor
- Mission from Madigan
- Rush to Power Reactor Rooftop
- Escape from Power Reactor
- The Last Detonator and DVD Disc
- Analysis of DVD-ROM Disc
- Route to Maximum Security Area
- Maximum Security Area Structure
- Activated All Detonators
- Evacuation Meeting Point Memo

Operation Manual

- Manual: Save Terminal
- Note: Advisory: Fuel Storage Drums
- Usage Note: Slide Rail
- Notice: Ammo Supply Storage
- Manual: MTS Bed
- Procedure: Biohazard Storage
- Notice: Arctic Manholes
- Notice: Boiler Room Tools
- Usage: Water Drainage Valve
- Notice: Door Operation
- Guide: Ground Facility Bldg B
- Notice: Air Vents
- Usage: Climbing Spikes
- Usage: Power Reactor Elevator
- Usage: Power Reactor Crane
- Device: LCAC Assault Craft
- Manual: M-2HB Machine Gun
- Manual: M129 Gun Turret

Staff Log

- Journal: George H., observer
- Work Log: Dr.Ernie Hartmann
- Letter from Drawbridge Tech
- Notice to All Personnel
- Last Log of Dr.Jim Jorgensen
- New Security System
- Memo: Corporal Kirkwood
- Work Log: Dr.Jim Jorgensen
- Memo: Robert Cameron
- Work Log: Michael, Engineer
- Memo: Robert C., Engineer
- Addition by George, an observer
- Memo: Graham M., Engineer
- Letter from Sonia to Cindy
- Memo: Curtis A., Researcher
- Memo: Duane J., Researcher
- Last Memo by Julian H.
- Memo by Cindy Chen
- Memo by Excavation Engineer
- Note: James B., Researcher
- Note by Train Mechanic
- Memo by Dudley

Classified Files

- Activation of Sentry Gun
- About Infectous Fluid
- Card Key Directive
- Notice to Security Officers
- Security Lockdown Release
- Sealing Maximum Security Area
- Fort Stewart Security Manual
- Travis' Business Card
- Last Note from RECON Member
- RECON Instructions 1
- RECON Instructions 2
- Water Filter System
- RECON Instructions 3
- RECON Urgent Instructions
- Life Forms Weakpoint
- Facility Interior Summary
- \bullet Database Search B
- Lvl 1 Lab Security Corridor
- SPML (Missile Launcher)
- Lvl 2 Lab Security Corridor
- Fort Stewart Power System

Top Secret Files

- Operation: Cold Limit
- About SPR4
- About Ultimate Suit
- Climate in Antartica
- Findings on HO213
- Research on HO213
- Travis' Note
- Excavation Duty Log
- Classified Document A
- HO213 Incubation Data
- Classified Document B
- Hydraulic Observation Booth
- Hydroclast Report
- Classified Document C
- Delivery Log
- Department of Defense Orders

Event Items

- Card Key Beta
- Crowbar
- Metal Tag 1
- Metal Tag 2
- Roger's Knife
- Dog Tag 1 15

Battery Items

• Battery Pack - 24 Gauge

Equipment Items

- Pulley Harness
- Climbing Spikes
- Arctic Parka