

SteelStag SS2026

Everything required to quote, sample, and produce the SS2026 collection.

COLLECTION	SS2026	STATUS	IN PRODUCTION	STYLES	2	COLOURS	5
QUANTITY	1,200 PCS						

Production Summary

For approved manufacturing partners · Version 1.3 · Last updated 11 September 2026

Collection	SS2026 Core T-Shirt Launch
Total Order Quantity	1,200 pcs
Styles	ST-RN-001 Round Neck · ST-VN-003 V-Neck
Colours	Jet Black, Bright White, Seaport Teal, Wild Ginger, Brown Sugar
Fabric	100% Combed Ring-Spun Cotton · Single Jersey · 180 GSM
Current Stage	Bulk production in progress
Production Basis	This Tech Pack, plus the agreed factory pattern and production reference as confirmed directly with SteelStag

Production note: Follow the approved Tech Pack. No fabric, construction, trim, label, packaging, or colour substitutions are allowed without written approval from SteelStag.

Product Specifications

SS2026 · Styles ST-RN-001 & ST-VN-003 · Full details in Tech Pack

STYLE CODES

ST-RN-001	Men's Round Neck T-Shirt
ST-VN-003	Men's V-Neck T-Shirt

FABRIC

Composition	100% Combed Cotton — Single Jersey
Yarn Count	30s Combed Ring-Spun
GSM	180 GSM · tolerance ±5 GSM
Dyeing	Reactive dyed
Finish	Light enzyme wash · no heavy silicone finish
Pre-treatment	Fabric to be pre-washed / pre-shrunk before cutting
Shrinkage	Maximum ±3% after wash · no twisting

CONSTRUCTION

Stitch Density	12–14 SPI
Thread	Self-colour polyester thread to match each colourway
Body Seams	Overlock / serger
Neck Finish	Clean-bound self-fabric tape · no rib band · single needle topstitch 1/8" from edge · shoulder-to-shoulder neck tape required for stability
Neck Quality	Neckline must return to original shape after repeated wear · No visible waviness, twisting or edge rolling after 3 wash cycles
Sleeve Finish	Twin needle · 1/4" hem · self-colour
Bottom Hem	Single needle · 1" hem · self-colour thread

Body Measurements

All measurements in inches · Tolerance ±¼" unless noted

Measuring method: Standard industry points of measure, garment laid flat. Where a point of measure is not illustrated, manufacturer standard practice applies and the agreed factory pattern / production reference as confirmed with SteelStag is the controlling physical standard. Do not re-interpret a point of measure mid-run — raise it with SteelStag.

POINT OF MEASURE	S	M	L	XL
HPS Length	26¾	27½	28¾	29
CB Length (from seam)	25¾	26½	27¼	28
Shoulder to Shoulder	17	17½	18	18½
½ Chest (1" below AH)	19¼	19¾	20¼	20¾
½ Waist	19¼	19¾	20¼	20¾
½ Sweep (Straight)	19¼	19¾	20¼	20¾
Armhole Drop from HPS	10½	10¾	11	11¼
½ Sleeve Opening	6	6¼	6½	6¾
Sleeve Length	Per the agreed factory pattern / production reference as confirmed with SteelStag — please record the measured value and return it to SteelStag			

Neck Measurements

All measurements in inches · Per style

V-Point Depth (ST-VN-003): Front Neck Drop and V-Point Depth are listed at the same values. Measure both as already agreed with SteelStag for this run; the agreed factory pattern / production reference governs. No change to the V-neck block is authorised under v1.3.

ROUND NECK — ST-RN-001

POINT OF MEASURE	S	M	L	XL
Neck Width	7	7¼	7½	7¾
Front Neck Drop	2⅞	3	3⅞	3¾
Back Neck Drop	1	1	1	1
Collar Band Ht	NA	NA	NA	NA

V-NECK — ST-VN-003

POINT OF MEASURE	S	M	L	XL
Neck Width	6¾	7	7¼	7½
Front Neck Drop	3½	3¾	4	4¼
Back Neck Drop	1	1	1	1
V-Point Depth	3½	3¾	4	4¼
Collar Band Ht	NA	NA	NA	NA

Quantity Breakdown

Updated launch quantity · 1,200 pcs total

BY COLOUR AND STYLE

COLOUR	ROUND NECK	V-NECK	TOTAL
Jet Black	150 pcs	150 pcs	300 pcs
Bright White	125 pcs	125 pcs	250 pcs
Seaport Teal	100 pcs	100 pcs	200 pcs
Wild Ginger	100 pcs	100 pcs	200 pcs
Brown Sugar	125 pcs	125 pcs	250 pcs
Total	600 pcs	600 pcs	1,200 pcs


SIZE SPLIT GUIDANCE

STYLE QTY	S	M	L	XL	TOTAL
150 pcs/style	22	53	53	22	150
125 pcs/style	19	44	43	19	125
100 pcs/style	15	35	35	15	100

Target split: S 15% / M 35% / L 35% / XL 15%. For 125 pcs, M and L differ by 1 piece (rounding) — either direction is acceptable.

Color Standards

Pantone TCX references · Lab dip approval required before bulk dyeing



COLOUR	PANTONE TCX	REFERENCE CARD
Jet Black	19-0303 TCX	01-Jet-Black.png
Bright White	11-0601 TCX	02-Bright-White.png
Seaport Teal	17-5126 TCX	03-Seaport-Teal.png
Wild Ginger	15-1157 TCX	04-Wild-Ginger.png
Brown Sugar	18-1048 TCX	05-Brown-Sugar.png

Requirement: Submit lab dips for all 5 colours on approved 180 GSM cotton. Do not bulk dye before written approval. The Pantone TCX number above is the colour standard — match to a physical Pantone TCX swatchbook. Screen and printed reference cards are indicative only.

Labels & Branding


Use supplied artwork only · Do not re-typeset




NECK LABEL



WASH CARE



HANG TAG FRONT



HANG TAG BACK



ITEM	TYPE & PRINT METHOD	FINISHED SIZE (TRIM)	PLACEMENT
Neck Label	Applied to garment · print/transfer method as per manufacturer standard, subject to approved appearance, adhesion and wash durability · transparent-background artwork · size-specific S / M / L / XL	50 × 30 mm artwork area	Centre back · 1" below collar seam
Wash Care Label	Printed label, as supplied · substrate and attachment per manufacturer standard	40 × 60 mm	Left side seam · 3" from bottom hem
Hang Tag	Double-sided printed tag · card stock, cord and attachment per manufacturer standard	50 × 85 mm	Left side seam · height per manufacturer standard
Size Sticker	Printed sticker · die-cut circle	30 mm diameter	Outside pouch · bottom right
Retail Declaration Sticker	Self-adhesive label · fixed content printed, per-SKU fields overprinted at packing	70 × 38 mm	Back of pouch · centred, lower kraft area

Print files: SteelStag-Labels-PrintReady-v1.3.pdf is the controlling artwork — 12 pages, one label per page, **true vector:** all type is live text with embedded fonts and the care icons are vector paths, so type renders at your RIP’s resolution rather than at the resolution of a supplied bitmap. Only the metallic logo is a raster object inside it. Colour space is RGB — convert to your press CMYK profile at prepress, and we recommend black text on the retail sticker converts to 100% K only. Print at 100%; do not scale, re-typeset or recolour. The supplied PNGs are the same artwork at **384 DPI** (filenames state the true DPI).

Bleed: the wash care label, hang tags and size stickers are physically trimmed or die-cut, so those pages carry **3 mm bleed on every edge** with crop marks on the trim line. The neck label is applied to the garment, is not trimmed, and therefore carries **no bleed and no crop marks** — its page is the 50 × 30 mm artwork area exactly. Dimensions and placement are specified in the table above and previewed in label-viewer.html.

Packaging

Primary retail packaging specification



Type	Kraft paper standup pouch with zipper seal
Size	24 cm × 34 cm
Material	Kraft paper laminated
Design	Two-tone: top 65% natural kraft (#C8A96E), bottom 35% matte black (#1A1A1A)
Closure	Zipper reseal at top
Finish	Matte throughout · no gloss lamination
Folding	Manufacturer-standard retail fold sized to suit the approved 24 × 34 cm pouch
Sticker	Size sticker outside pouch · bottom right
Print Artwork	Vector artwork supplied — 05-Packaging/SteelStag-Pouch-Front-v1.3.ai and -Back-v1.3.ai. Adobe Illustrator files, panel 240 × 340 mm with 3 mm bleed on every edge (artboard 246 × 346 mm), crop marks on the trim line, type as live text with embedded fonts. These are brand layout files, not dielines — the converter produces the dieline (gusset, seal zones, zip) to manufacturer standard and places this artwork on it. The PNG mockups in 04-ColorReference are a visual reference only.
Front Artwork	Brand only — the approved SteelStag mark placed directly on the kraft ground, wordmark, tagline, and the fabric / GSM / origin line on the black band. No backing panel behind the mark. No MRP and no legal declaration panel on the front.
Back Artwork	Brand-clean kraft. No printed declarations and no variable data. The retail declaration sticker is applied at packing and is not part of the printed pouch — the mockup shows the bare pouch.
Declarations	Carried on the applied retail declaration sticker — see below. The pouch itself holds no MRP, SKU, date or barcode, so pouch printing is independent of those values.

RETAIL DECLARATION STICKER

Applied to the back of the pouch · artwork supplied · values to be issued

Finished size	70 × 38 mm · +3 mm bleed on all edges · rectangular, square-cut
Placement	Back of pouch, centred, lower kraft area · clear of the zip and of the black band
Material	Self-adhesive white paper or synthetic label, matte · permanent adhesive suited to a matte-laminated kraft surface · substrate per manufacturer standard
Print	Single colour (black) on white · minimum 4 pt type · must remain legible and scannable after application
Artwork	02-Labels/Retail-Sticker/RetailSticker-384dpi.png and page 12 of the print-ready labels PDF

FIXED CONTENT — PRINTED ON EVERY STICKER

Brand	SteelStag
Country of origin	Made in India
Marketed by	Anaishu Lifestyle Private Limited, A-406, 4th Floor, D. Chowdhary Madhusudan Complex, Dimna Chowk, Mango, Jamshedpur, East Singhbhum, Jharkhand 831018, India
Manufactured & Packed by	Factory legal name and full address — to be confirmed, see below
Consumer care	hello@steelstag.in
Commodity & net quantity	Men’s T-Shirt · Net qty: 1 N

VARIABLE CONTENT — PER SKU, OVERPRINTED AT PACKING

FIELD	FORMAT	STATUS
MRP	MRP ₹ <amount> (incl. of all taxes)	To be issued by SteelStag
Size	S / M / L / XL	Per SKU
SKU	SteelStag SKU code	Per SKU · 40 variants
Mfd/Pkd	MM/YYYY	Set at packing
Barcode	EAN/UPC in the reserved area, lower left — approx. 32 × 14 mm	Only if a GTIN is issued

Do not print production stickers yet. The supplied artwork is the approved layout with the fixed content set and rules in place for the variable fields. SteelStag will issue the MRP, the SKU list and the manufactured-and-packed-by wording in writing before any sticker is run. Do not substitute your own values.

The pouch itself is unaffected — it carries no declarations and no variable data.

Manufactured & Packed by — factory to confirm. SteelStag understands the SS2026 order is being made by **Rajlakshmi Cotton Mills Pvt. Ltd.**, whose published premises are a Kolkata head office and two factories — Greater Noida, UP 201310 and Domjur, Howrah, WB 711411. Please confirm **in writing**:

1. the legal entity name exactly as registered;
2. which premises actually manufactures and packs this order;
3. the full address wording as it appears on your GST registration;
4. whether the same entity both manufactures and packs — if packing happens elsewhere the line must be split.

Anaishu Lifestyle Private Limited is the **marketer** and is printed as such — it is not the manufacturer or the packer, and must not be shown as either.

MASTER CARTON

Qty per Carton	Max 100 pcs, or 18 kg gross — whichever is reached first
Construction	Double wall corrugated · carton dimensions per manufacturer standard export packing
Max Carton Weight	18 kg gross
Packing	Per manufacturer standard export packing, maintaining SKU-wise quantities and a carton-wise packing list
Carton Marking	Brand · Style Code · Colour · Size · Qty · PO No.

Quality Standards

Minimum acceptable quality for SS2026

Shrinkage	Max ±3% length and width after 3 washes at 30°C
Color Fastness	Minimum Grade 4 · washing, rubbing, perspiration
Pilling	Minimum Grade 3–4 after 1000 cycles
GSM Tolerance	±5 GSM from approved standard
AQL	2.5 · inline and final inspection
Shade Consistency	Grade 4 Grey Scale within dye lot
Measurements	Follow Tech Pack tolerance table. Do not assume if unclear.
Fabric Report	Mill quality report required: GSM, shrinkage, and colour fastness.

Production Workflow

Approval sequence before bulk production

No TOP submission required. SS2026 does not require top-of-production samples (previously listed as 2 pcs per style per colour). Quality is confirmed by **final random production QC** — random sampling across finished production to AQL 2.5 with a measurement audit and shade check — rather than by a separate TOP sample submission.

STAGE	FACTORY ACTION	APPROVAL REQUIRED
RFQ	Submit costing with fabric, CMT, trims, packaging, lead time	Buyer confirmation
Lab Dip	Submit all 5 colours on approved fabric	Written approval
Fit Sample	1 pc per style · Size M	Measurement + visual sign-off
PP Sample	1 pc per style × all 5 colours	Final approval before cutting
Bulk Production	Cut and sew after PP approval only	Inline QC required
Final Inspection	Final random production QC — random sampling across finished production to AQL 2.5, plus measurement audit and shade check	Before dispatch
Dispatch	Share packing list, invoice, carton details, and AWB	Dispatch confirmation

Revision History

Summary below · full detail in `SteelStag-SS2026-Changes-for-Manufacturer-v1.3.md`, included in the package

v1.3 affects documentation, artwork and packaging only. No garment fit, sizing, grading, measurement value, tolerance or construction detail has been changed. Garments already in production are unaffected and require no rework.

VERSION	DATE	SUMMARY	GARMENT IMPACT
v1.0	25 Jun 2026	Initial manufacturer portal and Tech Pack release	—
v1.1	25 Jun 2026	Fabric 125 → 160 GSM; ST-DS-002 Deep Scoop taken out of the SS2026 order scope (style retained for a future collection); neck quality requirement and master carton spec added	Yes — superseded before cutting
v1.2	06 Aug 2026	Fabric 160 → 180 GSM across portal, Tech Pack and assets	Yes — superseded before cutting
v1.3	11 Sep 2026	Consistency release. Pouch 32 × 40 → 24 × 34 cm dependencies corrected and folding set to manufacturer standard; label finished sizes, bleed and print method published; label artwork bleed, neck-label fit and care-symbol errors corrected; Pantone TCX numbers published as text; measurement tolerance restated consistently at ±¼"; logo asset hierarchy published and the Illustrator deliverable identified; package contents and versioning aligned	No — documentation, artwork and packaging only

AREA	V1.3 CHANGE	FACTORY ACTION
Garment fit / sizing / construction	None	Continue production unchanged
Measurement tolerance	Restated as $\pm\frac{1}{4}$ " everywhere (a stale ± 0.5 " in the pack README was corrected)	Confirm the run is being measured to $\pm\frac{1}{4}$ "
Labels & hang tags	Finished sizes and print method published. Bleed and crop marks supplied only where the item is trimmed or die-cut — the neck label carries neither. Care symbols corrected; neck-label artwork no longer clipped	Print from the v1.3 files only — discard any earlier label artwork
Packaging	Folding instruction now manufacturer standard for the 24 x 34 cm pouch	Fold to suit the approved pouch; no garment impact
Colour	Pantone TCX numbers now printed as text; kraft reference corrected to #C8A96E	No change to the colour standard
Logo	Approved artwork unchanged in every format. Asset hierarchy published and the requested Adobe Illustrator (.ai) deliverable is now supplied	Use SteelStag-Logo.ai (or the SVG / PDF) for print production; see the logo note below
Style scope	SS2026 confirmed as ST-RN-001 and ST-VN-003 only. ST-DS-002 Deep Scoop is retained in the SteelStag style library for a future collection	Produce the two SS2026 styles only

LOGO ASSETS

Approved visual master	SteelStag-Logo-Transparent.png — 1341 × 1342 px, transparent, 80 px clear space on every side. This file defines how the mark must look everywhere.
Dark-ground master	SteelStag-Logo-Dark.png — the same approved mark, same size, same spacing, composited on black.
Production vector	SteelStag-Logo.svg · SteelStag-Logo.pdf — true vector, 25 paths, no embedded raster. Same geometry and spacing as the master; simplified metallic treatment. Use where vector is genuinely required.
Adobe Illustrator (.ai)	SteelStag-Logo.ai — supplied. A modern Illustrator file is a PDF container, and this is one: it opens natively in Adobe Illustrator with all 25 vector paths editable, artboard 1005.75 × 911.25 pt. It was built from the same approved artwork as the SVG and PDF — no re-tracing, no re-export, not one coordinate changed — and verified to render identically to the SVG. <i>Full disclosure:</i> it does not carry Adobe's proprietary private-data stream, because that can only be written by Illustrator itself. Illustrator generates it the first time the file is saved. If your prepress specifically requires a CC-native document, open it and re-save once — nothing else is needed.

SteelStag brand rule.

1. **The approved visual master is SteelStag-Logo-Transparent.png.** All digital, pouch, hang-tag, label and marketing artwork must visually match this master.
2. **No recolouring, no tinting or multiply, no alternate spacing, no regenerated stag geometry.** If the mark does not read on a substrate, change what sits around it — a backing panel, a different placement — not the mark.
3. SteelStag-Logo-Dark.png is the same approved mark on a dark ground. Nothing else about it differs.
4. The .svg, .pdf and .ai files are **production derivatives**. They carry the same geometry and the same stag-to-wordmark spacing, but their metallic treatment is a simplified 25-band rendering and does not match the master. Use them for processes that genuinely need vector — cutting, scaling, tooling, single-colour work. **They must not replace the approved visual master in full-colour applications.**

Contact

For RFQ, sampling, approvals, and production queries

PRODUCTION CONTACT

SteelStag Manufacturing

hello@steelstag.in

Response target: within 1 business day

SAMPLE DELIVERY

Shared After Shortlisting

Sample shipment details will be provided to selected factories.

Always email AWB/tracking on dispatch day.

WEBSITE

steelstag.in

steelstag.in

Manufacturer portal: /manufacturer/