

3 tier applicati

Effortless 3 Tier

Create and Ho

wordpress-db

Instances

EC2 Instance

WordPress on

How to Deploy

How to Deploy

ec2 instance st

Home - Canva

QQuestion -2 - I

Claude

us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Instances:v=3;instanceState=running

aws

Search

[Alt+S]

Ask Amazon Q

United States (N. Virginia)

logesh (1634-3676-5849)

logesh

EC2 > Instances

EC2

<

Dashboard

AWS Global View

Events

Instances

Instances

Instance Types

Launch Templates

Spot Requests

Savings Plans

Reserved Instances

Dedicated Hosts

Capacity Reservations

Capacity Manager

Images

AMIs

AMI Catalog

Elastic Block Store

Volumes

Snapshots

Lifecycle Manager

Network & Security

Security Groups

Elastic IPs

Instances (1/1) Info

Running

Find Instance by

Instance state = running

Clear filters

Connect

Instance state

Actions

Launch instances

Last updated less than a minute ago

1

☒	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 ..
☒	wordpress-ser...	i-0ddc88143443499d9	Running	t3.micro	Initializing	View alarms +	us-east-1c	ec2-100-52-251-113.co...	100.52.251.1

i-0ddc88143443499d9 (wordpress-server)

Details

Status and alarms

Monitoring

Security

Networking

Storage

Tags

▼ Instance summary Info

Instance ID

i-0ddc88143443499d9

IPv6 address

-

Hostname type

IP name: ip-172-31-27-52.ec2.internal

Answer private resource DNS name

IPv4 (A)

Auto-assigned IP address

100.52.251.113 [Public IP]

Public IPv4 address

100.52.251.113 | open address

Instance state

Running

Private IP DNS name (IPv4 only)

ip-172-31-27-52.ec2.internal

Instance type

t3.micro

VPC ID

vpc-0455dc33d6243d90a (default)

Private IPv4 addresses

172.31.27.52

Public DNS

ec2-100-52-251-113.compute-1.amazonaws.com | open address

Elastic IP addresses

-

AWS Compute Optimizer finding

Opt-in to AWS Compute Optimizer for recommendations. | Learn more

Activate Windows

Go to Settings to activate Windows.

CloudShell

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preference

```
ubuntu@ip-172-31-27-52:/var/www/html/wordpress$ cd
ubuntu@ip-172-31-27-52:~$ php -v
PHP 8.3.6 (cli) (built: Mar 20 2026 02:32:55) (NTS)
Copyright (c) The PHP Group
Zend Engine v4.3.6, Copyright (c) Zend Technologies
    with Zend OPcache v8.3.6, Copyright (c), by Zend Technologies
ubuntu@ip-172-31-27-52:~$
```

Install and configure a server Apache ,PHP

i-0ddc88143443499d9 (wordpress-server)

PublicIPs: 100.52.251.113 PrivateIPs: 172.31.27.52

Activate Windows
Go to Settings to activate Windows.



Ubuntu

Apache2 Default Page

It works!

This is the default welcome page used to test the correct operation of the Apache2 server after installation on Ubuntu systems. It is based on the equivalent page on Debian, from which the Ubuntu Apache packaging is derived. If you can read this page, it means that the Apache HTTP server installed at this site is working properly. You should **replace this file** (located at `/var/www/html/index.html`) before continuing to operate your HTTP server.

If you are a normal user of this web site and don't know what this page is about, this probably means that the site is currently unavailable due to maintenance. If the problem persists, please contact the site's administrator.

Configuration Overview

Ubuntu's Apache2 default configuration is different from the upstream default configuration, and split into several files optimized for interaction with Ubuntu tools. The configuration system is **fully documented in `/usr/share/doc/apache2/README.Debian.gz`**. Refer to this for the full documentation. Documentation for the web server itself can be found by accessing the **manual** if the `apache2-doc` package was installed on this server.

The configuration layout for an Apache2 web server installation on Ubuntu systems is as follows:

```
/etc/apache2/
|-- apache2.conf
|   |-- ports.conf
|-- mods-enabled
|   |-- *.load
|   |-- *.conf
|-- conf-enabled
|   |-- *.conf
|-- sites-enabled
|   |-- *.conf
```

- `apache2.conf` is the main configuration file. It puts the pieces together by including all remaining configuration files when starting up the web server.
- `ports.conf` is always included from the main configuration file. It is used to determine the listening ports for incoming connections, and this file can be customized anytime.
- Configuration files in the `mods-enabled/`, `conf-enabled/` and `sites-enabled/` directories contain particular configuration snippets which manage modules, global configuration fragments, or virtual host configurations, respectively.
- They are activated by symlinking available configuration files from their respective `*-available/` counterparts. These should be managed by using our helpers `a2enmod`, `a2dismod`, `a2ensite`, `a2dissite`, and `a2enconf`, `a2disconf`. See their respective man pages for detailed information.

Apache Running Sucessfully

Activate Windows
Go to Settings to activate Windows.

```
buntu@ip-172-31-27-52:~$ mysql -u mywpuser -p
Enter password:
ERROR 1045 (28000): Access denied for user 'mywpuser'@'localhost' (using password: YES)
buntu@ip-172-31-27-52:~$ mysql -u mywpuser -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 32
Server version: 8.0.45-0ubuntu0.24.04.1 (Ubuntu)

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| performance_schema |
| wordpress      |
+-----+
rows in set (0.00 sec)

mysql>
```

Option 2: Install MySQL on the same VM.

i-0ddc88143443499d9 (wordpress-server)
PublicIPs: 100.52.251.113 PrivateIPs: 172.31.27.52

Activate Windows
Go to Settings to activate Windows.

```
ubuntu@ip-172-31-27-52:~$ cat /var/www/html/wordpress/wp-includes/version.php | grep "\$wp_version"
* @global string $wp_version
$wp_version = '6.9.4';
ubuntu@ip-172-31-27-52:~$
```

Download and configure the latest version of WordPress

i-0ddc88143443499d9 (wordpress-server)

PublicIPs: 100.52.251.113 PrivateIPs: 172.31.27.52

type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

```
mysql> SHOW DATABASES;
+-----+
| Database |
+-----+
| information_schema |
| performance_schema |
| wordpress |
+-----+
2 rows in set (0.00 sec)
```

```
mysql> USE wordpress;
Reading table information for completion of table and column names
You can turn off this feature to get a quicker startup with -A
```

```
Database changed
mysql> SHOW TABLES;
+-----+
| Tables_in_wordpress |
+-----+
| wp_commentmeta |
| wp_comments |
| wp_links |
| wp_options |
| wp_postmeta |
| wp_posts |
| wp_term_relationships |
| wp_term_taxonomy |
| wp_termmeta |
| wp_terms |
| wp_usermeta |
| wp_users |
+-----+
2 rows in set (0.00 sec)
```

```
mysql>
```

Configure proper permissions
web server can serve WordPress to Db

i-0ddc88143443499d9 (wordpress-server)

PublicIPs: 100.52.251.113 PrivateIPs: 172.31.27.52

Activate Windows
Go to Settings to activate Windows.

Created an Apache/Nginx VirtualHost for WordPress

i-0ddc88143443499d9 (wordpress-server)

PublicIPs: 100.52.251.113 PrivateIPs: 172.31.27.52

Activate Windows
Go to Settings to activate Windows.

3 tier app | Effortless | Create an | wordpres | Instances | EC2 | x | WordPres | How to D | How to D | ec2 insta | Home - C | Untitled c | QUestion | Claude | sudo a2e | how to k | logesh | +

< > ↻ us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?addressFamily=ipv4&connType=standard&instanceId=i-0ddc88143443499d9&... 🔍 ↗ 🛡️

aws | Search [Alt+S] Ask Amazon Q United States (N. Virginia) ▼ logesh (163)

```
ubuntu@ip-172-31-27-52:~$ cd /etc/apache2/sites-available
ubuntu@ip-172-31-27-52:/etc/apache2/sites-available$ ls
000-default.conf  default-ssl.conf  wordpress.conf
ubuntu@ip-172-31-27-52:/etc/apache2/sites-available$ cat wordpress.conf
<VirtualHost *:80>
    ServerAdmin admin@example.com
    DocumentRoot /var/www/html/wordpress


    <Directory /var/www/html/wordpress>
        AllowOverride All
    </Directory>

    ErrorLog ${APACHE_LOG_DIR}/error.log
    CustomLog ${APACHE_LOG_DIR}/access.log combined
</VirtualHost>
ubuntu@ip-172-31-27-52:/etc/apache2/sites-available$
```

Update wp-config.php with database

i-0ddc88143443499d9 (wordpress-server)

PublicIPs: 100.52.251.113 PrivateIPs: 172.31.27.52



logesh

Sample Page

Blog

Hello world!

Welcome to WordPress. This is your first post. Edit or delete it, then start writing!

April 14, 2026

Verify by accessing WordPress in a browser
Creating an Custom wordpress Account with temporary Ip

logesh

Blog

Events

About

Shop

FAQs

Patterns

Authors

Themes

Activate Windows
Go to Settings to activate Windows.



us-east-1.console.aws.amazon.com/ec2-instance-connect/ssh/home?region=us-east-1&connType=standard&instanceId=i-0d



Search

[Alt+S]



Ask Amazon Q

```
ubuntu@ip-172-31-27-52:~$ certbot --version
```

```
certbot 2.9.0
```

```
ubuntu@ip-172-31-27-52:~$
```

SSL (HTTPS) Setup Using Certbot

```
ntu@ip-172-31-27-52:~$ sudo certbot --apache
ing debug log to /var/log/letsencrypt/letsencrypt.log
er email address (used for urgent renewal and security notices)
nter 'c' to cancel): logeshramesh12@gmail.com
```

SSL (HTTPS) Setup Using Certbot

```
-----
Please read the Terms of Service at
https://letsencrypt.org/documents/LE-SA-v1.6-August-18-2025.pdf. You must agree
to the Terms of Service to register with the ACME server. Do you agree?
-----
(es/(N)o: y

-----
Would you be willing, once your first certificate is successfully issued, to
share your email address with the Electronic Frontier Foundation, a founding
partner of the Let's Encrypt project and the non-profit organization that
develops Certbot? We'd like to send you email about our work encrypting the web,
EFF news, campaigns, and ways to support digital freedom.
-----
(es/(N)o: y
Account registered.
Please enter the domain name(s) you would like on your certificate (comma and/or
space separated) (Enter 'c' to cancel): logeshr.online
Requesting a certificate for logeshr.online


Successfully received certificate.
Certificate is saved at: /etc/letsencrypt/live/logeshr.online/fullchain.pem
Private key is saved at: /etc/letsencrypt/live/logeshr.online/privkey.pem
Your certificate expires on 2026-07-14.
These files will be updated when the certificate renews.
Certbot has set up a scheduled task to automatically renew this certificate in the background.

Deploying certificate
Successfully deployed certificate for logeshr.online to /etc/apache2/sites-available/wordpress-le-ssl.conf
Congratulations! You have successfully enabled HTTPS on https://logeshr.online


-----
```

i-0ddc88143443499d9 (wordpress-server)

PublicIPs: 18.211.194.74 PrivateIPs: 172.31.27.52



Create an Elastic IP
For Wordpress EC2 to host
custom Domain name



Elastic IP setup with
Wordpress EC2

Instances (1/10) Info

Saved filter sets
Choose filter set ▼

Find Instance by attribute or tag (case-sensitive)

	Name	Instance ID	Instance state	Instance type	Status check	Alarm status	Availability Zone	Public IPv4 DNS	Public IPv4 ..
☐	ubuntu-web-s...	i-01181a7f9587d52fc	Stopped	t3.micro	–	View alarms +	us-east-1c	–	–
☐	S3-Question3	i-093d62081c5c91774	Stopped	t3.micro	–	View alarms +	us-east-1c	–	–
☐	Odoo-machine	i-02e3f2d00aed4ce59	Stopped	t3.micro	–	View alarms +	us-east-1c	–	–
☐	wordpress-qu...	i-0284dbebaa42ed615	Stopped	t3.micro	–	View alarms +	us-east-1c	–	–
☐	dockergame	i-076a14cd0ffa658fb	Stopped	t3.micro	–	View alarms +	us-east-1c	–	–
☐	java-spring-sa...	i-090c884e93e06114c	Stopped	t3.micro	–	View alarms +	us-east-1c	–	–

i-0ddc88143443499d9 (wordpress-server)

- Details
- Status and alarms
- Monitoring
- Security
- Networking
- Storage
- Tags

▼ Instance summary Info

Instance ID

i-0ddc88143443499d9

IPv6 address

–

Hostname type

IP name: ip-172-31-27-52.ec2.internal

Answer private resource DNS name

IPv4 (A)

Public IPv4 address

18.211.194.74 | open address

Instance state

Running

Private IP DNS name (IPv4 only)

ip-172-31-27-52.ec2.internal

Instance type

t3.micro

Private IPv4 addresses

172.31.27.52


Public DNS

ec2-18-211-194-74.compute-1.amazonaws.com | open address

Elastic IP addresses

18.211.194.74 (wordpress-ip) [Public IP]

Activate Windows
Go to Settings to activate Windows.



► Hosted zone details Edit hosted zone

Records (1/4) Info Refresh Delete record Import zone file Create record

Automatic mode is the current search behavior optimized for best filter results. [To change modes go to settings.](#)

Type ▼ Routing p... ▼ Alias ▼ < 1 > Settings

☐	Record name	Type	Routin...	Differ...	Alias	Value/Route traffic to	TTL (s...	Health ...
☒	logeshr.online	A	Simple	-	No	18.211.194.74	300	-
☐	logeshr.online	NS	Simple	-	No	ns-1328.awsdns-38.org. ns-1846.awsdns-38.co.uk. ns-891.awsdns-47.net. ns-180.awsdns-22.com.	172800	-
☐	logeshr.online	SOA	Simple	-	No	ns-1328.awsdns-38.org. aws...	900	-
☐	_ea93a6e83d53395f82...	CNAME	Simple	-	No	_410ac53c503d7b9043734a...	300	-

Record details

Edit record

Record name
logeshr.online

Record type
A


Value
18.211.194.74

Alias
No

TTL (seconds)
300

Routing policy
Simple

Config Custom Domain Name for
Wordpress using route53



http://logeshr.online

logesh

Sample Page

Blog

When we load http request

Hello world!

Welcome to WordPress. This is your first post. Edit or delete it, then start writing!

April 14, 2026

logesh

Blog

Events

About

Shop


FAQs

Patterns

Authors

Themes

Activate Windows
Go to Settings to activate Windows.



https://logeshr.online

logeshr

Sample Page

Blog

Automatically Convert
HTTPS using Let's Encrypt.

Hello world!

Welcome to WordPress. This is your first post. Edit or delete it, then start writing!

April 14, 2026

logeshr

- Blog
- About
- FAQs
- Authors
- Events
- Shop
- Patterns
- Themes

Activate Windows
Go to Settings to activate Windows.

