1.

1.Display all records avaliable in the employees table

03:12 PM (2s) 2

```
select * from hremp_dataset.hremp_schema.hr_emp_table;
```

See performance (1) Checked for improvements

Table

	employee_id	employee_name	department_id	city	salary	experience
1	101	Arun	1	Chennai	45000	3
2	102	Priya	2	Coimbatore	55000	5
3	103	Karthik	1	Madurai	35000	2
4	104	Divya	3	Trichy	60000	6
5	105	Rahul	2	Bengaluru	40000	3
6	106	Meena	3	Chennai	50000	4
7	107	Vijay	1	Coimbatore	65000	7
8	108	Nisha	2	Madurai	42000	4
9	109	Suresh	3	Trichy	38000	2
10	110	Anitha	1	Chennai	72000	8

2.

2.Display the employee name,city and salary of employees earning more than 40,000

03:22 PM (<1s) 4 SQL

```
select employee_name,city,salary from hremp_dataset.hremp_schema.hr_emp_table where salary>=40000
```

See performance (1) Checked for improvements

Table

	employee_name	city	salary
1	Arun	Chennai	45000
2	Priya	Coimbatore	55000
3	Divya	Trichy	60000
4	Rahul	Bengaluru	40000
5	Meena	Chennai	50000
6	Vijay	Coimbatore	65000
7	Nisha	Madurai	42000
8	Anitha	Chennai	72000

8 rows 0.446s runtime Refreshed at 10/13/26, 3:22 PM (4h ago)

3.

3. Find employees who have morethan 3 years of experience

03:26 PM (<1s) 6 SQL

```
select  employee_name,experience from hremp_dataset.hremp_schema.hr_emp_table where experience>=3
```

See performance (1) Checked for improvements

Table

	employee_name	experience
1	Arun	3
2	Priya	5
3	Divya	6
4	Rahul	3
5	Meena	4
6	Vijay	7
7	Nisha	4
8	Anitha	8

8 rows | 0.415s runtime Refreshed at 10/13/26, 3:26 PM (4h ago)

4.

4.Display employees who belong to the IT dept

03:52 PM (1s) 8 SQL

```
SELECT e.employee_name, d.department_name
FROM hremp_dataset.hremp_schema.hr_emp_table e
JOIN hremp_dataset.hremp_schema.databricks_hr_dept d
  ON e.department_id = d.department_id
WHERE d.department_name = 'IT';
```

See performance (1) Checked for improvements

Table

	employee_name	department_name
1	Arun	IT
2	Karthik	IT
3	Vijay	IT
4	Anitha	IT

4 rows | 0.900s runtime Refreshed at 10/13/26, 3:52 PM (4h ago)

5.

5.Find the total number of employees in each department.

```
SELECT d.department_name, COUNT(*) AS total_employees
FROM hremp_dataset.hremp_schema.hr_emp_table e
JOIN hremp_dataset.hremp_schema.databricks_hr_dept d
  ON e.department_id = d.department_id
GROUP BY d.department_name;
```

03:56 PM (1s) 10

See performance (1) ✓ Check

Table

	department_name	total_employees
1	IT	4
2	HR	3
3	Finance	3

6.

6.Display employee names along with their department names

```
SELECT e.employee_name, d.department_name
FROM hremp_dataset.hremp_schema.hr_emp_table e
JOIN hremp_dataset.hremp_schema.databricks_hr_dept d
  ON e.department_id = d.department_id;
```

03:57 PM (1s) 12 SQL


See performance (1) ✓ Checked for improvements

Table

	employee_name	department_name
1	Arun	IT
2	Priya	HR
3	Karthik	IT
4	Divya	Finance
5	Rahul	HR
6	Meena	Finance
7	Vijay	IT
8	Nisha	HR
9	Suresh	Finance
10	Anitha	IT


7.

7.Calculate the average salary for each department



8.

8.Identify the highest-paid employee in each department using a window function.



9.

9.Calculate the attendance percentage for every employee using the Attendance table.

```
SELECT e.employee_name,
       ROUND(100.0 * a.present_days / a.working_days, 2) AS attendance_pct
FROM hremp_dataset.hremp_schema.databricks_hr_employee_attendance a
JOIN hremp_dataset.hremp_schema.hr_emp_table e
  ON a.employee_id = e.employee_id
ORDER BY attendance_pct DESC;
```

04:10 PM (1s) 18 SQL

See performance (1) Checked for improvements

Table

	employee_name	attendance_pct
1	Suresh	77.27
2	Karthik	81.82
3	Nisha	86.36
4	Rahul	86.36
5	Arun	90.91
6	Vijay	90.91
7	Divya	95.45
8	Anitha	95.45
9	Priya	100.00
10	Meena	100.00

10.

10.Create a temporary view containing employees whose salary is greater than ₹40,000, and display the view.

```
CREATE OR REPLACE TEMPORARY VIEW high_salary_emp AS
SELECT *
FROM hremp_dataset.hremp_schema.hr_emp_table
WHERE salary > 40000;

SELECT * FROM high_salary_emp;
```

04:11 PM (1s) 20 SQL

See performance (2) Checked for improvements

Show 1 additional result


Table

	employee_id	employee_name	department_id	city	salary	experience
1	101	Arun	1	Chennai	45000	3
2	102	Priya	2	Coimbatore	55000	5
3	104	Divya	3	Trichy	60000	6
4	106	Meena	3	Chennai	50000	4
5	107	Vijay	1	Coimbatore	65000	7
6	108	Nisha	2	Madurai	42000	4
7	110	Anitha	1	Chennai	72000	8

7 rows 1.029s runtime Refreshed at 10/13/26, 4:11 PM (4h ago)

11.

11.Rank employees by salary from highest to lowest using RANK()



```
07:11 PM (7s)                                                    23                    SQL
SELECT employee_name, salary,
       RANK() OVER (ORDER BY salary DESC) AS salary_rank
FROM hremp_dataset.hremp_schema.hr_emp_table;
See performance (1)                                              Checked for improvements
```

Table

	employee_name	salary	salary_rank
1	Anitha	72000	1
2	Vijay	65000	2
3	Divya	60000	3
4	Priya	55000	4
5	Meena	50000	5
6	Arun	45000	6
7	Nisha	42000	7
8	Rahul	40000	8
9	Suresh	38000	9
10	Karthik	35000	10

10 rows | 6.996s runtime Refreshed at 10/13/26, 7:11 PM (40m ago)

12.

12.Find employees whose salary is greater than the overall average salary.



```
07:13 PM (1s)                                                    25                    SQL
SELECT employee_name, salary
FROM hremp_dataset.hremp_schema.hr_emp_table
WHERE salary > (SELECT AVG(salary) FROM hremp_dataset.hremp_schema.hr_emp_table);
See performance (1)                                              Checked for improvements
```

Table

	employee_name	salary
1	Priya	55000
2	Divya	60000
3	Vijay	65000
4	Anitha	72000

4 rows | 1.311s runtime Refreshed at 10/13/26, 7:13 PM (38m ago)

13.

13.Identify employees whose attendance percentage is below 90%.

07:16 PM (2s) 27 SQL

```
SELECT *
FROM (
  SELECT e.employee_name,
         ROUND(100.0 * a.present_days / a.working_days, 2) AS attendance_pct
  FROM hremp_dataset.hremp_schema.databricks_hr_employee_attendance a
  JOIN hremp_dataset.hremp_schema.hr_emp_table e
    ON a.employee_id = e.employee_id
)
WHERE attendance_pct < 90;
```

See performance (1) Checked for improvements

Table

	employee_name	attendance_pct
1	Karthik	81.82
2	Rahul	86.36
3	Nisha	86.36
4	Suresh	77.27

14.

14.Display the top 3 highest-paid employees.

07:18 PM (1s) 29 SQL

```
SELECT employee_name, salary
FROM hremp_dataset.hremp_schema.hr_emp_table
ORDER BY salary DESC
LIMIT 3;
```


See performance (1) Checked for improvements

Table

	employee_name	salary
1	Anitha	72000
2	Vijay	65000
3	Divya	60000

15.

15.Calculate the total salary expenditure for each department.



16.

16.Find the department with the highest average salary.



17.

17.Display employees who are from Chennai or Coimbatore.

07:24 PM (1s) 35 SQL

```
SELECT employee_name, city
FROM hremp_dataset.hremp_schema.hr_emp_table
WHERE city IN ('Chennai', 'Coimbatore');
```

See performance (1) Checked for improvements

Table

	employee_name	city
1	Arun	Chennai
2	Priya	Coimbatore
3	Meena	Chennai
4	Vijay	Coimbatore
5	Anitha	Chennai

5 rows 0.581s runtime Refreshed at 10/13/26, 7:24 PM (28m ago)

18.

18.Combine employee and attendance data to display employee names, working days, and present days.

07:26 PM (1s) 37 SQL

```
SELECT e.employee_name, a.working_days, a.present_days
FROM hremp_dataset.hremp_schema.hr_emp_table e
LEFT JOIN hremp_dataset.hremp_schema.databricks_hr_employee_attendance a
  ON e.employee_id = a.employee_id;
```

See performance (1) Checked for improvements

Table

	employee_name	working_days	present_days
1	Arun	22	20
2	Priya	22	22
3	Karthik	22	18
4	Divya	22	21
5	Rahul	22	19
6	Meena	22	22
7	Vijay	22	20
8	Nisha	22	19
9	Suresh	22	17
10	Anitha	22	21

19.

19.Create a permanent Delta table named employee_analysis containing employee, department, salary, and attendance details

```
CREATE TABLE hremp_dataset.hremp_schema.employee_analys AS
SELECT e.employee_id,
       e.employee_name,
       d.department_name,
       e.salary,
       a.working_days,
       a.present_days,
       ROUND(100.0 * a.present_days / a.working_days, 2) AS attendance_pct
FROM hremp_dataset.hremp_schema.hr_emp_table e
JOIN hremp_dataset.hremp_schema.databricks_hr_dept d
  ON e.department_id = d.department_id
JOIN hremp_dataset.hremp_schema.databricks_hr_employee_attendance a
  ON e.employee_id = a.employee_id;
```

07:34 PM (3s) 39 SQL

See performance (1) Checked for improvements

Table +

num_affected_rows	num_inserted_rows

No rows returned

20.

20.Query the employee_analysis Delta table to verify that the data has been saved successfully.

```
select * from hremp_dataset.hremp_schema.employee_analys
```

07:44 PM (<1s) 41 SQL

See performance (1) Checked for improvements

Table +

	employee_id	employee_name	department_name	salary	working_days	present_days	attendance_pct
1	101	Arun	IT	45000	22	20	90.91
2	102	Priya	HR	55000	22	22	100.00
3	103	Karthik	IT	35000	22	18	81.82
4	104	Divya	Finance	60000	22	21	95.45
5	105	Rahul	HR	40000	22	19	86.36
6	106	Meena	Finance	50000	22	22	100.00
7	107	Vijay	IT	65000	22	20	90.91
8	108	Nisha	HR	42000	22	19	86.36
9	109	Suresh	Finance	38000	22	17	77.27
10	110	Anitha	IT	72000	22	21	95.45

10 rows 0.117s runtime Refreshed at 10/13/26, 7:44 PM (10m ago)