

Find the intersection of two sorted arrays.

OR in other words,

Given 2 sorted arrays, find all the elements which occur in both the arrays.

Input Format

· The first line contains T, the number of test cases. Following T lines contain:

1. Line 1 contains N1, followed by N1 integers of the first array
2. Line 2 contains N2, followed by N2 integers of the second array

Output Format

The intersection of the arrays in a single line

Example

Input:

1

3 10 17 57

6 2 7 10 15 57 246

Output:

10 57

Input:

1

6 1 2 3 4 5 6

2 1 6

Output:

1 6

For example:

Input	Result
1 3 10 17 57 6 2 7 10 15 57 246	10 57

Answer: (penalty regime: 0 %)

```
1  #include <stdio.h>
2
3  int main()
4  {
5      int T, n1, n2, i, j;
6
7      scanf("%d", &T);
8
9      while (T--)
10     {
11         scanf("%d", &n1);
12
13         int a[n1];
14
15         for (i = 0; i < n1; i++)
16             scanf("%d", &a[i]);
17
18         scanf("%d", &n2);
19
20         int b[n2];
21
22         for (i = 0; i < n2; i++)
23             scanf("%d", &b[i]);
24
25         i = 0;
26         j = 0;
27
28         while (i < n1 && j < n2)
29         {
30             if (a[i] == b[j])
31             {
32                 printf("%d ", a[i]);
33                 i++;
34                 j++;
35             }
36             else if (a[i] < b[j])
37             {
38                 i++;
39             }
40             else
41             {
42                 j++;
43             }
44         }
45
46         printf("\n");
47     }
48
49     return 0;
50 }
```

	Input	Expected	Got	
✓	1 3 10 17 57 6 2 7 10 15 57 246	10 57	10 57	✓
✓	1 6 1 2 3 4 5 6 2 1 6	1 6	1 6	✓

Passed all tests! ✓