





# RefreshIndicator

RefreshIndicator是Material风格的下拉刷新组件。

### 基本用法如下:

```
var _list = [1, 2, 3, 4, 5];

RefreshIndicator(
    onRefresh: () async {
    setState(() {
        _list.add(_list.length + 1);
        });

    },

    child: ListView.builder(
    itemBuilder: (context, index) {
        return ListTile(
        title: Text('老孟${_list[index]}'),
```

```
13          );
14          },
15          itemExtent: 50,
16          itemCount: _list.length,
17          ),
18          )
```

## RefreshIndicator和ListView组合下拉刷新功能,效果如下:



设置指示器到顶部或者底部到距离:

```
RefreshIndicator(
displacement: 10,

)
```

#### 设置指示器的前置颜色和背景颜色:

```
RefreshIndicator(
color: Colors.red,
backgroundColor: Colors.lightBlue,

)
```

#### 效果如下:



# CupertinoSliverRefreshControl

CupertinoSliverRefreshControl 是ios风格的下拉刷新控件。

#### 基本用法:

CupertinoSliverRefreshControl的用法和RefreshIndicator不同,CupertinoSliverRefreshControl需要放在CustomScrollView中。

### 效果如下:

| 老孟1 |              |  |
|-----|--------------|--|
| 老孟2 |              |  |
| 老孟3 |              |  |
| 老孟4 | <b>\( \)</b> |  |
| 老孟5 |              |  |
|     |              |  |
|     |              |  |

喜欢作者

版权所有,禁止私自转发、克隆网站。

< CupertinoSliverNavigationBar

CupertinoSwitch >