

# The Way Back Support Service Minimum Data Set and Dictionary

Version 3.0.1

As at 15 September, 2020

# **Table of Contents**

Introduction	2
Data release and confidentiality	3
Data Specification	3
Key Concepts	4
Identifier Management	5
Data Model and Specifications	6
Upload Specification	105
Validation Rules	113
Data Specification Change log	115
Resources	116
TWB Resources	117
1. Key Concepts	4
2. Specifications	117
3. Outcome measures and scoring rules	117
4. Primary Mental Health Care Minimum Data Set	117
User Guide	117
Access & Passwords	118
Data Entry	118
Upload User Guide	141
Video Training Library	142
Frequently Asked Questions	142
PMHC FAQs	143
Getting Help	143
Frequently Asked Questions Change log	143

# Introduction

The Way Back Support Services ('The Way Back') Data Dictionary details the data concepts, elements and conditions intended to guide the data collection and reporting of the service at all levels. The dictionary is intended to provide guidance on the key data to be collected in relation to the service. The audience for The Way Back Data Guidelines includes:

- Primary Health Networks
- Funded organisations who deliver The Way Back Support Service
- Local Hospital Networks/Divisions and Community Mental Health Services as referrers to The Way Back Support Service
- Software vendors, who develop and provide software solutions utilised by funded organisations to collect, store and report The Way Back activity.
- Commonwealth, State and Territory Department of Health (and Human Services) staff (data collection and program managers) responsible for the development and management of data collections and associated documentation.

The Way Back Data Guidelines is comprised of two parts:

- Section 2 lists the data elements from the existing Primary Mental Health Care Minimum Data Set (PMHC MDS) which will be collected for The Way Back.
- Section 3 details the additional supplementary data elements which are specific to The Way Back including their definition, attributes, reporting requirements and guide for use.

# Data release and confidentiality

All data collection and reporting requirements are required to comply with relevant Commonwealth, State and Territory Information Privacy and Health Records regulations. Clients will be informed that some de-identified portions of the information collected through The Way Back Support Service will be utilised for Commonwealth, State and Territory planning and statistical purposes. Appropriate consent and ethics approval processes will be adhered to.

# **Data Specification**

# **Key Concepts**

Below is a list of key words that are commonly used within the PMHC MDS and their definitions. If you require more information, please click on the linked text to see the relevant data elements field definition as shown under Specifications.

#### **PMHC MDS**

As TWB is an extension of the Primary Mental Health Care Minimum Data Set (PMHC MDS) the current PMHC MDS Key terms will be used. These are also available to be viewed at https://docs.pmhc-mds.com/data-specification/data-model-and-specifications.html#key-concepts.

## **Primary Health Network**

Primary Health Networks (PHNs) have been established by the Australian Government with the key objectives of increasing the efficiency and effectiveness of medical services for patients, particularly those at risk of poor health outcomes, and improving coordination of care to ensure patients receive the right care in the right place at the right time.

## **Provider Organisation**

The Provider Organisation is the business entity that the PHN has commissioned to provide the service.

#### **Practitioner**

The Practitioner is the person who is delivering the service.

#### Client

The Client (patient) is the person who is receiving the service.

## **Episode**

For the purposes of the PMHC MDS, an *Episode of Care* is defined as a more or less continuous period of contact between a client and a PHN-commissioned provider organisation/clinician that starts at the point of first contact, and concludes at discharge. Episodes comprise a series of one or more Service Contacts. This structure allows for a logical data collection protocol that specifies what data are collected when, and by whom. Different sets of PMHC MDS items are collected at various points in the client's engagement with the provider organisation. Some items are only collected once at the episode level, while others are collected at each *Service Contact*.

Three business rules apply to how the Episode of Care concept is implemented across PHN-commissioned services:

• One episode at a time for each client, defined at the level of the provider organisation

While an individual may have multiple *Episodes of Care* over the course of their illness, they may be considered as being in only one episode at any given point of time for **any particular PHN-commissioned provider organisation**. The implication is that the care provided by the organisation to an individual client at any point in time is subject to only one set of reporting requirements.

- Episodes commence at the point of first contact. The episode start date will be derived from the first service contact date.
- Discharge from care concludes the episode

Discharge may occur clinically or administratively in instances where contact has been lost with the client. A new episode is deemed to commence if the person re-presents to the organisation.

# TWB-Episode

TWB-Episode is the record format for collecting TWB episode data.

See TWB Episode for the data elements for TWB-Episode.

#### **TWB-Critical Incidents**

A Critical Incident is a suicide attempt, suicide death or death by any other means of a client during the episode.

#### TWB-NI

A Support Plan must be completed with a client within two weeks of their first attended Service Contact. Creating a support plan requires working with the client to identify their needs. This is to build an understanding of what will be of benefit and help form the goals of their Support Plan. These identified needs will fall into one of the categories listed. Multiple needs may be identified and therefore added.

#### **Service Contact**

Service Contact data linked to an Episode will be used in TWB.

#### **Collection Occasion**

A Collection Occasion is defined as an occasion during an Episode of Care when specific Service Activities are required to be collected. At a minimum, collection is required at both Episode Start and Episode End.

TWB will allow the following data records to be collected at a collection occasion:

- TWB Plan
- TWB NI
- K10+ Measure
- WHO-5 Measure
- SIDAS Measure

See Collection Occasion data elements.

# **Identifier Management**

TWB is an extension of the Primary Mental Health Care Minimum Data Set (PMHC MDS); the current PMHC MDS Identifier Management rules apply. These are available to be viewed at https://docs.pmhc-mds.com/data-specification/identifier-management.html.

# **Managing Keys**

The TWB Critical Incident Key, TWB Recommendation Out Key, Collection Occasion Key and Measure Key will be created and managed by Provider Organisations.

The PMHC MDS specification requires each of these keys to be unique and stable at the Provider Organisation level. See above links for the specification requirements for these data elements:

Each record needs to be assigned a unique key in order to facilitate adding/updating/deleting each item when uploading/entering data. These keys will be created and managed by the Provider Organisation.

Where data is being exported from client systems, these keys can be auto generated, providing that a key does not change once it is assigned.

# Managing PMHC MDS Episode Key

Each TWB Episode record needs to record the corresponding PMHC MDS episode key in order to link it to an existing episode within the PMHC data and facilitate adding/updating/deleting each item when uploading/entering TWB data.

See below links for the specification requirements for these data elements:

• Episode Key

#### **Identifying TWB-Episode data records**

To enable the PMHC MDS to add a TWB-Episode record to a PMHC Episode, the '!wayback' tag must be included on the 'Tags' field of all TWB-Episode data records. If not included, the system will automatically include it.

For users inputting data through the PMHC-MDS data entry interface adding this tag will enable the additional TWB specific data entry elements.

For users uploading data where the tag is not included but the upload includes the additional TWB fields, the system will automatically add the tag.

# **Data Model and Specifications**

TWB is an extension of the Primary Mental Health Care Minimum Data Set (PMHC MDS); the current PMHC MDS Data model and specification rules may apply. These are available to be viewed at https://docs.pmhc-mds.com/data-specification/index.html.




Fig. 1 TWB data model within the PMHC MDS

Note: TWB Collection Occasion data model for more details about Collection Occasion records.




Fig. 2 TWB Collection Occasion data model

**Note:** See TWB data model within the PMHC MDS for more details about how Collection Occasion records fit into the overall structure.

#### **Record Formats**

#### **PMHC MDS Record formats**

As TWB is an extension of the Primary Mental Health Care Minimum Data Set (PMHC MDS), the current PMHC MDS Data model and specification record formats are available to be viewed at https://docs.pmhc-mds.com/data-specification/data-model-and-specifications.html#record-formats.

The following data items have TWB business rules:

#### **Episode**

Episode - Additional Diagnosis

For TWB only episodes the response 000: No additional Diagnosis must be used.

Where a client is being delivered TWB services and accessing another support service within the same Service Provider the full range of Additional Diagnosis responses allowed for standard PMHC MDS episodes is available.

Episode - Medication - Antidepressants (N06A)

For TWB only episodes the response 9: Unknown must be used.

Where a client is being delivered TWB services and accessing another support service within the same Service Provider the full range Medication - Antidepressants (N06A) of responses allowed for standard PMHC MDS episodes is available.

Episode - Medication - Antipsychotics (N05A)

For TWB only episodes the response 9: Unknown must be used.

Where a client is being delivered TWB services and accessing another support service within the same Service Provider the full range Medication - Antipsychotics (N05A) of responses allowed for standard PMHC MDS episodes is available.

Episode - Medication - Anxiolytics (N05B)

For TWB only episodes the response 9: Unknown must be used.

Where a client is being delivered TWB services and accessing another support service within the same Service Provider the full range Medication - Anxiolytics (N05B) of responses allowed for standard PMHC MDS episodes is available.

Episode - Medication - Hypnotics and sedatives (N05C)

For TWB only episodes the response 9: Unknown must be used.

Where a client is being delivered TWB services and accessing another support service within the same Service Provider the full range Medication - Hypnotics and sedatives (N05C) of responses allowed for standard PMHC MDS episodes is available.

Episode - Medication - Psychostimulants and nootropics (N06B)

For TWB only episodes the response 9: Unknown must be used.

Where a client is being delivered TWB services and accessing another support service within the same Service Provider the full range of Medication - Psychostimulants and nootropics (N06B) responses allowed for standard PMHC MDS episodes is available.

Episode - Principal Focus of Treatment Plan

For TWB only episodes the following value must be used:

#### 8 - Psychosocial support

Episodes of care should be classified as Psychosocial Support (code 8) where the treatment plan for the client is primarily based around the delivery of psychosocial support services. Psychosocial support services are defined for PMHC MDS purposes as services that focus on building capacity and stability in one or more of the following areas:

- social skills and friendships, family connections;
- managing daily living needs;
- · financial management and budgeting;
- finding and maintaining a home;
- · vocational skills and goals, including volunteering;
- educational and training goals;
- maintaining physical wellbeing, including exercise;
- building broader life skills including confidence and resilience.

These services are usually delivered by a range of non-clinical providers including peer support workers with lived experience of mental illness

Services delivered to clients receiving episodes of care classified as Psychosocial Support may receive the full range of services as described in the Service Contact Type data item, for example, assessment, care coordination and so forth. However, in general, where the Principal Focus of Treatment Plan is coded as Psychosocial Support there should be an expectation that the majority of services provided will be of a psychosocial support nature. Further details on the relationship between the episode of care concept and service contacts is available at <a href="https://docs.pmhc-mds.com/faqs/concepts-processes/data-definitions.html#episode-one-at-a-time">https://docs.pmhc-mds.com/faqs/concepts-processes/data-definitions.html#episode-one-at-a-time</a>

PHNs may wish to advise specific commissioned organisations solely funded from their Psychosocial Support Schedule that all episodes of care should be coded as Psychosocial Support, or leave it to the discretion of service providers.

Clients who are recorded as NDIS recipients would not usually be recorded as receiving a Psychosocial Support episode of care. The National Psychosocial Support guidance material states explicitly that these services are designed for individuals who have significant psychosocial disability but do not meet NDIS eligibility criteria.

Episodes of care delivered to individuals who are recorded as Continuity of Support clients (see below) may be reported as Psychosocial Support.

Where a client is being delivered TWB services and accessing another support service within the same Service Provider the full range of Principal Focus of Treatment Plan responses allowed for standard PMHC MDS episodes is available.

#### **TWB Record formats**

The Way Back adds the following records on top of PMHC MDS current specifications:

- See TWB-Episode data specifications for Individual Services Data.
- See TWB-Critical Incident data specifications for Critical Incident Data.
- See TWB-Recommendation Out data specifications for Recommendation Out Data.
- See Collection Occasion data specifications for Collection Occasions.
- See TWB-Plan data specifications for Plan Data.
- See TWB-NI data specifications for Needs Identification Data.
- See K10+ Measure data specifications.
- See WHO-5 Measure data specifications.

- See SIDAS Measure data specifications.
- See Service Contact data specifications for Service Contact Data.

When uploading PMHC clients at the same time as TWB clients, the following records will also need to be supplied. NB. These record specifications are different to the standard PMHC specifications. The TWB upload format separates collection occasion data into a separate Collection Occasion worksheet so that multiple measures can be collected at a single collection occasion. The TWB upload format aligns with a future PMHC MDS Version 3.0 file format. No date has been set for the release of the PMHC MDS Version 3.0 upload file format.

- See K5 Measure data specifications.
- See SDQ Measure data specifications.

#### Metadata

The Metadata table must be included in file uploads in order to identify the type and version of the uploaded data.

Table 1 Metadata record layout

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Key (key)	string	yes	A metadata key name.
Value (value)	string	yes	The metadata value.

For this version of the specification the required content is shown in the following table:

key	value
type	WAYBACK
version	3

#### **Provider Organisation**

Same as standard PMHC MDS Provider Organisation.

## Practitioner

Same as standard PMHC MDS Practitioner.

#### Client

Same as standard PMHC MDS Client.

## **Episode**

Same as standard PMHC MDS Episode.

# **TWB Episode**

See Episode for definition of an episode.

TWB Episodes are managed by the provider organisations via upload or data entry.

Table 2 TWB Episode record layout

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Organisation Path (organisation_path)	string	yes	A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.
Episode Key (episode_key)	string (2,50)	yes	This is a number or code assigned to each PMHC MDS episode. The Episode Key is unique and stable for each episode at the level of the organisation. This key must link to an existing episode within the PMHC MDS.
TWB Episode - Veteran (twb_veteran)	string	yes	1: Identifies as a veteran  Does not identify as a veteran  Not stated/ 9: Inadequately described
TWB Episode - Sexual Orientation (twb_sexual_orientation)	string	yes	1: Straight or heterosexual  Lesbian, gay or homosexual  3: Bisexual or pansexual  4: Asexual  5: Questioning  6: Other  9: Not stated
TWB Episode - Transgender Status (twb_transgender_status)	string	yes	1: Yes  2: No  Does not want to disclose  9: Not stated / Unknown

Data Element (Field Name)	Type (min,max)	Required	Format / Values
TWB Episode - Intersex Status (twb_intersex_status)	string	yes	1: Yes 2: No Does not want to disclose 9: Not stated / Unknown
TWB Episode - Eligibility Type (twb_eligibility_type)	string	yes	1: Primary Criteria  2: Secondary Criteria  98: Other  Not stated/ Inadequately described
TWB Episode - External Evaluator Contact Consent (twb_external_evaluator_contact_consent)	string	yes	Consented to be contacted by external evaluators  Not consented to be contacted by external evaluators  2: be contacted by external evaluators  Not stated/ 9: Inadequately described
TWB Episode - Primary Nominated Professional (twb_primary_nominated_professional)	string	yes	Aboriginal and Torres Strait Islander Health Practice  2: Medical  3: Nursing and Midwifery  4: Occupational Therapy  5: Psychology  Mental Health Social Worker  98: Other  99: No one nominated
TWB Episode - Primary Nominated Professional Consent Date (twb_primary_nominated_professional_consent_date)	date	yes	The date that the client consented to having their Primary Nominated Professional contacted.
TWB Episode - Primary Nominated Professional Contact Entry Date (twb_primary_nominated_professional_contact_entry_date)	date	yes	The date that the client's Primary Nominated Professional was contacted after entry.

Data Element (Field Name)	Type (min,max)	Required	Format / Values
TWB Episode - Primary Nominated Professional Contact Exit Date (twb_primary_nominated_professional_contact_exit_date)	date	yes	The date that the client's Primary Nominated Professional was contacted after client's exit.
TWB Episode - Previous suicide attempts (twb_previous_suicide_attempts)	string	yes	1: No  Previous attempt(s)  2: made in the past 12 months  Previous attempt(s)  3: made prior to the last 12 months  Previous attempts made both  4: within and prior to the last 12 months  7: Not known  Not stated/  9: Inadequately described
TWB Episode - Method of suicide attempt (twb_method_of_suicide_attempt)	string	yes	1: Intentional self-poisoning  Intentional self-harm by hanging, strangulation and suffocation  Intentional self-harm by drowning and submersion  Intentional self-harm by sharp object  Intentional self-harm by Firearm  Intentional self-harm by jumping from a high place  98: Other  Not stated/ Inadequately described

# **TWB-Critical Incident**

Critical Incidents are managed by the provider organisations via upload or data entry.

Table 3 Critical Incident record layout

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Organisation Path (organisation_path)	string	yes	A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.
TWB Critical Incident Key (twb_critical_incident_key)	string (2,50)	yes	This is a number or code assigned to each critical incident. The Critical Incident Key is unique and stable for each Critical Incident at the level of the organisation.
Episode Key (episode_key)	string (2,50)	yes	This is a number or code assigned to each PMHC MDS episode. The Episode Key is unique and stable for each episode at the level of the organisation. This key must link to an existing episode within the PMHC MDS.
TWB Critical Incident - Type (twb_critical_incident_type)	string	yes	1: Suicide attempt of an active client  2: Suicide death of an active client  Death by other cause of an active client  Not stated/ Inadequately described
TWB Critical Incident - Date (twb_critical_incident_date)	date	yes	The date the critical incident was reported to the Service Provider.

# TWB-Recommendation Out

Recommendation Outs are managed by the provider organisations via upload or data entry.

Table 4 Recommendation Out record layout

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Organisation Path (organisation_path)	string	yes	A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.
TWB Recommendation Out Key (twb_recommendation_out_key)	string (2,50)	yes	This is a number or code assigned to each recommendation out. The Recommendation Out Key is unique and stable for each recommendation out at the lvel of the organisation.

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Episode Key (episode_key)	string (2,50)	yes	This is a number or code assigned to each PMHC MDS episode. The Episode Key is unique and stable for each episode at the level of the organisation. This key must link to an existing episode within the PMHC MDS.

Data Element (Field Name)	Type (min,max)	Required	F	ormat / Values
			1:	GP/Medical Practitioner
			2:	Hospital
			3:	Psychiatric/ mental health service or facility
			4:	Alcohol and other drug treatment service
			5:	Other community/ health care service
			6:	Correctional service
			7:	Police diversion
			8:	Court diversion
			9:	Legal service
			10:	Child protection agency
			11:	Community support groups/ agencies
			12:	Centrelink or employment service
TWB Recommendation Out - Provider Type (twb_recommendation_out_provider_type)	string	yes	13:	Housing and homelessness service
			14:	Telephone & online services/ referral agency e.g. direct line
			15:	Disability support service
			16:	Aged care facility/service
			17:	Immigration department or asylum seeker/ refugee support service
				18:
			19:	Community based Drug and Alcohol Service
			20:	Youth service (non-AOD)
			21:	Indigenous service (non- AOD)
			22:	Extended care/ rehabilitation facility

Data Element (Field Name)	Type (min,max)	Required	Fo	ormat / Values
			23:	Palliative care service
			24:	Police (not diversion)
			25:	Public dental provider - community dental agency
			26:	Dental Hospital
			27:	Private Dental Provider
			28:	Early childhood service
			29:	Maternal and Child Health Service
			30:	Community nursing service
			31:	Emergency relief
			32:	Family support service (excl family violence)
			33:	Family violence service
			34:	Gambling support service
			35:	Maternity services
			36:	Peer support/ self-help group
			37:	Private allied health provider
			38:	Sexual Assault service
			39:	Financial counsellor
			40:	Sexual health service
			41:	Medical specialist
			97:	No Recommendation
			98:	Other
			99:	Not stated/ Inadequately described

Data Element (Field Name)	Type (min,max)	Required	Fe	ormat / Values
			1:	Client declined to take up recommendation
			2:	Service commenced
			3:	Service completed
TWB Recommendation Out - Status (twb_recommendation_out_status)	string	yes	4:	Waitlisted
			5:	Client deceased prior to service commencement
			98:	Other
			99:	Not stated/ Inadequately described

# **Service Contact**

See Service Contact for definition of a service-contact.

Service Contacts are managed by the provider organisations via upload or data entry.

 $TWB\ adds\ an\ extra\ field\ Service\ Contact\ -\ Funding\ Source\ to\ the\ standard\ PMHC\ Service\ Contact.$ 

Table 5 Service Contact record layout

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Organisation Path (organisation_path)	string	yes	A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.
Service Contact Key (service_contact_key)	string (2,50)	yes	This is a number or code assigned to each service contact. The Service Contact Key is unique and stable for each service contact at the level of the organisation.
Episode Key (episode_key)	string (2,50)	yes	This is a number or code assigned to each episode. The Episode Key is unique and stable for each episode at the level of the organisation.
Practitioner Key (practitioner_key)	string (2,50)	yes	A unique identifier for a practitioner within the provider organisation.
Service Contact - Date (service_contact_date)  METeOR ID 494356	date	yes	The date of each mental health service contact between a health service provider and patient/ client.

Data Element (Field Name)	Type (min,max)	Required	Fo	rmat / Values
			0:	No contact took place
			1:	Assessment
			2:	Structured psychological intervention
			3:	Other psychological intervention
			4:	Clinical care coordination/ liaison
Service Contact - Type (service_contact_type)	string	yes	5:	Clinical nursing services
			6:	Child or youth specific assistance NEC
			7:	Suicide prevention specific assistance NEC
			8:	Cultural specific assistance NEC
			9:	Psychosocial support
Service Contact - Postcode (service_contact_postcode)  METeOR ID 429894	string	yes	where t	stralian postcode he service took place.
				No contact
		yes	0:	took place
			1:	Face to Face
Service Contact - Modality (service_contact_modality)	string		2:	Telephone
			3:	Video
			4:	Internet- based
			1:	Individual client
			2:	Client group
Service Contact - Participants	string	yes	3:	Family / Client Support Network
(service_contact_participants)	string	<i>y</i> C3	4:	Other health professional or service provider
			5:	Other
			9:	Not stated

Data Element (Field Name)	Type (min,max)	Required	For	mat / Values
			1:	Client's Home
			2:	Service provider's office
			3:	GP Practice
			4:	Other medical practice
			5:	Headspace Centre
			6:	Other primary care setting
			7:	Public or private hospital
Service Contact - Venue (service_contact_venue)	string	yes	8:	Residential aged care facility
			9:	School or other educational centre
			10:	Client's Workplace
			11:	Other
			12:	Aged care centre - non- residential
			98:	Not applicable (Service Contact Modality is not face to face)
			99:	Not stated
			0:	No contact took place
			1:	1-15 mins
			2:	16-30 mins
			3:	31-45 mins
Service Contact - Duration (service_contact_duration)	string	yes	4:	46-60 mins
,			5:	61-75 mins
			6:	76-90 mins
			7:	91-105 mins
			8:	106-120 mins
			9:	over 120 mins
Service Contact - Copayment (service_contact_copayment)	number	yes	0 - 9999	999.99

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Service Contact - Client Participation Indicator (service_contact_participation_indicator)  METEOR ID 494341	string	yes	1: Yes 2: No
Service Contact - Interpreter Used (service_contact_interpreter)	string	yes	1: Yes 2: No 9: Not stated
Service Contact - No Show (service_contact_no_show)	string	yes	1: Yes 2: No
			No further services are planned for the client in the current episode
Service Contact - Final (service_contact_final)	string	yes	Further services are planned for the client in the current episode
			3: Not known at this stage
Service Contact - Funding Source (funding_source)	string	yes	0: PHN funded 7: TWB
Service Contact - Tags (service_contact_tags)	string	-	List of tags for the service contact.

# **Collection Occasion**

See Collection Occasion for definition of a collection occasion.

Collection occasions are managed by the provider organisations via upload or data entry.

Table 6 Collection Occasions record layout

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Organisation Path (organisation_path)	string	yes	A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.
Collection Occasion Key (collection_occasion_key)	string (2,50)	yes	This is a number or code assigned to each collection occasion of service activities. The Collection Occasion Key is unique and stable for each collection occasion at the level of the organisation.

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Episode Key (episode_key)	string (2,50)	yes	This is a number or code assigned to each PMHC MDS episode. The Episode Key is unique and stable for each episode at the level of the organisation. This key must link to an existing episode within the PMHC MDS.
Collection Occasion - Date (collection_occasion_date)	date	yes	The date of the collection occasion.
Collection Occasion - Reason (reason_for_collection)	string	yes	<ol> <li>Episode start</li> <li>Review</li> <li>Episode end</li> </ol>
Collection Occasion - Tags (collection_occasion_tags)	string	_	List of tags for the collection occasion.

# TWB Plan

# Table 7 TWB Plan record layout

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Organisation Path (organisation_path)	string	yes	A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.
TWB Plan Key (twb_plan_key)	string (2,50)	yes	This is a number or code assigned to each instance of a TWB Plan. The TWB Plan Key is unique and stable for each instance of a measure at the level of the organisation.
Collection Occasion Key (collection_occasion_key)	string (2,50)	yes	This is a number or code assigned to each collection occasion of service activity. The Collection Occasion Key is unique and stable for each collection occasion at the level of the organisation.
TWB Plan - Plan Type (twb_plan_type)	string	yes	1: Safety 2: Support
TWB Plan - Tags (twb_plan_tags)	string	_	List of tags for the collection occasion.

# Table 8 TWB NI record layout

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Organisation Path (organisation_path)	string	yes	A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.
TWB NI Key (twb_ni_key)	string (2,50)	yes	This is a number or code assigned to each instance of a TWB NI. The TWB NI Key is unique and stable for each instance of a TWB NI at the level of the organisation.
Collection Occasion Key (collection_occasion_key)	string (2,50)	yes	This is a number or code assigned to each collection occasion of service activity. The Collection Occasion Key is unique and stable for each collection occasion at the level of the organisation.

Data Element (Field Name)	Type (min,max)	Required	F	ormat / Values
			1:	Health (Physical)
			2:	Self-esteem
			3:	Mental Health Condition
			4:	Home
			5:	Education/ Employment
			6:	Sexual/Physical/ Emotional Abuse
			7:	Marital/De facto Relationship
			8:	Financial Problems
			9:	Sexual Identity/ Orientation
			10:	Sense of Self
			11:	Loss of Hope
			12:	Drugs/Alcohol
			13:	Family History Mental Health Problems
TAID NII. Ture (fruits pri tsure)			14:	Family History Suicide /Attempt
TWB NI - Type (twb_ni_type)	string	yes	15:	Other knowledge of suicide
			16:	Grief and Loss
			17:	Social support/ sense of belonging
			18:	Coping/problem solving ability
			19:	Cultural identity
			20:	Child rearing or care taking responsibilities
			21:	Help-seeking behaviour
			22:	Religion
			23:	Self Care
			24:	Daily Structure
			98:	Other
			99:	Not stated/ Inadequately described
			Multiple values a	e space separated illowed
TWB NI - Tags (twb_ni_tags)	string	-	List of ta occasion	gs for the collection

#### Table 9 K10+ record layout

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Organisation Path (organisation_path)	string	yes	A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.
Measure Key (measure_key)	string (2,50)	yes	This is a number or code assigned to each instance of a measure. The Measure Key is unique and stable for each instance of a measure at the level of the organisation.
Collection Occasion Key (collection_occasion_key)	string (2,50)	yes	This is a number or code assigned to each collection occasion of service activity. The Collection Occasion Key is unique and stable for each collection occasion at the level of the organisation.
K10+ - Question 1 (k10p_item1)	string	yes	<ol> <li>None of the time</li> <li>A little of the time</li> <li>Some of the time</li> <li>Most of the time</li> <li>All of the time</li> <li>Not stated / Missing</li> </ol>
K10+ - Question 2 (k10p_item2)	string	yes	<ol> <li>None of the time</li> <li>A little of the time</li> <li>Some of the time</li> <li>Most of the time</li> <li>All of the time</li> <li>Not stated / Missing</li> </ol>
K10+ - Question 3 (k10p_item3)	string	yes	<ol> <li>None of the time</li> <li>A little of the time</li> <li>Some of the time</li> <li>Most of the time</li> <li>All of the time</li> <li>Not stated / Missing</li> </ol>

Data Element (Field Name)	Type (min,max)	Required	Format / Values
K10+ - Question 4 (k10p_item4)	string	yes	<ol> <li>None of the time</li> <li>A little of the time</li> <li>Some of the time</li> <li>Most of the time</li> <li>All of the time</li> <li>Not stated / Missing</li> </ol>
K10+ - Question 5 (k10p_item5)	string	yes	1: None of the time 2: A little of the time 3: Some of the time 4: Most of the time 5: All of the time 9: Not stated / Missing
K10+ - Question 6 (k10p_item6)	string	yes	<ol> <li>None of the time</li> <li>A little of the time</li> <li>Some of the time</li> <li>Most of the time</li> <li>All of the time</li> <li>Not stated / Missing</li> </ol>
K10+ - Question 7 (k10p_item7)	string	yes	<ol> <li>None of the time</li> <li>A little of the time</li> <li>Some of the time</li> <li>Most of the time</li> <li>All of the time</li> <li>Not stated / Missing</li> </ol>
K10+ - Question 8 (k10p_item8)	string	yes	<ol> <li>None of the time</li> <li>A little of the time</li> <li>Some of the time</li> <li>Most of the time</li> <li>All of the time</li> <li>Not stated / Missing</li> </ol>

Data Element (Field Name)	Type (min,max)	Required	Format / Values
			1: None of the time
			2: A little of the time
K10+ - Question 9			3: Some of the time
(k10p_item9)	string	yes	4: Most of the time
			5: All of the time
			9: Not stated / Missing
			1: None of the time
			2: A little of the time
K10+ - Question 10			3: Some of the time
(k10p_item10)	string	yes	4: Most of the time
			5: All of the time
			9: Not stated / Missing
K10+ - Question 11 (k10p_item11)	integer	yes	0 - 28, 99 = Not stated / Missing
K10+ - Question 12 (k10p_item12)	integer	yes	0 - 28, 99 = Not stated / Missing
K10+ - Question 13 (k10p_item13)	integer	yes	0 - 89, 99 = Not stated / Missing
			1: None of the time
			2: A little of the time
K10 L. Overtier 14			3: Some of the time
K10+ - Question 14 (k10p_item14)	string	yes	4: Most of the time
			5: All of the time
			9: Not stated / Missing
K10+ - Score (k10p_score)	integer	yes	10 - 50, 99 = Not stated / Missing
K10+ - Tags (k10p_tags)	string	_	List of tags for the collection occasion.

# K5 Measure

For TWB only episodes the K5 is not required.

Where a client is being delivered TWB services and accessing another support service within the same Service Provider and K5 may be collected.

Please note: The format for reporting the K5 with TWB data is different than for standard PMHC MDS as explained at Files or worksheets to upload.

# Table 10 K5 record layout

Data Element (Field Name)	Type (min,max)	Required	Format / Values	
Organisation Path (organisation_path)	string	yes	A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.	
Measure Key (measure_key)	string (2,50)	yes	This is a number or code assigned to each instance of a measure. The Measure Key is unique and stable for each instance of a measure at the level of the organisation.	
Collection Occasion Key (collection_occasion_key)	string (2,50)	yes	This is a number or code assigned to each collection occasion of service activity. The Collection Occasion Key is unique and stable for each collection occasion at the level of the organisation.	
K5 - Question 1 (k5_item1)	string	yes	<ol> <li>None of the time</li> <li>A little of the time</li> <li>Some of the time</li> <li>Most of the time</li> <li>All of the time</li> <li>Not stated / Missing</li> </ol>	
K5 - Question 2 (k5_item2)	string	yes	<ol> <li>None of the time</li> <li>A little of the time</li> <li>Some of the time</li> <li>Most of the time</li> <li>All of the time</li> <li>Not stated / Missing</li> </ol>	
K5 - Question 3 (k5_item3)	string	yes	<ol> <li>None of the time</li> <li>A little of the time</li> <li>Some of the time</li> <li>Most of the time</li> <li>All of the time</li> <li>Not stated / Missing</li> </ol>	

Data Element (Field Name)	Type (min,max)	Required	Format / Values	
K5 - Question 4 (k5_item4)	string	yes	<ol> <li>None of the time</li> <li>A little of the time</li> <li>Some of the time</li> <li>Most of the time</li> <li>All of the time</li> <li>Not stated / Missing</li> </ol>	
K5 - Question 5 (k5_item5)	string	yes	<ol> <li>None of the time</li> <li>A little of the time</li> <li>Some of the time</li> <li>Most of the time</li> <li>All of the time</li> <li>Not stated / Missing</li> </ol>	
K5 - Score (k5_score)	integer	yes	5 - 25, 99 = Not stated / Missing	
K5 - Tags (k5_tags)	string	_	List of tags for the collection occasion.	

# **SDQ** Measure

For TWB only episodes the SDQ is not required.

Where a client is being delivered TWB services and accessing another support service within the same Service Provider and SDQ may be collected.

**Please note:** The format for reporting the SDQ with TWB data is different than for standard PMHC MDS as explained at Files or worksheets to upload.

Table 11 SDQ record layout

Data Element (Field Name)	Type (min,max)	Required Format / Values		
Organisation Path (organisation_path)	string	yes	A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.	
Measure Key (measure_key)	string (2,50)	yes	This is a number or code assigned to each instance of a measure. The Measure Key is unique and stable for each instance of a measure at the level of the organisation.	

Data Element (Field Name)	Type (min,max)	Required	Format / Values	
Collection Occasion Key (collection_occasion_key)	string (2,50)	yes	This is a number or code assigned to each collection occasion of service activity. The Collection Occasion Key is unique and stable for each collection occasion at the level of the organisation.	
		yes	PC101: Y	arent Report Measure 4-10 rs, Baseline ersion, ustralian Version 1
			PC201: Y	arent Report Measure 4-10 rs, Follow Ip version, ustralian ersion 1
	string		PY101: B	arent Report fleasure 1-17 yrs, aseline ersion, ustralian fersion 1
SDQ Collection Occasion - Version (sdq_version)			PY201: F V A	arent Report Measure 1-17 yrs, ollow Up ersion, ustralian ersion 1
			YR101: B	elf report dersion, 1-17 years, aseline ersion, ustralian ersion 1
			V 1 YR201: F V	elf report dersion, 1-17 years, ollow Up ersion, ustralian dersion 1
SDQ - Question 1 (sdq_item1)	string	yes	0: Not Tru  1: Somew	ue vhat True
			2: Certair	lly True
			Unable 7: (insuffi inform	
			9: Not sta Missin	

Data Element (Field Name)	Type (min,max)	Required	Format / Values	
			0: Not True	
			1: Somewhat True	
			2: Certainly True	
SDQ - Question 2 (sdq_item2)	string	yes	Unable to rate 7: (insufficient information)	
			9: Not stated / Missing	
			0: Not True	
			1: Somewhat True	
SDO Overtion 2 (admitters 2)	akui a a		2: Certainly True	
SDQ - Question 3 (sdq_item3)	string	yes	Unable to rate 7: (insufficient information)	
			9: Not stated / Missing	
			0: Not True	
			1: Somewhat True	
	string	yes	2: Certainly True	
SDQ - Question 4 (sdq_item4)			Unable to rate 7: (insufficient information)	
			9: Not stated / Missing	
			0: Not True	
			1: Somewhat True	
			2: Certainly True	
SDQ - Question 5 (sdq_item5)	string	yes	Unable to rate 7: (insufficient information)	
			9: Not stated / Missing	
			0: Not True	
SDQ - Question 6 (sdq_item6)			1: Somewhat True	
	string		2: Certainly True	
		yes	Unable to rate 7: (insufficient information)	
			9: Not stated / Missing	

Data Element (Field Name)	Type (min,max)	Required	Format / Values	
SDQ - Question 7 (sdq_item7)	string	yes	1: Somewhat True 2: Certainly True Unable to rate (insufficient information)  9: Not stated / Missing	
SDQ - Question 8 (sdq_item8)	string	yes	0: Not True 1: Somewhat True 2: Certainly True Unable to rate (insufficient information) 9: Not stated / Missing	
SDQ - Question 9 (sdq_item9)	string	yes	1: Somewhat True 2: Certainly True Unable to rate 7: (insufficient information) 9: Not stated / Missing	
SDQ - Question 10 (sdq_item10)	string	yes	0: Not True 1: Somewhat True 2: Certainly True Unable to rate (insufficient information) 9: Not stated / Missing	
SDQ - Question 11 (sdq_item11)	string	yes	1: Somewhat True 2: Certainly True Unable to rate (insufficient information)  9: Not stated / Missing	

Data Element (Field Name)	Type (min,max)	Required	Format / Values	
			0: Not True	
			1: Somewhat True	
SDQ - Question 12	string	Vec	2: Certainly True	
(sdq_item12)	string	yes	Unable to rate 7: (insufficient information)	
			9: Not stated / Missing	
			0: Not True	
			1: Somewhat True	
SDQ - Question 13	- Lilin -		2: Certainly True	
(sdq_item13)	string	yes	Unable to rate 7: (insufficient information)	
			9: Not stated / Missing	
			0: Not True	
			1: Somewhat True	
SDQ - Question 14			2: Certainly True	
(sdq_item14)	string	yes	Unable to rate 7: (insufficient information)	
			9: Not stated / Missing	
		yes	0: Not True	
			1: Somewhat True	
SDO Overhan 15			2: Certainly True	
SDQ - Question 15 (sdq_item15)	string		Unable to rate 7: (insufficient information)	
			9: Not stated / Missing	
			0: Not True	
SDQ - Question 16 (sdq_item16)	string	yes	1: Somewhat True	
			2: Certainly True	
			Unable to rate 7: (insufficient information)	
			9: Not stated / Missing	

Data Element (Field Name)	Type (min,max)	Required	Format / Values
SDQ - Question 17 (sdq_item17)	string	yes	1: Somewhat True 2: Certainly True Unable to rate (insufficient information)  9: Not stated / Missing
SDQ - Question 18 (sdq_item18)	string	yes	0: Not True 1: Somewhat True 2: Certainly True Unable to rate (insufficient information) 9: Not stated / Missing
SDQ - Question 19 (sdq_item19)	string	yes	1: Somewhat True 2: Certainly True Unable to rate 7: (insufficient information) 9: Not stated / Missing
SDQ - Question 20 (sdq_item20)	string	yes	0: Not True 1: Somewhat True 2: Certainly True Unable to rate (insufficient information) 9: Not stated / Missing
SDQ - Question 21 (sdq_item21)	string	yes	1: Somewhat True 2: Certainly True Unable to rate 7: (insufficient information) 9: Not stated / Missing

Data Element (Field Name)	Type (min,max)	Required	Format / Values	
				Not True
				Somewhat True  Certainly True
SDQ - Question 22 (sdq_item22)	string	yes	7:	Unable to rate (insufficient information)
			9:	Not stated / Missing
			0:	Not True
			1:	Somewhat True
SDQ - Question 23	string	Ves	2:	Certainly True
(sdq_item23)	string	yes	7:	Unable to rate (insufficient information)
				Not stated / Missing
			0:	Not True
			1:	Somewhat True
SDO Overtica 24			2:	Certainly True
SDQ - Question 24 (sdq_item24)	string	yes	7:	Unable to rate (insufficient information)
				Not stated / Missing
		yes	0:	Not True
	string		1:	Somewhat True
			2:	Certainly True
SDQ - Question 25 (sdq_item25)			7:	Unable to rate (insufficient information)
				Not stated / Missing
			0:	No
SDQ - Question 26 (sdq_item26)	string	yes	1:	Yes - minor difficulties
				Yes - definite difficulties
				Yes - severe difficulties
			7:	Unable to rate (insufficient information)
				Not stated / Missing

Data Element (Field Name)	Type (min,max)	Required	Format / Values
SDQ - Question 27 (sdq_item27)	string	yes	0: Less than a month  1: 1-5 months  2: 6-12 months  3: Over a year  Unable to rate  7: (insufficient information)  Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)  9: Not stated / Missing
SDQ - Question 28 (sdq_item28)	string	yes	0: Not at all  1: A little  2: A medium amount  3: A great deal  Unable to rate (insufficient information)  Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)  9: Not stated / Missing
SDQ - Question 29 (sdq_item29)	string	yes	O: Not at all  1: A little  2: A medium amount  3: A great deal  Unable to rate  7: (insufficient information)  Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)  9: Not stated / Missing

Data Element (Field Name)	Type (min,max)	Required	1	Format / Values
			0:	Not at all
			1:	A little
			2:	A medium amount
			3:	A great deal
SDQ - Question 30 (sdq_item30)	string	yes	7:	Unable to rate (insufficient information)
(604_1601166)			8:	Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)
			9:	Not stated / Missing
			0:	Not at all
	string		1:	A little
			2:	A medium amount
		yes	3:	A great deal
SDQ - Question 31 (sdq_item31)			7:	Unable to rate (insufficient information)
(Sud_itellio1)			8:	Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)
			9:	Not stated / Missing
			0:	Not at all
			1:	A little
			2:	A medium amount
			3:	A great deal
SDQ - Question 32 (sdq_item32)	string	yes	7:	Unable to rate (insufficient information)
			8:	Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)
			9:	Not stated / Missing

Data Element (Field Name)	Type (min,max)	Required	Format / Values
SDQ - Question 33 (sdq_item33)	string	yes	1: A little 2: A medium amount 3: A great deal Unable to rate 7: (insufficient information)  Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)  9: Not stated / Missing
SDQ - Question 34 (sdq_item34)	string	yes	0: Much worse  1: A bit worse  2: About the same  3: A bit better  4: Much better  7: Unable to rate (insufficient information)  Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)  9: Not stated / Missing
SDQ - Question 35 (sdq_item35)	string	yes	0: Not at all  1: A little  2: A medium amount  3: A great deal  Unable to rate (insufficient information)  Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)  9: Not stated / Missing

Data Element (Field Name)	Type (min,max)	Required	F	Format / Values
			0:	No
			1:	A little
			2:	A lot
SDQ - Question 36			7:	Unable to rate (insufficient information)
(sdq_item36)	string	yes	8:	Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)
			9:	Not stated / Missing
			0:	No
	string		1:	A little
			2:	A lot
SDO - Question 37		yes	7:	Unable to rate (insufficient information)
SDQ - Question 37 (sdq_item37)			8:	Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)
			9:	Not stated / Missing
			0:	No
			1:	A little
			2:	A lot
SDQ - Question 38 (sdq_item38)	string	yes	7:	Unable to rate (insufficient information)
			8:	Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)
			9:	Not stated / Missing

Data Element (Field Name)	Type (min,max)	Required	Format / Values
SDQ - Question 39 (sdq_item39)	string	yes	0: No  1: A little  2: A lot  Unable to rate (insufficient information)  Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)  9: Not stated / Missing
SDQ - Question 40 (sdq_item40)	string	yes	0: No 1: A little 2: A lot Unable to rate (insufficient information)  Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)  9: Not stated / Missing
SDQ - Question 41 (sdq_item41)	string	yes	0: No  1: A little  2: A lot  Unable to rate  7: (insufficient information)  Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)  9: Not stated / Missing

Data Element (Field Name)	Type (min,max)	Required	Format / Values	
			0: No 1: A little	
			2: A lot	
SDQ - Question 42			Unable to rate 7: (insufficient information)	
(sdq_item42)	string	yes	Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)	
			9: Not stated / Missing	
SDQ - Emotional Symptoms Scale (sdq_emotional_symptoms)	integer	yes	0 - 10, 99 = Not stated / Missing	
SDQ - Conduct Problem Scale (sdq_conduct_problem)	integer	yes	0 - 10, 99 = Not stated / Missing	
SDQ - Hyperactivity Scale (sdq_hyperactivity)	integer	yes	0 - 10, 99 = Not stated / Missing	
SDQ - Peer Problem Scale (sdq_peer_problem)	integer	yes	0 - 10, 99 = Not stated / Missing	
SDQ - Prosocial Scale (sdq_prosocial)	integer	yes	0 - 10, 99 = Not stated / Missing	
SDQ - Total Difficulties Score (sdq_total)	integer	yes	0 - 40, 99 = Not stated / Missing	
SDQ - Impact Score (sdq_impact)	integer	yes	0 - 10, 99 = Not stated / Missing	
SDQ - Tags (sdq_tags)	string	_	List of tags for the collection occasion.	

## WHO-5 Measure

# Table 12 WHO-5 record layout

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Organisation Path (organisation_path)	string	yes	A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.
Measure Key (measure_key)	string (2,50)	yes	This is a number or code assigned to each instance of a measure. The Measure Key is unique and stable for each instance of a measure at the level of the organisation.

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Collection Occasion Key (collection_occasion_key)	string (2,50)	yes	This is a number or code assigned to each collection occasion of service activity. The Collection Occasion Key is unique and stable for each collection occasion at the level of the organisation.
			0: At no time
			1: Some of the time
			2: Less than half of the time
WHO-5 - Question 1 (who5_item1)	string	yes	3: More than half of the time
			4: Most of the time
			5: All of the time
			9: Not stated / Missing
	string	yes	0: At no time
			1: Some of the time
			2: Less than half of the time
WHO-5 - Question 2 (who5_item2)			3: More than half of the time
			4: Most of the time
			5: All of the time
			9: Not stated / Missing
			0: At no time
			1: Some of the time
			2: Less than half of the time
WHO-5 - Question 3 (who5_item3)	string	yes	3: More than half of the time
			4: Most of the time
			5: All of the time
			9: Not stated / Missing

Data Element (Field Name)	Type (min,max)	Required	Format / Values
			0: At no time
			1: Some of the time
			2: Less than half of the time
WHO-5 - Question 4 (who5_item4)	string	yes	3: More than half of the time
			4: Most of the time
			5: All of the time
			9: Not stated / Missing
	string	yes	0: At no time
			1: Some of the time
			2: Less than half of the time
WHO-5 - Question 5 (who5_item5)			3: More than half of the time
			4: Most of the time
			5: All of the time
			9: Not stated / Missing
WHO-5 - Tags (who5_tags)	string	_	List of tags for the collection occasion.

## **SIDAS Measure**

Table 13 SIDAS record layout

Data Element (Field Name)	Type (min,max)	Required	Format / Values
Organisation Path (organisation_path)	string	yes	A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.
Measure Key (measure_key)	string (2,50)	yes	This is a number or code assigned to each instance of a measure. The Measure Key is unique and stable for each instance of a measure at the level of the organisation.
Collection Occasion Key (collection_occasion_key)	string (2,50)	yes	This is a number or code assigned to each collection occasion of service activity. The Collection Occasion Key is unique and stable for each collection occasion at the level of the organisation.
SIDAS - Question 1 (sidas_item1)	integer	yes	0 - 10, 99 = Not stated / Missing
SIDAS - Question 2 (sidas_item2)	integer	yes	0 - 10, 99 = Not stated / Missing

Data Element (Field Name)	Type (min,max)	Required	Format / Values
SIDAS - Question 3 (sidas_item3)	integer	yes	0 - 10, 99 = Not stated / Missing
SIDAS - Question 4 (sidas_item4)	integer	yes	0 - 10, 99 = Not stated / Missing
SIDAS - Question 5 (sidas_item5)	integer	yes	0 - 10, 99 = Not stated / Missing
SIDAS - Tags (sidas_tags)	string	-	List of tags for the collection occasion.

## **TWB Definitions**

### **Definitions**

### **Collection Occasion - Date**

The date of the collection occasion.

Field name: collection\_occasion\_date

Data type: date

Required: yes

For Date fields, data must be recorded in compliance with the standard format used across the National Health Data Dictionary; specifically, dates must be of fixed 8 column width in the format DDMMYYYY, with leading zeros used when

necessary to pad out a value. For instance, 13th March 2008 would appear as 13032008.

Notes: If the date the activity was performed is unknown, 09099999 should be used.

- The collection date must not be before 1st January 2016.
- The collection date must not be in the future.

### **Collection Occasion - Reason**

The reason for the collection of the service activities on the identified Collection Occasion.

Field name: reason\_for\_collection

Data type: string

Required: yes

Domain:

1: Episode start

2: Review

3: Episode end

At a minimum, collection of outcome measures and plans are required at the Episode Start, Review and End.

TWB will allow the following data records to be collected at a collection occasion:

- Safety Plan
- Support Plan
- Needs Identification
- Outcome Measures (K10, WHO-5, SIDAS)

#### 1 - Episode start

Refers to a service activity undertaken at the beginning of an Episode of Care. For the purposes of the PMHC MDS protocol, episodes may start at the point of first Service Contact with a new client who has not been seen previously by the organisation, or a first contact for a new Episode of Care for a client who has received services from the organisation in a previous Episode of Care that has been completed.

#### 2 - Review

Refers to a service activity undertaken during the course of an Episode of Care that post-dates Episode Start and predates Episode End. A service activity may be undertaken at Review for a number of reasons including:

- in response to critical clinical events or changes in the client's mental health status;
- following a client-requested review; or
- other situations where a review may be indicated.

#### 3 - Episode end

Refers to the service activities collected at the end of an Episode of Care.

### **Collection Occasion - Tags**

List of tags for the collection occasion.

Field name: collection\_occasion\_tags

Data type: string

Required: no

Notes:

A comma separated list of tags.

Organisations can use this field to tag records in order to partition them as per local requirements.

Tags can contain lower case letters (or will get lowercased), numbers, dashes, spaces, and ! Leading and trailing spaces will be stripped. e.g. priority!, nurse required, pending-outcome-1 would all be legitimate.

Tags beginning with an exclamation mark (!) are reserved for future use by the Department. e.g. !reserved, ! reserved, !department-use-only .

### **Collection Occasion Key**

This is a number or code assigned to each collection occasion of service activities. The Collection Occasion Key is unique and stable for each collection occasion at the level of the organisation.

Notes:

Field name: collection\_occasion\_key

Data type: string (2,50)

Required: yes

**Notes:** Collection occasion keys are case sensitive and must be valid unicode characters.

## **Episode Key**

This is a number or code assigned to each PMHC MDS episode. The Episode Key is unique and stable for each episode at the level of the organisation. This key must link to an existing episode within the PMHC MDS.

Field name: episode\_key

Data type: string (2,50)

Required: yes

Episode Keys must be generated by the organisation to be unique at the provider organisation level and must persist across

time. Creation of episode keys in this way allows clients to be merged (where duplicate Client Keys have been identified)

Notes: without having to re-allocate episode identifiers since they can never clash.

A recommended approach for the creation of Episode Keys is to compute random UUIDs.

## Key

A metadata key name.

Field name: key

Data type: string

Required: yes

#### K5 - Question 1

In the last 4 weeks, about how often did you feel nervous?

Field name: k5\_item1

Data type: string

Required: yes

1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

### K5 - Question 2

In the last 4 weeks, about how often did you feel without hope?

Field name: k5\_item2

Data type: string

Required: yes

1: None of the time

2: A little of the time

**3:** Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

### K5 - Question 3

In the last 4 weeks, about how often did you feel restless or jumpy?

Field name: k5\_item3

Data type: string

Required: yes

**1:** None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

### K5 - Question 4

In the last 4 weeks, about how often did you feel everything was an effort?

Field name: k5\_item4

Data type: string

Required: yes

1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

### K5 - Question 5

In the last 4 weeks, about how often did you feel so sad that nothing could cheer you up?

Field name: k5\_item5

Data type: string

Required: yes

1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

# K5 - Score

The overall K5 score.

Field name: k5\_score

Data type: integer

Required: yes

**Domain:** 5 - 25, 99 = Not stated / Missing

The K5 Total score is based on the sum of K5 item 1 through 5 (range: 5-25).

The Total score is computed as the sum of the item scores. If any item has not been completed (that is, has not been coded 1, 2, 3, 4, 5), it is excluded from the calculation and not counted as a valid item. If any item is missing, the Total Score is set as missing.

Notes:

For the Total score, the missing value used should be 99.

When reporting individual item scores use '99 - Not stated / Missing'

### K5 - Tags

List of tags for the collection occasion.

Field name: k5\_tags

Data type: string

Required: no

A comma separated list of tags.

Organisations can use this field to tag records in order to partition them as per local requirements.

Notes:

Tags can contain lower case letters (or will get lowercased), numbers, dashes, spaces, and ! Leading and trailing spaces will be stripped. e.g. priority!, nurse required, pending-outcome-1 would all be legitimate.

Tags beginning with an exclamation mark (!) are reserved for future use by the Department. e.g.

!reserved, ! reserved, !department-use-only .

### K10+ - Question 1

In the past 4 weeks, about how often did you feel tired out for no good reason?

Field name: k10p\_item1

Data type: string

Required: yes

1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

#### K10+ - Question 2

In the past 4 weeks, about how often did you feel nervous?

Field name: k10p\_item2

Data type: string

Required: yes

1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

## K10+ - Question 3

In the past 4 weeks, about how often did you feel so nervous that nothing could calm you down?

Field name: k10p\_item3

Data type: string

Required: yes

1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

## K10+ - Question 4

In the past 4 weeks, how often did you feel hopeless?

Field name: k10p\_item4

Data type: string

- 1: None of the time
- 2: A little of the time
- 3: Some of the time

Domain: 4: Most of the time

- 5: All of the time
- 9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

## K10+ - Question 5

In the past 4 weeks, how often did you feel restless or fidgety?

Field name: k10p\_item5

Data type: string

Required: yes

1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

# K10+ - Question 6

In the past 4 weeks, how often did you feel so restless you could not sit still?

Field name: k10p\_item6

Data type: string

Required: yes

1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

### K10+ - Question 7

In the past 4 weeks, how often did you feel depressed?

Field name: k10p\_item7

Data type: string

Required: yes

1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

### K10+ - Question 8

In the past 4 weeks, how often did you feel that everything was an effort?

Field name: k10p\_item8

Data type: string

Required: yes

1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

### K10+ - Question 9

In the past 4 weeks, how often did you feel so sad that nothing could cheer you up?

Field name: k10p\_item9

Data type: string

Required: yes

1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

### K10+ - Question 10

In the past 4 weeks, how often did you feel worthless?

Field name: k10p\_item10

Data type: string

Required: yes

1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

#### K10+ - Question 11

In the past four weeks, how many days were you totally unable to work, study or manage your day to day activities because of these feelings?

Field name: k10p\_item11

Data type: integer

Required: yes

**Domain:** 0 - 28, 99 = Not stated / Missing

Notes: When the client's responses to Q1-10 are all recorded as 1 'None of the time', they are not required to answer questions

11-14. Where this question has not been answered a response of '99 - Not stated / Missing' should be selected.

### K10+ - Question 12

Aside from those days, in the past four weeks, how many days were you able to work or study or manage your day to day activities, but had to cut down on what you did because of these feelings?

Field name: k10p\_item12

Data type: integer

Required: yes

Domain: 0 - 28, 99 = Not stated / Missing

When the client's responses to Q1-10 are all recorded as 1 'None of the time', they are not required to answer questions Notes:

11-14. Where this question has not been answered a response of '99 - Not stated / Missing' should be selected.

#### K10+ - Question 13

In the past four weeks, how many times have you seen a doctor or any other health professional about these feelings?

Field name: k10p\_item13

Data type: integer

Required: yes

0 - 89, 99 = Not stated / Missing Domain:

When the client's responses to Q1-10 are all recorded as 1 'None of the time', they are not required to answer questions Notes:

11-14. Where this question has not been answered a response of '99 - Not stated / Missing' should be selected.

## K10+ - Question 14

In the past four weeks, how often have physical health problems been the main cause of these feelings?

Field name: k10p\_item14

Data type: string Required: yes

> 1: None of the time

2: A little of the time

3: Some of the time

Domain: 4: Most of the time

> 5: All of the time

9: Not stated / Missing

When the client's responses to Q1-10 are all recorded as 1 'None of the time', they are not required to answer questions Notes:

11-14. Where this question has not been answered a response of '99 - Not stated / Missing' should be selected.

#### K10+ - Score

The overall K10 score.

Field name: k10p\_score

Data type: integer

Required: yes

**Domain:** 10 - 50, 99 = Not stated / Missing

The K10 Total score is based on the sum of K10 item 01 through 10 (range: 10-50). Items 11 through 14 are excluded from the total because they are separate measures of disability associated with the problems referred to in the preceding ten

items.

The Total score is computed as the sum of the scores for items 1 to 10. If any item has not been completed (that is, has not been coded 1, 2, 3, 4, 5), it is excluded from the total with the proviso that a competed K10 with more than one missing item

Notes: is regarded as invalid.

If more than one item of items 1 to 10 are missing, the Total Score is set as missing. Where this is the case, the missing value

used should be 99.

When reporting individual item scores use '99 - Not stated / Missing'.

## K10+ - Tags

List of tags for the collection occasion.

Field name: k10p\_tags

Data type: string

Required: no

A comma separated list of tags.

Organisations can use this field to tag records in order to partition them as per local requirements.

Notes: Tags can contain lower case letters (or will get lowercased), numbers, dashes, spaces, and !. Leading and trailing spaces will

be stripped. e.g. priority!, nurse required, pending-outcome-1 would all be legitimate.

Tags beginning with an exclamation mark (!) are reserved for future use by the Department. e.g.

!reserved, ! reserved, !department-use-only .

# **Measure Key**

This is a number or code assigned to each instance of a measure. The Measure Key is unique and stable for each instance of a measure at the level of the organisation.

Field name: measure\_key

Data type: string (2,50)

Required: yes

**Notes:** Measure keys are case sensitive and must be valid unicode characters.

## **Organisation Path**

A sequence of colon separated Organisation Keys that fully specifies the Provider Organisation providing a service to the client.

Field name: organisation\_path

Data type: string

Required: yes

A combination of the Primary Health Network's (PHN's) Organisation Key and the Provider Organisation's Organisation Key

separated by a colon.

Here is an example organisation structure showing the Organisation Path for each organisation:

Notes:

Organisation Key	Organisation Name	Organisation Type	Commissioning Organisation	Organisation Path
PHN999	Test PHN	Primary Health Network	None	PHN999
PO101	Test Provider Organisation	Private Allied Health Professional Practice	PHN999	PHN999:PO101

# **Practitioner Key**

A unique identifier for a practitioner within the provider organisation.

Field name: practitioner\_key

Data type: string (2,50)

Required: yes

### **SDQ Collection Occasion - Version**

The version of the SDQ collected.

Field name: sdq\_version

Data type: string

Required: yes

Notes:

PC101: Parent Report Measure 4-10 yrs, Baseline version, Australian Version 1

PC201: Parent Report Measure 4-10 yrs, Follow Up version, Australian Version 1

PY101: Parent Report Measure 11-17 yrs, Baseline version, Australian Version 1

Domain: PY201: Parent Report Measure 11-17 yrs, Follow Up version, Australian Version 1

> YR101: Self report Version, 11-17 years, Baseline version, Australian Version 1

YR201: Self report Version, 11-17 years, Follow Up version, Australian Version 1

Domain values align with those collected in the NOCC dataset as defined at https://webval.validator.com.au/spec/NOCC/

current/SDQ/SDQVer

### **SDQ - Conduct Problem Scale**

Field name: sdq\_conduct\_problem

Data type: integer

Required: yes

**Domain:** 0 - 10, 99 = Not stated / Missing

See SDQ items and Scale Summary scores for instructions on scoring the Conduct Problem Scale.

Notes:

When reporting individual item scores use '99 - Not stated / Missing'.

## SDQ - Emotional Symptoms Scale

Field name: sdq\_emotional\_symptoms

Data type: integer

Required: yes

**Domain:** 0 - 10, 99 = Not stated / Missing

See SDQ items and Scale Summary scores for instructions on scoring the Emotional Symptoms Scale.

Notes:

When reporting individual item scores use '99 - Not stated / Missing'.

## **SDQ - Hyperactivity Scale**

Field name: sdq\_hyperactivity

Data type: integer

Required: yes

**Domain:** 0 - 10, 99 = Not stated / Missing

See SDQ items and Scale Summary scores for instructions on scoring the Hyperactivity Scale.

Notes:

When reporting individual item scores use '99 - Not stated / Missing'.

## **SDQ - Impact Score**

Field name: sdq\_impact

Data type: integer

Required: yes

**Domain:** 0 - 10, 99 = Not stated / Missing

See SDQ items and Scale Summary scores for instructions on scoring the Impact Score.

Notes:

When reporting individual item scores use '99 - Not stated / Missing'.

## SDQ - Peer Problem Scale

Field name: sdq\_peer\_problem

Data type: integer

Required: yes

**Domain:** 0 - 10, 99 = Not stated / Missing

See SDQ items and Scale Summary scores for instructions on scoring the Peer Problem Scale.

Notes:

When reporting individual item scores use '99 - Not stated / Missing'.

#### SDQ - Prosocial Scale

Field name: sdq\_prosocial

Data type: integer

Required: yes

**Domain:** 0 - 10, 99 = Not stated / Missing

See SDQ items and Scale Summary scores for instructions on scoring the Prosocial Scale.

Notes:

When reporting individual item scores use '99 - Not stated / Missing'.

## SDQ - Question 1

Parent Report: Considerate of other people's feelings.

Youth Self Report: I try to be nice to other people. I care about their feelings.

Field name: sdq\_item1

Data type: string

Required: yes

0: Not True

1: Somewhat True

2: Certainly True

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

Domain:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 2

Parent Report: Restless, overactive, cannot stay still for long.

Youth Self Report: I am restless, I cannot stay still for long.

Field name: sdq\_item2

Data type: string

Required:

0: Not True

1: Somewhat True

2: Certainly True Domain:

yes

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

### SDQ - Question 3

Parent Report: Often complains of headaches, stomach-aches or sickness.

Youth Self Report: I get a lot of headaches, stomach-aches or sickness.

Field name: sdq\_item3

Data type: string

Required:

0: Not True

yes

1: Somewhat True

2: Certainly True Domain:

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 4

Parent Report: Shares readily with other children {for example toys, treats, pencils} / young people {for example CDs, games, food}.

Youth Self Report: I usually share with others, for examples CDs, games, food.

Field name: sdq\_item4

Data type: string

Required: yes

0: Not True

1: Somewhat True

Domain:

2: Certainly True

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## **SDQ - Question 5**

Parent Report: Often loses temper.

Youth Self Report: I get very angry and often lose my temper.

Field name: sdq\_item5

Data type: string

Required: yes

0: Not True

1: Somewhat True

Domain:

2: Certainly True

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 6

Parent Report: {Rather solitary, prefers to play alone} / {would rather be alone than with other young people}.

Youth Self Report: I would rather be alone than with people of my age.

Field name: sdq\_item6

Data type: string

- 0: Not True
- 1: Somewhat True

- 2: Certainly True
- 7: Unable to rate (insufficient information)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 7

Parent Report: {Generally well behaved} / {Usually does what adults requests}.

Youth Self Report: I usually do as I am told.

Field name: sdq\_item7

Data type: string

Required: yes

0: Not True

1: Somewhat True

2: Domain:

7: Unable to rate (insufficient information)

9: Not stated / Missing

Certainly True

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Question 8

Parent Report: Many worries or often seems worried.

Youth Self Report: I worry a lot.

Field name: sdq\_item8

Data type: string

- 0: Not True
- 1: Somewhat True

- 2: Certainly True
- 7: Unable to rate (insufficient information)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 9

Parent Report: Helpful if someone is hurt, upset or feeling ill.

Youth Self Report: I am helpful if someone is hurt, upset or feeling ill.

Field name: sdq\_item9

Data type: string

Required: yes

0: Not True

1: Somewhat True

Domain:

2: Certainly True

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Question 10

Parent Report: Constantly fidgeting or squirming.

Youth Self Report: I am constantly fidgeting or squirming.

Field name: sdq\_item10

Data type: string

- 0: Not True
- 1: Somewhat True

- 2: Certainly True
- 7: Unable to rate (insufficient information)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 11

Parent Report: Has at least one good friend.

Youth Self Report: I have one good friend or more.

Field name: sdq\_item11

Data type: string

Required: yes

0: Not True

1: Somewhat True

2: Certainly True Domain:

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Question 12

Parent Report: Often fights with other {children} or bullies them / {young people}.

Youth Self Report: I fight a lot. I can make other people do what I want.

Field name: sdq\_item12

Data type: string

- 0: Not True
- 1: Somewhat True

- 2: Certainly True
- 7: Unable to rate (insufficient information)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 13

Parent Report: Often unhappy, depressed or tearful.

Youth Self Report: I am often unhappy, depressed or tearful.

Field name: sdq\_item13

Data type: string

Required: yes

0: Not True

1: Somewhat True

2: Certainly True Domain:

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Question 14

Parent Report: Generally liked by other {children} / {young people}

Youth Self Report: Other people my age generally like me.

Field name: sdq\_item14

Data type: string

- 0: Not True
- 1: Somewhat True

- 2: Certainly True
- 7: Unable to rate (insufficient information)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 15

Parent Report: Easily distracted, concentration wanders.

Youth Self Report: I am easily distracted, I find it difficult to concentrate.

Field name: sdq\_item15

Data type: string

Required: yes

0: Not True

1: Somewhat True

2: Certainly True Domain:

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 16

Parent Report: Nervous or {clingy} in new situations, easily loses confidence {omit clingy in PY}.

Youth Self Report: I am nervous in new situations. I easily lose confidence.

Field name: sdq\_item16

Data type: string

- 0: Not True
- 1: Somewhat True

- 2: Certainly True
- 7: Unable to rate (insufficient information)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 17

Parent Report: Kind to younger children.

Youth Self Report: I am kind to younger people.

Field name: sdq\_item17

Data type: string

Required: yes

0: Not True

1: Somewhat True

Domain:

2: Certainly True

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Question 18

Parent Report: Often lies or cheats.

Youth Self Report: I am often accused of lying or cheating.

Field name: sdq\_item18

Data type: string

- 0: Not True
- 1: Somewhat True

- 2: Certainly True
- 7: Unable to rate (insufficient information)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 19

Parent Report: Picked on or bullied by {children} / {youth}.

Youth Self Report: Other children or young people pick on me or bully me.

Field name: sdq\_item19

Data type: string

Required: yes

0: Not True

2:

1: Somewhat True

Domain:

7: Unable to rate (insufficient information)

9: Not stated / Missing

Certainly True

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 20

Parent Report: Often volunteers to help others (parents, teachers, {other} children) / Omit 'other' in PY.

Youth Self Report: I often volunteer to help others (parents, teachers, children).

Field name: sdq\_item20

Data type: string

- 0: Not True
- 1: Somewhat True

- 2: Certainly True
- 7: Unable to rate (insufficient information)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 21

Parent Report: Thinks things out before acting.

Youth Self Report: I think before I do things.

Field name: sdq\_item21

Data type: string

Required: yes

0: Not True

1: Somewhat True

2: Certainly True Domain:

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 22

Parent Report: Steals from home, school or elsewhere.

Youth Self Report: I take things that are not mine from home, school or elsewhere.

Field name: sdq\_item22

Data type: string

- 0: Not True
- 1: Somewhat True

- 2: Certainly True
- 7: Unable to rate (insufficient information)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 23

Parent Report: Gets along better with adults than with other {children} / {youth}.

Youth Self Report: I get along better with adults than with people my own age.

Field name: sdq\_item23

Data type: string

Required: yes

0: Not True

1: Somewhat True

2: Certainly True Domain:

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 24

Parent Report: Many fears, easily scared.

Youth Self Report: I have many fears, I am easily scared.

Field name: sdq\_item24

Data type: string

- 0: Not True
- 1: Somewhat True

- 2: Certainly True
- 7: Unable to rate (insufficient information)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 25

Parent Report: Good attention span sees chores or homework through to the end.

Youth Self Report: I finish the work I'm doing. My attention is good.

Field name: sdq\_item25

Data type: string

Required: yes

0: Not True

1: Somewhat True

2: Certainly True Domain:

7: Unable to rate (insufficient information)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

### SDQ - Question 26

Parent Report: Overall, do you think that your child has difficulties in any of the following areas: emotions, concentration, behaviour or being able to get along with other people?

Youth Self Report: Overall, do you think that you have difficulties in any of the following areas: emotions, concentration, behaviour or being able to get along with other people?

Field name: sdq\_item26

Data type: string

- **0**: No
- 1: Yes minor difficulties
- 2: Yes definite difficulties

- 3: Yes severe difficulties
- 7: Unable to rate (insufficient information)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

### SDQ - Question 27

Parent Report: How long have these difficulties been present?

Youth Self Report: How long have these difficulties been present?

Field name: sdq\_item27

Data type: string

Required: yes

0: Less than a month

**1:** 1-5 months

2: 6-12 months

Domain:

3: Over a year

7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

Required Versions: - PC101 - PY101 - YR101

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

## SDQ - Question 28

Parent Report: Do the difficulties upset or distress your child?

Youth Self Report: Do the difficulties upset or distress you?

Field name: sdq\_item28

Data type: string

- 0: Not at all
- 1: A little
- 2: A medium amount

#### Domain:

- 3: A great deal
- 7: Unable to rate (insufficient information)
- 8: Not applicable (collection not required item not included in the version collected, or SDQ Item 26 = 0)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

### SDQ - Question 29

Parent Report: Do the difficulties interfere with your child's everyday life in the following areas? HOME LIFE.

Youth Self Report: Do the difficulties interfere with your everyday life in the following areas? HOME LIFE.

Field name: sdq\_item29

Data type: string

Required: yes

- 0: Not at all
- 1: A little
- 2: A medium amount

Domain:

- 3: A great deal
- 7: Unable to rate (insufficient information)
- 8: Not applicable (collection not required item not included in the version collected, or SDQ Item 26 = 0)
- 9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

### SDQ - Question 30

Parent Report: Do the difficulties interfere with your child's everyday life in the following areas? FRIENDSHIPS.

Youth Self Report: Do the difficulties interfere with your everyday life in the following areas? FRIENDSHIPS.

Field name: sdq\_item30

Data type: string

Required: yes

0: Not at all

1: A little

2: A medium amount

Domain:

3: A great deal

7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Question 31

Parent Report: Do the difficulties interfere with your child's everyday life in the following areas? CLASSROOM LEARNING.

Youth Self Report: Do the difficulties interfere with your everyday life in the following areas? CLASSROOM LEARNING

Field name: sdq\_item31

Data type: string

Required: yes

0: Not at all

1: A little

2: A medium amount

Domain:

3: A great deal

7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Question 32

Parent Report: Do the difficulties interfere with your child's everyday life in the following areas? LEISURE ACTIVITIES.

Youth Self Report: Do the difficulties interfere with your everyday life in the following areas? LEISURE ACTIVITIES.

Field name: sdq\_item32

Data type: string
Required: yes

0: Not at all

1: A little

2: A medium amount

Domain:

3: A great deal

7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Question 33

Parent Report: Do the difficulties put a burden on you or the family as a whole?

Youth Self Report: Do the difficulties make it harder for those around you (family, friends, teachers, etc)?

Field name: sdq\_item33

Data type: string

Required: yes

0: Not at all

1: A little

2: A medium amount

Domain:

3: A great deal

7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

Required Versions: All

Notes:

When reporting subscale and total scores use '9 - Not stated / Missing'.

### SDQ - Question 34

Parent Report: Since coming to the services, are your child's problems:

Youth Self Report: 'Since coming to the service, are your problems:

Field name: sdq\_item34

Data type: string

Required: yes

0: Much worse

1: A bit worse

2: About the same

3: A bit better

Domain: 4: Much better

7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

#### Required Versions:

• PC201

Notes: • PY201

• YR201

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Question 35

Has coming to the service been helpful in other ways eg. providing information or making the problems bearable?

Field name: sdq\_item35

Data type: string

Required: yes

0: Not at all

1: A little

2: A medium amount

Domain:

3: A great deal

7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

# Required Versions:

PC201

Notes: • PY201

• YR201

Over the last 6 months have your child's teachers complained of fidgetiness, restlessness or overactivity?

Field name: sdq\_item36

Data type: string

Required: yes

**0**: No

1: A little

2: A lot

Domain: 7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

Required Versions:

Notes:

- PC101
- PY101

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Question 37

Over the last 6 months have your child's teachers complained of poor concentration or being easily distracted?

Field name: sdq\_item37

Data type: string

Required: yes

**0**: No

1: A little

2: A lot

Domain: 7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

Required Versions:

• PC101 Notes:

• PY101

Over the last 6 months have your child's teachers complained of acting without thinking, frequently butting in, or not waiting for his or her turn?

Field name: sdq\_item38

Data type: string

Required: yes

**0**: No

1: A little

**2:** A lot

**Domain:** 7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

Required Versions:

Notes:

- PC101
- PY101

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Question 39

Does your family complain about you having problems with overactivity or poor concentration?

Field name: sdq\_item39

Data type: string

Required: yes

**0**: No

1: A little

2: A lot

Domain: 7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

Required Versions:

Notes: • YR101

Do your teachers complain about you having problems with overactivity or poor concentration?

Field name: sdq\_item40

Data type: string

Required: yes

**0**: No

1: A little

2: A lot

Domain: 7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

Required Versions:

Notes: • YR101

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Question 41

Does your family complain about you being awkward or troublesome?

Field name: sdq\_item41

Data type: string

Required: yes

**0**: No

1: A little

2: A lot

**Domain:** 7: Unable to rate (insufficient information)

8: Not applicable (collection not required - item not included in the version collected, or SDQ Item 26 = 0)

9: Not stated / Missing

Required Versions:

Notes: • YR101

Do your teachers complain about you being awkward or troublesome?

Field name: sdq\_item42

Data type: string

Required: yes

- **0**: No
- 1: A little
- 2: A lot

Domain: 7: Unable to rate (insufficient information)

- 8: Not applicable (collection not required item not included in the version collected, or SDQ Item 26 = 0)
- 9: Not stated / Missing

Required Versions:

Notes: • YR101

When reporting subscale and total scores use '9 - Not stated / Missing'.

# SDQ - Tags

List of tags for the collection occasion.

Field name: sdq\_tags

Data type: string

Required: no

A comma separated list of tags.

Organisations can use this field to tag records in order to partition them as per local requirements.

Notes:

Tags can contain lower case letters (or will get lowercased), numbers, dashes, spaces, and ! Leading and trailing spaces will

be stripped. e.g. priority!, nurse required, pending-outcome-1 would all be legitimate.

Tags beginning with an exclamation mark (!) are reserved for future use by the Department. e.g.

!reserved, ! reserved, !department-use-only .

# **SDQ - Total Difficulties Score**

Field name: sdq\_total

Data type: integer

Required: yes

**Domain:** 0 - 40, 99 = Not stated / Missing

See SDQ items and Scale Summary scores for instructions on scoring the Total Difficulties Score.

Notes:

When reporting individual item scores use '99 - Not stated / Missing'.

### **Service Contact - Client Participation Indicator**

An indicator of whether the client participated, or intended to participate, in the service contact, as represented by a code.

Field name: service\_contact\_participation\_indicator

Data type: string

Required: yes

1: Yes

Domain: 2: No

Service contacts are not restricted to in-person communication but can include telephone, video link or other forms of direct communication.

1 - Yes

This code is to be used for service contacts between a mental health service provider and the patient/client in whose clinical record the service contact would normally warrant a dated entry, where the patient/client is participating.

Notes:

2 - No

This code is to be used for service contacts between a mental health service provider and a third party(ies) where the patient/client, in whose clinical record the service contact would normally warrant a dated entry, is not participating.

Note: Where a client intended to participate in a service contact but failed to attend, Service Contact - Client Participation Indicator should be recorded as '1: Yes' and Service Contact - No Show should be recorded as '1: Yes'.

Source: METeOR ID 494341

#### **Service Contact - Copayment**

The co-payment is the amount paid by the client per session.

Field name: service\_contact\_copayment

Data type: number

Required: yes

**Domain:** 0 - 999999.99

Up to 6 digits before the decimal point; up to 2 digits after the decimal point.

Notes: The co-payment is the amount paid by the client per service contact, not the fee paid by the project to the practitioner or

the fee paid by the project to the practitioner plus the client contribution. In many cases, there will not be a co-payment charged and therefore zero should be entered. Where a co-payment is charged it should be minimal and based on an

individual's capacity to pay.

#### **Service Contact - Date**

The date of each mental health service contact between a health service provider and patient/client.

Field name: service\_contact\_date

Data type: date

Required: yes

For Date fields, data must be recorded in compliance with the standard format used across the National Health Data Dictionary; specifically, dates must be of fixed 8 column width in the format DDMMYYYY, with leading zeros used when necessary to pad out a value. For instance, 13th March 2008 would appear as 13032008.

Notes:

- The service contact date must not be before 1st January 2014.
- The service contact date must not be in the future.

Source: METeOR ID 494356

#### **Service Contact - Duration**

The time from the start to finish of a service contact.

Field name: service\_contact\_duration

Data type: string

Required: yes

- 0: No contact took place
- 1: 1-15 mins
- 2: 16-30 mins
- 3: 31-45 mins
- **4:** 46-60 mins

**Domain:** 5: 61-75 mins

- **6:** 76-90 mins
- **7:** 91-105 mins
- 8: 106-120 mins
- 9: over 120 mins

For group sessions the time for client spent in the session is recorded for each client, regardless of the number of clients or third parties participating or the number of service providers providing the service. Writing up details of service contacts is not to be reported as part of the duration, except if during or contiguous with the period of client or third party participation. Travel to or from the location at which the service is provided, for example to or from outreach facilities or private homes, is not to be reported as part of the duration of the service contact.

Notes:

### 0 - No contact took place

Only use this code where the service contact is recorded as a no show.

#### **Service Contact - Final**

An indication of whether the Service Contact is the final for the current Episode of Care

Field name: service\_contact\_final

Data type: string

Required: yes

Domain:

Notes:

1: No further services are planned for the client in the current episode

2: Further services are planned for the client in the current episode

3: Not known at this stage

Service providers should report this item on the basis of future planned or scheduled contacts with the client. Where this item is recorded as 1 (No further services planned), the episode should be recorded as completed by:

• the date of the final Service Contact should be recorded as the Episode End Date

• the Episode Completion Status field should be recorded as 'Treatment concluded.

Note that no further Service Contacts can be recorded against an episode once it is marked as completed. Where an episode has been marked as completed prematurely, the Episode End Date can be manually corrected to allow additional activity to be recorded.

# **Service Contact - Funding Source**

The source of funding for a service contact

Field name: funding\_source

Data type: string

Required: yes

0: PHN funded

Domain: 7: TWB

Notes: A client may be receiving care from both The Way Back and another service in the same episode. For all Service Contacts

provided under The Way Back please select "TWB" for all other types of service please select "PHN Funded".

# **Service Contact - Interpreter Used**

Whether an interpreter service was used during the Service Contact

Field name: service\_contact\_interpreter

Data type: string

Required: yes

- 1: Yes
- Domain:
- 2: No
- 9: Not stated

Interpreter services includes verbal language, non-verbal language and languages other than English.

#### 1 - Yes

Use this code where interpreter services were used during the Service Contact. Use of interpreter services for any form of sign language or other forms of non-verbal communication should be coded as Yes.

#### Notes:

2 - No

Use this code where interpreter services were not used during the Service Contact.

#### 9 - Not stated

Indicates that the item was not collected. This item should not appear as an option for clinicians, it is for administrative use only.

# **Service Contact - Modality**

How the service contact was delivered, as represented by a code.

Field name: service\_contact\_modality

Data type: string

Required: yes

- 0: No contact took place
- 1: Face to Face
- 2: Telephone Domain:
  - 3: Video
  - 4: Internet-based

# 0 - No contact took place

Only use this code where the service contact is recorded as a no show.

#### 1 - Face to Face

- If 'Face to Face' is selected, a value other than 'Not applicable' must be selected for Service Contact Venue
- If 'Face to Face' is selected a valid Australian postcode must be entered for Service Contact Postcode. The unknown postcode is not valid.

#### Notes:

#### 4 - Internet-based

Includes email communication, that would normally warrant a dated entry in the clinical record of the client, involving a third party, such as a carer or family member, and/or other professional or mental health worker, or other service provider.

Note: If Service Contact Modality is not 'Face to Face' the postcode must be entered as unknown 9999.

### **Service Contact - No Show**

Where an appointment was made for an intended participant(s), but the intended participant(s) failed to attend the appointment, as represented by a code.

Field name: service\_contact\_no\_show

Data type: string

Required: yes

1: Yes

Domain: 2: No

1 - Yes

The intended participant(s) failed to attend the appointment.

Notes: 2 - No

The intended participant(s) attended the appointment.

# **Service Contact - Participants**

An indication of who participated in the Service Contact.

Field name: service\_contact\_participants

Data type: string

Required: yes

1: Individual client

2: Client group

3: Family / Client Support Network

**Domain:** 4: Other health professional or service provider

5: Other

9: Not stated

#### 1 - Individual

Code applies for Service Contacts delivered individually to a single client without third party participants. Please refer to the Note below.

#### 2 - Client group

Code applies for Service Contacts delivered on a group basis to two or more clients.

#### 3 - Family / Client Support Network

Code applies to Service Contacts delivered to the family/social support persons of the client, with or without the participation of the client.

#### Notes:

### 4 - Other health professional or service provider

Code applies for Service Contacts that involve another health professional or service provider (in addition to the Practitioner), with or without the participation of the client.

#### 5 - Other

Code applies to Service Contacts delivered to other third parties (e.g., teachers, employer), with or without the participation of the client.

Note: This item interacts with Service Contact - Client Participation Indicator. Where Service Contact - Participants has a value of '1: Individual', Service Contact - Client Participation Indicator must have a value of '1: Yes'. Service Contact - No Show is used to record if the patient failed to attend the appointment.

#### Service Contact - Postcode

The Australian postcode where the service contact took place.

Field name: service\_contact\_postcode

Data type: string

Required: yes

A valid Australian postcode or 9999 if the postcode is unknown. The full list of Australian Postcodes can be found at Australia Post.

Notes:

- If Service Contact Modality is not 'Face to Face' enter 9999
- If Service Contact Modality is 'Face to Face' a valid Australian postcode must be entered
- As of 1 November 2016, PMHC MDS currently validates that postcodes are in the range 0200-0299 or 0800-9999.

Source: METeOR ID 429894

# **Service Contact - Tags**

List of tags for the service contact.

Field name: service\_contact\_tags

Data type: string

Required: no

A comma separated list of tags.

Organisations can use this field to tag records in order to partition them as per local requirements.

Notes:

Tags can contain lower case letters (or will get lowercased), numbers, dashes, spaces, and ! Leading and trailing spaces will be stripped. e.g. priority!, nurse required, pending-outcome-1 would all be legitimate.

Tags beginning with an exclamation mark (!) are reserved for future use by the Department. e.g.

!reserved, ! reserved, !department-use-only .

### **Service Contact - Type**

The main type of service provided in the service contact, as represented by the service type that accounted for most provider time.

Field name: service\_contact\_type

yes

Data type: string

0: No contact took place

1: Assessment

2: Structured psychological intervention

3: Other psychological intervention

4: Clinical care coordination/liaison

Domain:

Required:

- 5: Clinical nursing services
- **6:** Child or youth specific assistance NEC
- 7: Suicide prevention specific assistance NEC
- 8: Cultural specific assistance NEC
- 9: Psychosocial support

Describes the main type of service delivered in the contact, selected from a defined list of categories. Service providers are required to report on Service Type for all Service Contacts.

For TWB only service contacts one of the following values must be used:

0 - No contact took place

Notes:

Only use this code where the service contact is recorded as a no show.

9 - Psychosocial Support

Where the client attends, this code must be used for Way Back services.

Where a client is being delivered TWB services and accessing another support service within the same Service Provider the full ranges of responses allowed for standard PMHC MDS service contacts is available.

#### **Service Contact - Venue**

Where the service contact was delivered, as represented by a code.

Field name: service\_contact\_venue

Data type: string

Required: yes

1: Client's Home

2: Service provider's office

3: GP Practice

4: Other medical practice

5: Headspace Centre

**6:** Other primary care setting

7: Public or private hospital

Domain: 8: Residential aged care facility

9: School or other educational centre

10: Client's Workplace

11: Other

12: Aged care centre - non-residential

98: Not applicable (Service Contact Modality is not face to face)

99: Not stated

Values other than 'Not applicable' only to be specified when Service Contact Modality is 'Face to Face'.

Notes:

Note that 'Other primary care setting' is suitable for primary care settings such as community health centres.

# **Service Contact Key**

This is a number or code assigned to each service contact. The Service Contact Key is unique and stable for each service contact at the level of the organisation.

Field name: service\_contact\_key

Data type: string (2,50)

Required: yes

**Notes:** Service contact keys are case sensitive and must be valid unicode characters.

### **SIDAS - Question 1**

In the past month, how often have you had thoughts about suicide?

Field name: sidas\_item1

Data type: integer

Required: yes

**Domain:** 0 - 10, 99 = Not stated / Missing

Notes:

0 = Never, 10 = Always

### **SIDAS - Question 2**

In the past month, how much control have you had over these thoughts?

Field name:

sidas\_item2

Data type:

integer

Required:

yes

Domain:

0 - 10, 99 = Not stated / Missing

Notes:

0 = No control, 10 = Full control

# **SIDAS - Question 3**

In the past month, how close have you come to making an attempt?

Field name:

sidas\_item3

Data type:

integer

Required:

ves

Domain:

0 - 10, 99 = Not stated / Missing

Notes:

0 = Not close at all, 10 = Made an attempt

# **SIDAS - Question 4**

In the past month, to what extent have you felt tormented by thoughts about suicide?

Field name:

sidas\_item4

Data type:

integer

Required:

yes

Domain:

0 - 10, 99 = Not stated / Missing

Notes:

0 = Not at all, 10 = Extremely

### **SIDAS - Question 5**

In the past month, how much have thoughts about suicide interfered with your ability to carry out daily activities, such as work, household tasks or social activities?

Field name:

sidas\_item5

Data type:

integer

Required:

yes

**Domain:** 0 - 10, 99 = Not stated / Missing

Notes: 0 = Not at all, 10 = Extremely

#### SIDAS - Tags

List of tags for the collection occasion.

Field name: sidas\_tags

Data type: string

Required: no

A comma separated list of tags.

Organisations can use this field to tag records in order to partition them as per local requirements.

Notes: Tags can contain lower case letters (or will get lowercased), numbers, dashes, spaces, and !. Leading and trailing spaces will

be stripped. e.g. priority!, nurse required, pending-outcome-1 would all be legitimate.

Tags beginning with an exclamation mark (!) are reserved for future use by the Department. e.g.

!reserved, ! reserved, !department-use-only .

### **TWB Critical Incident - Date**

The date the critical incident was reported to the Service Provider.

Field name: twb\_critical\_incident\_date

Data type: date

Required: yes

For Date fields, data must be recorded in compliance with the standard format used across the National Health Data Dictionary; specifically, dates must be of fixed 8 column width in the format DDMMYYYY, with leading zeros used when

necessary to pad out a value. For instance, 13th March 2008 would appear as 13032008.

Requires services to record the date of when a critical incident was reported.

Notes:

If the reported date of the critical incident is unknown, 09099999 should be used.

- The critical incident date must not be before 1st January 2019.
- The critical incident date must not be in the future.

# TWB Critical Incident - Type

The type of critical incident.

Field name: twb\_critical\_incident\_type

Data type: string

Required: yes

- 1: Suicide attempt of an active client
- 2: Suicide death of an active client

**Domain:** 3: Death by other cause of an active client

9: Not stated/Inadequately described

Reporting requirements Mandatory where a critical incident is reported.

Notes:

**Guide for use** It is acknowledged that due to the nature of the project and the reporting of suicide, Beyond Blue and stakeholders may not be advised of all critical incidents. It is also acknowledged that each Service Provider will have the appropriate management strategies in place for handling Critical Incidents.

# **TWB Critical Incident Key**

This is a number or code assigned to each critical incident. The Critical Incident Key is unique and stable for each Critical Incident at the level of the organisation.

Field name: twb\_critical\_incident\_key

Data type: string (2,50)

Required: yes

Notes: TWB Critical Incident keys are case sensitive and must be valid unicode characters.

# TWB Episode - Eligibility Type

The criteria by which a client is assessed as being eligible for the Way Back Support service, as represented by a code.

Field name: twb\_eligibility\_type

Data type: string

Required: yes

1: Primary Criteria

2: Secondary Criteria

Domain: 98: Other

99: Not stated/Inadequately described

#### 1 - Primary Eligibility Criteria

The primary eligibility criteria are met when a person is referred to The Way Back after presenting to a hospital emergency department or community mental health service following a suicide attempt. A suicide attempt is defined as a "non-fatal self-directed potentially injurious behaviour with any intent to die as a result of the behaviour". A suicide attempt may or may not result in physical injury and may or may not result in a hospital admission.

Notes:

#### 2 - Secondary Eligibility Criteria

The secondary eligibility criteria are met when a person is referred to The Way Back after presenting to a hospital emergency department or community mental health service in or following a suicidal crisis and whose risk of suicide is identified as imminent. A suicidal crisis is defined as a person experiencing distress, suicidal thoughts and articulating an intent to die. A suicidal crisis may or may not result in a hospital admission.

### TWB Episode - External Evaluator Contact Consent

The status of whether the client has consented to be contacted by external evaluators, as represented by a code.

Field name:  $twb\_external\_evaluator\_contact\_consent$ 

Data type: string

Required: yes

> 1: Consented to be contacted by external evaluators

2: Domain:

Not consented to be contacted by external evaluators

9: Not stated/Inadequately described

Notes:

Guide for use If the client consents to be contacted for the evaluation, this does not mean they have to take part in any activities and can choose to withdraw their consent at any time.

# **TWB Episode - Intersex Status**

An indication of whether the client has an intersex status, as represented by a code.

twb\_intersex\_status Field name:

Data type: string

Required: yes

> 1: Yes

2: No

Domain: 3: Does not want to disclose

> 9: Not stated / Unknown

Notes:

Guide for use The term intersex is used to describe people who are born with sex characteristics, including genitals, gonads and chromosome patterns, that do not fit typical binary notions of male and female bodies

# TWB Episode - Method of suicide attempt

Identifies the method of the most recent suicide attempt, as represented by a code.

Field name: twb\_method\_of\_suicide\_attempt

Data type: string

Required: yes

Domain:

1: Intentional self-poisoning

2: Intentional self-harm by hanging, strangulation and suffocation

3: Intentional self-harm by drowning and submersion

4: Intentional self-harm by sharp object

5: Intentional self-harm by Firearm

**6:** Intentional self-harm by jumping from a high place

98: Other

99: Not stated/Inadequately described

# TWB Episode - Previous suicide attempts

Indicates whether the client has attempted suicide prior to this episode, as represented by a code.

**Field name:** twb\_previous\_suicide\_attempts

Data type: string

Required: yes

**1**: No

2: Previous attempt(s) made in the past 12 months

3: Previous attempt(s) made prior to the last 12 months

**Domain:** 4: Previous attempts made both within and prior to the last 12 months

7: Not known

9: Not stated/Inadequately described

Notes: A suicide attempt is described as a non-fatal, self-directed, potentially injurious behaviour with an intent to die as a result of the behaviour; might not result in injury.

# TWB Episode - Primary Nominated Professional

Identifies the profession of the primary professional nominated by the client, as represented by a code.

Field name: twb\_primary\_nominated\_professional

Data type: string

Required: yes

- 1: Aboriginal and Torres Strait Islander Health Practice
- 2: Medica
- 3: Nursing and Midwifery
- 4: Occupational Therapy

Domain:

- 5: Psychology
- 6: Mental Health Social Worker
- 98: Other
- 99: No one nominated

The primary nominated professional of the client is the professional or support worker that the client consents to be advised of their participation in The Way Back Support Service.

Notes:

If a client does not wish for anyone to be advised then code 99 indicates no consent in conjunction with 09099999 for TWB Episode - Primary Nominated Professional Consent Date indicates no consent.

### **TWB Episode - Primary Nominated Professional Consent Date**

The date that the client consented to having their Primary Nominated Professional contacted.

Field name: twb\_primary\_nominated\_professional\_consent\_date

Data type: date

Required: yes

For Date fields, data must be recorded in compliance with the standard format used across the National Health Data Dictionary; specifically, dates must be of fixed 8 column width in the format DDMMYYYY, with leading zeros used when necessary to pad out a value. For instance, 13th March 2008 would appear as 13032008.

Notes: If a client does not wish for anyone to be advised please use the date 09099999.

- The consent date must not be before 1st January 2019.
- The consent date must not be in the future.

# TWB Episode - Primary Nominated Professional Contact Entry Date

The date that the client's Primary Nominated Professional was contacted after entry.

**Field name:** twb\_primary\_nominated\_professional\_contact\_entry\_date

Data type: date

Required: yes

For Date fields, data must be recorded in compliance with the standard format used across the National Health Data Dictionary; specifically, dates must be of fixed 8 column width in the format DDMMYYYY, with leading zeros used when necessary to pad out a value. For instance, 13th March 2008 would appear as 13032008.

If a client does not wish for anyone to be advised please use the date 09099999.

Notes:

- The entry date must not be before 1st January 2019.
- The entry date must not be in the future.

Written advice (email or letter) advising of the client's participation in The Way Back Support Service must be sent to the primary nominated professional on commencement of the service. The Contact Entry Date is the date the service provider initiates the communication with the primary nominated professional, the date the email or letter is sent. There is a KPI requirement for this to take place within 3 business days of client consent.

### TWB Episode - Primary Nominated Professional Contact Exit Date

The date that the client's Primary Nominated Professional was contacted after client's exit.

Field name: twb\_primary\_nominated\_professional\_contact\_exit\_date

Data type: date

Required: yes

For Date fields, data must be recorded in compliance with the standard format used across the National Health Data Dictionary; specifically, dates must be of fixed 8 column width in the format DDMMYYYY, with leading zeros used when necessary to pad out a value. For instance, 13th March 2008 would appear as 13032008.

If a client does not wish for anyone to be advised please use the date 09099999.

Notes:

- The exit date must not be before 1st January 2019.
- The exit date must not be in the future.
- The exit date must not be before the entry date.

Written advice (email or letter) advising of the client's exit from The Way Back Support Service must be sent to the primary nominated professional on exit of the service. The Contact Exit Date is the date the service provider sends this information to the primary nominated professional, the date the email or letter is sent. There is a KPI requirement that this occurs within 3 business days of client exit.

# **TWB Episode - Sexual Orientation**

Identifies how the client describes their sexual orientation, as represented by a code.

Field name: twb\_sexual\_orientation

Data type: string

Required: yes

- 1: Straight or heterosexual
- 2: Lesbian, gay or homosexual
- 3: Bisexual or pansexual

#### Domain:

- 4: Asexual
- 5: Questioning
- 6: Other
- 9: Not stated

Sexual orientation encompasses several dimensions of sexuality including sexual identity, attraction and behavior, and refers to a person's emotional, physical and/or sexual attraction to another person.

#### Definitions of terms

#### Lesbian

The term lesbian is used to describe a person identifying as a woman who is romantically and/or sexually attracted to other women.

### Gay

The term gay is used to describe a person identifying as a man who is romantically and/or sexually attracted to other men.

#### **Bisexual**

#### Notes:

The term bisexual is used to describe a person of any gender who is romantically and/or sexually attracted to people or more than one gender. Some people who fit this description prefer the terms 'queer' or Pansexual, in recognition of more than two genders. It may also be defined as romantic or sexual attraction to people of any sex or gender identity, which is also known as pansexuality.

#### Asexual

Asexual is a sexual orientation defined by a lack of sexual attraction to any person of any gender.

### Questioning

Is a process of exploration by people who may be unsure, still exploring, and concerned about applying a social label to themselves for various reasons.

More information on collecting LGBTI inclusive data collection can be found at: https://aidsaction.org.au/images/resource-library/LGBTIQ%20Inclusive%20Data%20Collection%20-%20a%20Guide.pdf

### TWB Episode - Transgender Status

An indication of whether the client has a transgender history, experience or identity, as represented by a code.

Field name: twb\_transgender\_status

Data type: string

Required: yes

- 1: Yes
- **2:** No

Domain: 3: Does not want to disclose

9: Not stated / Unknown

The term transgender is used to describe people whose gender identity does not align with the sex they were assigned at

birth.

Notes:

Non-binary genders also fit under this umbrella term, as well as under the term gender diverse.

# TWB Episode - Veteran

An indication of whether the client identifies as a veteran, as represented by a code.

Field name: twb\_veteran

Data type: string

Required: yes

1: Identifies as a veteran

**Domain:** 2: Does not identify as a veteran

9: Not stated/Inadequately described

# TWB NI - Tags

List of tags for the collection occasion.

Field name: twb\_ni\_tags

Data type: string

Required: no

A comma separated list of tags.

Organisations can use this field to tag records in order to partition them as per local requirements.

Notes: Tags can contain lower case letters (or will get lowercased), numbers, dashes, spaces, and !. Leading and trailing spaces will

be stripped. e.g. priority!, nurse required, pending-outcome-1 would all be legitimate.

Tags beginning with an exclamation mark (!) are reserved for future use by the Department. e.g.

!reserved, ! reserved, !department-use-only

# TWB NI - Type

The identified needs of the client at commencement or review of the service.

Field name: twb\_ni\_type

Data type:	string	
Required:	yes	
	1:	Health (Physical)
	2:	Self-esteem
	3:	Mental Health Condition
	4:	Home
	5:	Education/Employment
	6:	Sexual/Physical/Emotional Abuse
	7:	Marital/De facto Relationship
	8:	Financial Problems
	9:	Sexual Identity/Orientation
	10:	Sense of Self
	11:	Loss of Hope
	12:	Drugs/Alcohol
	13:	Family History Mental Health Problems
Domain:	14:	Family History Suicide /Attempt
	15:	Other knowledge of suicide
	16:	Grief and Loss
	17:	Social support/sense of belonging
	18:	Coping/problem solving ability
	19:	Cultural identity
	20:	Child rearing or care taking responsibilities
	21:	Help-seeking behaviour
	22:	Religion
	23:	Self Care
	24:	Daily Structure
	98:	Other
	99:	Not stated/Inadequately described

Multiple space separated values allowed

Reporting requirements The Needs Identification (NI) is a screening process where the psychosocial needs of a client are identified. It provides the basis for the creation of a Support Plan and is considered a useful way to help understand client support needs and service goals. The needs identified through this process should inform the client's goals and recommendations to community-based services.

#### Notes:

The NI must be administered at a minimum at the following points of service participation:

- At the start of The Way Back
- At the six-week or mid-point of the expected support period
- At exit from the service

#### **TWB NI Key**

This is a number or code assigned to each instance of a TWB NI. The TWB NI Key is unique and stable for each instance of a TWB NI at the level of the organisation.

Field name: twb\_ni\_key

Data type: string (2,50)

Required: yes

**Notes:** TWB NI keys are case sensitive and must be valid unicode characters.

### TWB Plan - Plan Type

The type of plan.

Field name: twb\_plan\_type

Data type: string

Required: yes

1: Safety

Domain: 2: Support

#### 1 - Safety Plan

Clients referred to The Way Back may have commenced the process of safety planning as part of their discussions with Emergency Department or Ward staff. Any existing safety plans completed by hospital or staff should be shared with or requested by The Way Back service provider and updated as part of preliminary discussions with The Way Back clients. Where clients referred to The Way Back have not completed any safety planning prior to their referral this should be completed as a priority once the client has consented to participate in The Way Back.

Safety Plans must be updated/developed within the first contact with the client and no later than the second contact. Safety plans should be reviewed with a client as needed. Each instance of the review and update of a safety plan should be recorded.

Service Providers should choose the most appropriate Support Plan template for their service. The TWB Tools and Templates provide a sample of one and there is also the BeyondNow app.

## 2 - Support Plan

#### Notes:

All Way Back service providers must work collaboratively with their clients to develop a Support Plan that articulates:

- the client's needs as assessed using the Support Tools
- the client's **goals** of participating in The Way Back
- proposed actions and interventions planned to address identified needs and goals including referrals to be made

In developing a Support Plan, discussion with clients should consider warning signs, strengths, support mechanisms and strategies that have enabled them to take the next steps. Needs Identified in this process are to be grouped and reported in the TWB NI data collection.

A Support Plan must be completed with a client within two weeks of their consenting to participate in the service. To identify a client's needs and build an understanding of what support will be of benefit, all Support Tools and Measures should be completed prior to completing the Support Plan. Support Plans are also required to be reviewed at 6 weeks, or a regular basis throughout the support period to ensure that strategies are current and upon Service Exit. Each review must be documented.

# TWB Plan - Tags

List of tags for the collection occasion.

Field name: twb\_plan\_tags

Data type: string

Required: no

A comma separated list of tags.

Organisations can use this field to tag records in order to partition them as per local requirements.

Notes:

Tags can contain lower case letters (or will get lowercased), numbers, dashes, spaces, and 📜 Leading and trailing spaces will

be stripped. e.g. priority!, nurse required, pending-outcome-1 would all be legitimate.

Tags beginning with an exclamation mark (!) are reserved for future use by the Department. e.g.

!reserved, ! reserved, !department-use-only .

# **TWB Plan Key**

This is a number or code assigned to each instance of a TWB Plan. The TWB Plan Key is unique and stable for each instance of a measure at the level of the organisation.

Field name: twb\_plan\_key

Data type: string (2,50)

Required: yes

Notes: TWB Plan keys are case sensitive and must be valid unicode characters.

# TWB Recommendation Out - Provider Type

Identifies the type of external service(s) that the client has been recommended to from the Way Back during their Episode of care, as represented by a code.

Field name: twb\_recommendation\_out\_provider\_type

Data type: string

Required: yes

1: **GP/Medical Practitioner** 2: Hospital 3: Psychiatric/mental health service or facility 4: Alcohol and other drug treatment service 5: Other community/health care service 6: Correctional service 7: Police diversion 8: Court diversion Legal service 9: Child protection agency 10: 11: Community support groups/agencies 12: Centrelink or employment service 13: Housing and homelessness service Telephone & online services/referral agency e.g. direct line 14: 15: Disability support service 16: Aged care facility/service 17: Immigration department or asylum seeker/refugee support service 18: School/other education or training institution 19: Community based Drug and Alcohol Service 20: Youth service (non-AOD) 21: Indigenous service (non-AOD) 22: Extended care/rehabilitation facility 23: Palliative care service Police (not diversion) 24: 25: Public dental provider - community dental agency 26: Dental Hospital 27: Private Dental Provider 28: Early childhood service 29: Maternal and Child Health Service 30: Community nursing service 31: Emergency relief 32: Family support service (excl family violence) 33: Family violence service Gambling support service 34: 35: Maternity services Peer support/self-help group 36: 37: Private allied health provider

Domain:

38:

Sexual Assault service

- 39: Financial counsellor
- 40: Sexual health service
- 41: Medical specialist
- 97: No Recommendation
- 98: Other
- 99: Not stated/Inadequately described

It is best to record the recommendation information as soon as the client is recommended to an agency/community service as it may be difficult to track this information later.

#### Notes:

To assist staff, service providers may find it useful to make a list of the agencies from which they most frequently send recommendations and note the corresponding Source of Recommendation code. Report the Recommendation starting with the most relevant or urgent one first.

#### **TWB Recommendation Out - Status**

Identifies the final status of external service recommendations made to the client, as represented by a code.

Field name: twb\_recommendation\_out\_status

Data type: string

Required: yes

- 1: Client declined to take up recommendation
- 2: Service commenced
- 3: Service completed

Domain:

- 4: Waitlisted
- 5: Client deceased prior to service commencement
- 98: Other
- 99: Not stated/Inadequately described

Notes:

It is only necessary to complete this field when initially recommending and again, when closing the episode. There is no requirement to keep it updated as a recommendation progresses.

# **TWB Recommendation Out Key**

This is a number or code assigned to each recommendation out. The Recommendation Out Key is unique and stable for each recommendation out at the lvel of the organisation.

Field name: twb\_recommendation\_out\_key

Data type: string (2,50)

Required: yes

#### Value

The metadata value.

Field name: value

Data type: string

Required: yes

# WHO-5 - Question 1

I have felt cheerful and in good spirits

Field name: who5\_item1

Data type: string

Required: yes

**0:** At no time

1: Some of the time

2: Less than half of the time

 $\mbox{\ensuremath{\mbox{3:}}} \qquad \mbox{More than half of the time} \\ \mbox{\ensuremath{\mbox{Domain:}}} \\ \mbox{\ensuremath{\mbox{Domain:}}} \\ \mbox{\ensuremath{\mbox{0:}}} \\ \mbox{\ensurem$ 

4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

# WHO-5 - Question 2

I have felt calm and relaxed

Field name: who5\_item2

Data type: string

Required: yes

0: At no time

1: Some of the time

**2:** Less than half of the time

 $\label{eq:def:def:def:def:def:def} \mbox{3:} \qquad \mbox{More than half of the time} \\ \mbox{Domain:}$ 

4: Most of the time

5: All of the time

9: Not stated / Missing

### WHO-5 - Question 3

I have felt active and vigorous

Field name: who5\_item3

Data type: string

Required: yes

0: At no time

1: Some of the time

2: Less than half of the time

3: More than half of the time Domain:

4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

# WHO-5 - Question 4

I woke up feeling fresh and rested

Field name: who5\_item4

Data type: string

Required: yes

0: At no time

1: Some of the time

2: Less than half of the time

 $\label{eq:def:def:def:def:def:def} \textbf{3:} \qquad \text{More than half of the time} \\ \textbf{Domain:}$ 

4: Most of the time

5: All of the time

9: Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

# WHO-5 - Question 5

My daily life has been filled with things that interest me

Field name: who5\_item5

Data type: string

Required: yes

> 0: At no time

Some of the time 1:

2: Less than half of the time

3: More than half of the time Domain:

> 4: Most of the time

All of the time 5:

9. Not stated / Missing

Notes: When reporting total score use '9 - Not stated / Missing'

### WHO-5 - Tags

Required:

Notes:

List of tags for the collection occasion.

nο

Field name: who5\_tags

Data type: string

A comma separated list of tags.

Organisations can use this field to tag records in order to partition them as per local requirements.

Tags can contain lower case letters (or will get lowercased), numbers, dashes, spaces, and 🔃 Leading and trailing spaces will

be stripped. e.g.  $\begin{tabular}{ll} priority!, nurse required, pending-outcome-1 \end{tabular} would all be legitimate. \end{tabular}$ 

Tags beginning with an exclamation mark (!) are reserved for future use by the Department. e.g.

!reserved, ! reserved, !department-use-only .

# **Download Specification Files**

Available for software developers designing extracts for TWB, please click the link below to download TWB Specification files for the PMHC MDS:

• 🕹 TWB Specification zip

# **Upload Specification**

# File types

Files will be accepted in the following types:

- Comma Separated Values (CSV)
- Excel (XLSX)

### **Comma Separated Values (CSV)**

Requirements for CSV files:

- The CSV files must conform to RFC 4180.
- In addition, CSV files must be created using UTF-8 character encoding.
- CSV files must have the file extension .csv
- Multiple CSV files must be uploaded one CSV file for each format described below.
- The CSV files must be compressed into a single file by zipping before upload. The filename of the zip file doesn't matter as long as it has the file extension .zip

### Excel (XLSX)

Requirements for XLSX files:

Excel files must be in XLSX format. The following versions of Excel support this format:

- Excel 2007 (v12.0)
- Excel 2010 (v14.0)
- Excel 2013 (v15.0)
- Excel 2016 (v16.0)

One XLSX file must be uploaded containing multiple worksheets - one worksheet for each format described below.

When saving your file, please choose the filetype 'Excel Workbook (.xlsx)'.

The filename of the Excel file doesn't matter as long as it has the file extension .xlsx

# Files or worksheets to upload

The TWB upload format is slightly different to the PMHC MDS Version 2.0 upload format.

The TWB upload format separates collection occasion data into a separate Collection Occasions worksheet so that multiple measures can be collected at a single collection occasion.

The TWB upload format aligns with a future PMHC MDS Version 3.0 file format. No date has been set for the release of the PMHC MDS Version 3.0 upload file format.

In addition to the collection occasion/measure changes, the TWB upload format adds additional values to support the TWB extension.

TWB files/worksheets can be uploaded to the PMHC MDS in one of two ways:

- Option A: Separate PMHC and TWB uploads Option A is recommended for organisations who have not yet changed their standard upload files to include TWB data. It allows these organisations to do their normal PMHC MDS upload and then do a second upload for TWB data. Option A is also recommended for organisations who use Data Entry instead of upload for the PMHC MDS data, but who wish to upload TWB data.
- Option B: One upload including PMHC and TWB clients Option B is recommended for organisations who have already
  migrated their standard PMHC MDS uploads to allow TWB uploads at the same time. It allows both PMHC MDS and TWB data




Fig. 3 TWB upload data model within the PMHC MDS

When uploading TWB data files only the following files/worksheets can be uploaded to the PMHC MDS:

Table 14 Summary of files to upload

File Type	CSV filename	Excel worksheet name	Required
Metadata	metadata.csv	Metadata	Required
Organisations	organisations.csv	Organisations	Optional and only available if the user has the Organisation Management role
Clients	clients.csv	Clients	Optional
Episodes	episodes.csv	Episodes	Optional
TWB Episodes	twb-episodes.csv	TWB Episodes	Required
TWB Critical Incidents	twb-critical-incidents.csv	TWB Critical Incidents	Required
TWB Recommendation Outs	twb-recommendation- outs.csv	TWB Recommendation Outs	Required
Collection Occasions	collection-occasions.csv	Collection Occasions	Required
K10+ Measures	k10p.csv	K10+	Required
K5 Measures	k5.csv	K5	Required
SDQ Measures	sdq.csv	SDQ	Required
WHO-5 Measures	who5.csv	WHO-5	Required
SIDAS Measures	sidas.csv	SIDAS	Required
TWB Plans	twb-plans.csv	TWB Plans	Required
TWB Needs Identifications	twb-nis.csv	TWB NIs	Required

File Type	CSV filename	Excel worksheet name	Required
Service Contacts	service-contacts.csv	Service Contacts	Required
Practitioners	practitioners.csv	Practitioners	Required the first time or when practitioner information changes. Optional otherwise.

All files must be internally consistent. An example of what this means is that for every TWB episode, service contact and measures in an upload file, there must be a corresponding episode in the episodes file/worksheet. It also means that or every row in the episodes file/worksheet, there must be a corresponding client in the clients file/worksheet.

#### Option A: Separate PMHC and TWB uploads

When uploading standard PMHC clients and TWB clients separately, the upload for the standard PMHC clients should use the PMHC MDS Version 2.0 upload format and the upload for the TWB clients should use the format as described in this document.

### Option B: One upload including PMHC and TWB clients

For those organisations who are ready to change their standard PMHC MDS uploads, PMHC MDS and TWB uploads can be combined together in the one upload to the PMHC MDS.

In this instance, when reporting non TWB clients, please use 0: PHN funded for Service Contact - Funding Source.

#### File format

Requirements for file formats:

- The first row must contain the column headings as defined for each file type.
- Each item is a column in the file/worksheet. The 'Field Name' must be used for the column headings. The columns must be kept in the same order.
- The second and subsequent rows must contain the data.
- Data elements for each file/worksheet are defined at Record Formats.
- For data elements that allow multiple values, each value should be separated by a space; for example: 1 3 6.

All TWB data uploads must include a Metadata file/worksheet. See Metadata file.

Each of the below example files assumes the following organisation structure:

Organisation Key	Organisation Name	Organisation Type	Parent Organisation
PHN999	Test PHN	Primary Health Network	None
NFP01	Test Provider Organisation	Private Allied Health Professional Practice	PHN999

Therefore the 'Organisation Path' for Test Provider Organisation is PHN999:NFP01.

# Metadata file

All TWB data uploads must include a Metadata file/worksheet. - In the first row, the first cell must contain 'key' and the second cell must contain 'value' - In the second row, the first cell must contain 'type' and the second cell must contain 'WAYBACK' - In the third row, the first cell must contain 'version' and the second cell must contain '3.0'

#### i.e.:

key	value
type	WAYBACK
version	3.0

Data elements for the TWB metadata upload file/worksheet are defined at Metadata.

Example TWB metadata data:

- CSV TWB metadata file.
- XLSX TWB metadata worksheet.

#### Organisation file format

This file is for PHN use only. The organisation file/worksheet is optional. This is similar to the standard PMHC MDS Provider Organisation file/worksheet.

Data elements for the Provider Organisation upload file/worksheet are defined at Provider Organisation data elements.

Example organisation data:

- CSV organisation file.
- XLSX organisation worksheet.

### **Client file format**

The client file/worksheet is required to be uploaded each time.

Data elements for the client upload file/worksheet are defined at Client data elements.

Example client data:

- CSV client file.
- XLSX client worksheet.

### **Episode file format**

The episode file/worksheet is required to be uploaded each time.

Data elements for the episode upload file/worksheet are defined at Episode data elements.

Example episode data:

- CSV episode file.
- XLSX episode worksheet.

# TWB Episode file format

The TWB episode file/worksheet is required to be uploaded each time.

Data elements for the TWB Episode upload file/worksheet are defined at TWB Episode.

Example TWB episode data:

- CSV TWB episode file.
- XLSX TWB episode worksheet.

#### TWB Critical Incident file format

The TWB Critical Incident file/worksheet is required to be uploaded each time.

Data elements for the TWB Critical Incident upload file/worksheet are defined at TWB-Critical Incident.

Example TWB Critical Incident data:

- CSV TWB Critical Incident file.
- XLSX TWB Critical Incident worksheet.

#### TWB Recommendation Out file format

The TWB Recommendation Out file/worksheet is required to be uploaded each time.

Data elements for the TWB Recommendation Out upload file/worksheet are defined at TWB-Recommendation Out.

Example TWB Recommendation Out data:

- · CSV TWB Recommendation Out file.
- XLSX TWB Recommendation Out worksheet.

#### **Collection Occasion file format**

The Collection Occasion file/worksheet is required to be uploaded each time.

Data elements for the Collection Occasion upload file/worksheet are defined at Collection Occasion.

Example Collection Occasion data:

- CSV Collection Occasion file.
- XLSX Collection Occasion worksheet.

# K10+ file format

The K10+ file/worksheet is required to be uploaded each time.

Data elements for the K10+ upload file/worksheet are defined at K10+ Measure.

#### Example K10+ data:

- CSV K10+ file.
- XLSX K10+ worksheet.

#### K5 file format

The K5 file/worksheet is required to be uploaded each time.

Data elements for the K5 upload file/worksheet are defined at K5 Measure.

Example K5 data:

- CSV K5 file.
- XLSX K5 worksheet.

#### SDQ file format

The SDQ file/worksheet is required to be uploaded each time.

Data elements for the SDQ upload file/worksheet are defined at SDQ Measure.

Example SDQ data:

- CSV SDQ file.
- XLSX SDQ worksheet.

#### WHO-5 file format

The WHO-5 file/worksheet is required to be uploaded each time.

Data elements for the WHO-5 upload file/worksheet are defined at WHO-5 Measure.

Example WHO-5 data:

- CSV WHO-5 file.
- XLSX WHO-5 worksheet.

#### SIDAS file format

The SIDAS file/worksheet is required to be uploaded each time.

Data elements for the SIDAS upload file/worksheet are defined at SIDAS Measure.

Example SIDAS data:

- CSV SIDAS file.
- XLSX SIDAS worksheet.

#### TWB Plan file format

The TWB Plan file/worksheet is required to be uploaded each time.

Data elements for the TWB Plan upload file/worksheet are defined at TWB Plan.

Example TWB Plan data:

- CSV TWB Plan file.
- XLSX TWB Plan worksheet.

#### TWB Needs Identification file format

The TWB NI file/worksheet is required to be uploaded each time.

Data elements for the TWB NI upload file/worksheet are defined at TWB NI.

Example TWB Plan data:

- CSV TWB NI file.
- XLSX TWB NI worksheet.

#### **Service Contact file format**

The service contact file/worksheet is required to be uploaded each time.

Data elements for the service contact upload file/worksheet are defined at Service Contact.

Example service contact data:

- CSV service contact file.
- XLSX service contact worksheet.

#### **Practitioner file format**

The Practitioner file/worksheet is required for the first upload and when practitioner information changes. It is optional otherwise.

Data elements for the Practitioner upload file/worksheet are defined at Practitioner data elements.

Example Practitioner data:

- CSV practitioner file.
- XLSX practitioner worksheet.

#### **Deleting records**

- Records of the following type can be deleted via upload:
  - Client
  - Episode
  - · TWB Episode

- · TWB Critical Incident
- TWB Recommendation Out
- · Collection Occasion
- K10+
- 。 K5
- SDQ
- WHO-5
- SIDAS
- TWB Plan
- TWB NI
- Practitioner
- An extra optional "delete" column can be added to each of the supported upload files/worksheets.
- · If included, this column must be the third column in each file, after the organisation path and the record's entity key.
- To delete a record, include its organisation path and its entity key, leave all other fields blank and put "delete" in the "delete" column. Please note that case is important. "DELETE" will not be accepted.
- Marking a record as deleted will require all child records of that record also to be marked for deletion. For example, marking a client as deleted will require all episodes, service contacts and collection occasions of that client to be marked for deletion.
- While deletions can be included in the same upload as insertions/updates, we recommend that you include all deletions in a separate upload that is uploaded before the insertions/updates.

Example TWB files showing how to delete via upload:

#### TWB Episode data

- XLSX delete file containing only TWB worksheets.
- CSV delete TWB episode file.

#### **Validation Rules**

TWB is an extension of the Primary Mental Health Care Minimum Data Set (PMHC MDS); the current PMHC MDS Validations rules apply. These are available to be viewed at https://docs.pmhc-mds.com/data-specification/validation-rules.html.

This document defines validation rules between TWB items and record types. The domain of individual TWB items is defined in Record Formats.

#### **Current TWB Validations**

#### 1. TWB Episode

- 1. Episode Key must be an existing PMHC episode within the PMHC MDS.
- 2. <a href="wayback">!wayback</a> tag should be included in the Episode Tags field of the corresponding PMHC episode, otherwise the system will automatically include it.
- 3. The TWB Episode Primary Nominated Professional Consent Date
  - must not be before 1 January 2019
  - and must not be before Episode Referral Date
  - and must not be before Provider Organisation Start Date
  - and must not be after Episode End Date
  - and must not be after Provider Organisation End Date
  - and must not be in the future

- 4. The TWB Episode Primary Nominated Professional Contact Entry Date
  - must not be before 1 January 2019
  - and must not be before Episode Referral Date
  - and must not be before Provider Organisation Start Date
  - and must not be after Episode End Date
  - and must not be after Provider Organisation End Date
  - and must not be in the future
- 5. The TWB Episode Primary Nominated Professional Contact Exit Date
  - must not be before 1 January 2019
  - and must not be before Episode Referral Date
  - and must not be before Provider Organisation Start Date
  - and must not be before TWB Episode Primary Nominated Professional Contact Entry Date
  - and must not be before Episode End Date
  - and must not be after Provider Organisation End Date
  - and must not be in the future

#### 4. TWB Critical Incident

- 1. Episode Key must be an existing PMHC episode within the PMHC MDS.
- 2. The TWB Critical Incident Date
  - must not be before 1 January 2019
  - and must not be before Episode Referral Date
  - and must not be before Provider Organisation Start Date
  - and must not be after Episode End Date
  - and must not be after Provider Organisation End Date
  - and must not be in the future

#### 5. TWB Recommendation Out

1. Episode Key must be an existing PMHC episode within the PMHC MDS.

#### 6. Collection Occasion

- 1. Episode Key must be an existing PMHC episode within the PMHC MDS.
- 2. The Collection Occasion Date
  - must not be before 1 January 2016
  - and must not be before Episode Referral Date
  - and must not be before Provider Organisation Start Date
  - and must not be after Episode End Date
  - and must not be after Provider Organisation End Date
  - and must not be in the future

#### 7. K10+

- 1. Collection Occasion Key must be an existing Collection Occasion within the PMHC MDS.
- 2. If both item scores and a total score are specified, the item scores must add up to the total score (as per Scoring the K10+).

#### 8. WHO-5

1. Collection Occasion Key must be an existing Collection Occasion within the PMHC MDS.

2. If both item scores and a total score are specified, the item scores must add up to the total score.

#### 9. SIDAS

- 1. Collection Occasion Key must be an existing Collection Occasion within the PMHC MDS.
- 2. If both item scores and a total score are specified, the item scores must add up to the total score.

#### 10. TWB-Plan

1. Collection Occasion Key must be an existing Collection Occasion within the PMHC MDS.

#### 11. TWB-NI

1. Collection Occasion Key must be an existing Collection Occasion within the PMHC MDS.

#### **Current PMHC Validations**

TWB is an extension of the Primary Mental Health Care Minimum Data Set (PMHC MDS); the current PMHC MDS Validations rules may apply, depending on how you add your TWB data. The current PMHC MDS validations rules are available to be viewed at https://docs.pmhc-mds.com/data-specification/validation-rules.html.

# **Data Specification Change log**

#### 24/8/2020

- TWB Critical Incident Date Updated description
- Service Contact Funding Source Updated description

#### 17/8/2020 - Version 3.0.1

- Data Model and Specifications
  - Record Formats
    - TWB Episode Transgender Status Added value '9 Not stated / Unknown'
    - TWB Episode Intersex Status Added value '9 Not stated / Unknown'

#### 12/8/2020

- Data Model and Specifications
  - Data model
    - Redesigned the data model diagram. No changes have been made to the underlying data model.
- Validation Rules
  - 1. TWB Episode
    - Updated the validation for TWB Episode Primary Nominated Professional Contact Exit Date so that the TWB Episode -Primary Nominated Professional Contact Exit Date must not be before Episode - End Date

#### 10/8/2020

- Data Model and Specifications
  - Record Formats
    - TWB Episode Primary Nominated Professional Updated value from 99: Not stated/Inadequately described to
       99: No one nominated

TWB Recommendation Out - Status - Added notes

#### 7/8/2020

- Data Model and Specifications
  - Record Formats
    - TWB Episode Primary Nominated Professional Contact Entry Date Updated description
    - TWB Episode Primary Nominated Professional Contact Exit Date Updated description

#### 15/6/2020

- Data Model and Specifications
  - Record Formats
    - TWB Episode External Evaluator Contact Consent Fixed typo in description of response 1: Consented to be contacted by external evaluators

#### 12/6/2020

- Data Model and Specifications
  - Record Formats
    - Added the following values to TWB NI Type:
      - 20 Child rearing or care taking responsibilities
      - 21 Help-seeking behaviour
      - 22 Religion
      - 23 Self Care
      - 24 Daily Structure

#### 28/5/2020

- Data Model and Specifications
  - Record Formats
    - Updated notes for TWB Critical Incident Date so that only a date is required, not a date and time

### 25/5/2020

- Validation Rules
  - 1. TWB Episode
    - Corrected !WAYBACK to !wayback

### 22/5/2020

- Data Model and Specifications
  - Record Formats
    - PMHC MDS Record formats
      - Corrected the names of the medications and links to the PMHC data specification
    - WHO-5 Measure
      - Corrected the question for WHO-5 Question 5

#### 27/4/2020 - Version 3.0

• Initial release

# **Resources**

The following resources have been provided to explain the purpose of the PMHC MDS, to describe all NSPT data collection and file formats required to submit NSPT data.

#### **TWB Resources**

The following resources have been provided to explain the purpose of the PMHC MDS, to describe all TWB data collection and file formats required to submit TWB data.

# 1. Key Concepts

Key Concepts is a list of key words that are commonly used within the PMHC MDS and their definitions.

# 2. Specifications

The Data Model and Specifications website defines what data items are collected in the TWB, what file formats are accepted for upload and associated reporting requirements.

# 3. Outcome measures and scoring rules

The following document provides an example of each of the TWB outcome measures and an explanation of how it is scored.

• Land SIDAS Collection Occasion PDF

# 4. Primary Mental Health Care Minimum Data Set

TWB is an extension of the Primary Mental Health Care Minimum Data Set (PMHC MDS); the PMHC MDS information is available to be viewed at https://pmhc-mds.com.

# **User Guide**

The Online User Guide outlines step by step instructions for a user to be able to perform their role of adding TWB data within the PMHC MDS.

The user guide is regularly updated to reflect each release communication.

#### **Access & Passwords**

The Way Back (TWB) is an extension of the Primary Mental Health Care Minimum Data Set (PMHC MDS); current PMHC MDS Data online User Guide is available to be viewed for the following information.

#### **Access**

Each individual staff member should be set up with their own unique login access. User accounts can be created by a user at your provider organisation, or PHN, who has the User Management role. If unsure who this is, please contact <a href="mailto:support@pmhc-mds.com">support@pmhc-mds.com</a> to find out who has this access.

Information on 'Accepting an invitation to become a PMHC MDS User', 'Logging In', and 'Logging Out', and 'Updating your details', is available at https://docs.pmhc-mds.com/projects/user-documentation/en/latest/home.html.

#### **Passwords**

Password information, including 'Passwords Requirements', 'Password Expiry Notifications', and 'Forgotten or Expired Password', is available at https://docs.pmhc-mds.com/projects/user-documentation/en/latest/home.html.

#### MDS Roles available for TWB Users

Access to the PMHC MDS is based around roles. What users see once they are logged in will depend upon what roles they have been assigned. The roles that currently exist within the PMHC MDS, is available at https://docs.pmhc-mds.com/projects/user-documentation/en/latest/users.html#users-roles.

The Way Back (TWB) extension will be available on the following roles through the next stages of development:

TWB Development Stage	Role	Tasks allowed
Stage One - TWB released	Upload	A user with the Upload role can upload PMHC & TWB data to the associated organisation.
Stage Two - TWB released	Data Entry	A user with the Data Entry role can enter PMHC data from the associated organisation. See Identifying TWB-Episode data records
Stage Three - TWB under development	Reporting	A user with the Reporting role can run PMHC reports and download PMHC data from the associated organisation. TWB Reports are under development.

### **Data Entry**

The Way Back (TWB) Support Service Minimum Data Set is an extension of the Primary Mental Health Care Minimum Data Set (PMHC MDS); current PMHC MDS Data online User Guide for Data Entry is available to be viewed at https://docs.pmhc-mds.com/user-documentation/data-entry.html.

#### **PMHC Client Data**

For more detail on how to search, find, view, add, edit or delete Client PMHC data in the PMHC MDS, please visit the PMHC User Guide at https://docs.pmhc-mds.com/projects/user-documentation/en/latest/data-entry.html#client-data.

# **PMHC Episodes**

For more detail on how to find, view, add, edit or delete Client PMHC Episode data in the PMHC MDS, please visit the PMHC User Guide at https://docs.pmhc-mds.com/projects/user-documentation/en/latest/data-entry.html#episodes.


#### TWB-Episode

You can view a client's episodes through Viewing a Client's details available on the Data Entry tab, by following these steps:


# Viewing a Client's PMHC Episode

You can view a client's TWB episodes through viewing a client's details available on the Data Entry tab, by following these steps:

1. Search for the client using one of the three search fields.




2. Click on the Client Key in blue displayed within the table list.




3. From the Client's Summary tab, you can shortcut straight to an episode by clicking the Blue Episode Key displayed in the snapshot of the five most recent episodes.

# Client "CL0001" at PHN "Test PHN", Provider Organisation "Test Provider Organisation 1"



4. Alternately, if you would like to view all episodes you can click on the Episode Tab. The heading for this tab displays in brackets the total number of episodes recorded in the PMHC MDS for this client at Provider Organisations for which you have access.

A table will display all the Client's Episodes at Provider Organisations for which you have access.



A Drop down list is available to view:

All Episodes


- Currently Open Episodes
- Closed Episodes



To view the Client's Episode details, click the Blue Episode Key.

Client "CL0001" at PHN "Test PHN", Provider Organisation "Test Provider Organisation 1"

# Episode starting 15/03/2019




A page will display the Client's PMHC Episode details.

# Adding a Client's TWB Episode data


You can edit a Client's PMHC Episode details through Viewing a Client's PMHC Episode available on the Data Entry tab to add a Client's TWB Episode data, by following these steps:

- 1. Once Viewing a Client's PMHC Episode.
- 2. From the Client's Episode table, click the Episode Key.

- 3. Click Edit Details tab.
- 4. Add !wayback in the 'Tags' fields and press tab



5. Scroll to the bottom of the PMHC Episode Add the Client's TWB Episode details. Mandatory fields are marked with an \* . (Specification TWB Episode Data Elements)



You can also add the following information if available, or these can be added later:

- See TWB-Critical Incident data specifications for Critical Incident Data.
- See TWB-Recommendation Out data specifications for Recommendation Out Data.
- 6. Click the blue 'Save' button. (If you decide not to add TWB data, you can simply navigate away from this screen)

You will receive confirmation that the Client's Episode details have been saved, and it will now be displaying.



If you receive an error message, the data will need to be corrected before the record is saved and added to the PMHC MDS. See Validation Rules - TWB Episode


### Editing a Client's TWB-Episode data

You can edit a Client's PMHC Episode details through Viewing a Client's PMHC Episode available on the Data Entry tab, by following these steps:

1. Once Viewing a Client's PMHC Episode.

- 2. From the Client's Episode table, click the Episode Key.
- 3. Click Edit Details tab.
- 4. Scroll to the bottom of the PMHC Episode.

Update the Client's TWB Episode details. Mandatory fields are marked with an \* . (Specification TWB Episode Data Elements)



5. Click the blue 'Save' button. (If you decide not to save changes, you can simply navigate away from this screen)

You will receive confirmation that the Client's TWB Episode details have been saved, and it will now be displaying these new details in the Episode View Details tab.




If you receive an error message, the data will need to be corrected before the record is saved and added to the PMHC MDS. See Validation Rules - TWB Episode

# Deleting an TWB Episode

Removing the wayback tag will delete an TWB Episode, through Viewing a Client's PMHC Episode available on the Data Entry tab, by following these steps:

- 1. Once Viewing a Client's PMHC Episode.
- 2. From the Client's Episode table, click the Episode Key.
- 3. Click Edit Details tab.
- 4. Click on the cross on the wayback tag to remove it.



5. Click the blue 'Save' button.

Deleting the The Way Back Episode data will also delete the:

- Primary Nominated Professional Contact,
- · Critical Incidents, and
- Recommendation Outs.

However any associated measures will be retained.

You have removed the **!wayback** tag from this episode.

Please confirm that you wish to delete the The Way Back Episode data including:

Primary Nominated Professional Contact,
Critical Incidents, and
Recommendation Outs.

Any associated measures will be retained.

Cancel Confirm

Please note: Once the collection occasion is deleted, you will not be able to recover this collection occasion data.

6. Click the red 'Confirm' button to delete the data. (If you decide not to delete the data, you can click the blue 'Cancel' button)



#### **Collection Occasions**

# Viewing a Client's Collection Occasions for an Episode

You can view a client's collection occasions through Viewing a Client's PMHC Episode available on the Data Entry tab, by following these steps:


- 1. Once Viewing the Client's Episode.
- 2. Click the Episode Collection Occasions Tab. This tab displays in brackets the total number of collection occasions recorded in the PMHC MDS for this episode.

A table will display all the Collection Occasions linked to this Client's Episode.

Home / Data Entry / Clients / CL0001@PHN999:PO1 / Client Episodes / CL0001-E02 / Collection Occasions / View Collection Occasions

Client "CL0001" at PHN "Test PHN", Provider Organisation "Test Provider Organisation 1"

# ② <u>Episode</u> starting 15/03/2019




3. To view the Collection Occasions details, click the Blue Collection Occasions Key.

Client "CL0001" at PHN "Test PHN", Provider Organisation "Test Provider Organisation 1"

Episode starting 15/03/2019

# Collection Occasion on 15/03/2019



# Measures




A page will display the Collection Occasions details as recorded via the Collection Occasion Data Elements.

# Adding an TWB Client's Collection Occasions data

You can add a Client's Collection Occasions through Viewing a Client's Collection Occasions for an Episode available on the Data Entry tab, by following these steps:

- 1. Once Viewing a Client's Collection Occasions for an Episode.
- 2. Firstly double check the Collection Occasion is not already showing.
- 3. Click the Add New Collection Occasion tab.
- 4. Enter the Client's Collection Occasion details for the TWB episode. Mandatory fields are marked with an \* . (Specification Collection Occasion Data Elements)



5. Click the blue 'Save' button. (If you decide not to add this client's episode, you can simply navigate away from this screen)

You will receive confirmation that the Client's Collection Occasion details have been added, and it will now be displaying these new details in the View Collection Occasions Details tab.




If you receive an error message, the data will need to be corrected before the record is saved and added to the PMHC MDS.

# **Editing a Client's Collection Occasions for an Episode**

You can edit a Client's Collection Occasions through Viewing a Client's Collection Occasions for an Episode available on the Data Entry tab, by following these steps:

- 1. Once Viewing a Client's Collection Occasions for an Episode.
- 2. Click the Collection Occasion Key.
- 3. Click Edit Details tab.
- 4. Update the Client's Collection Occasion details. Mandatory fields are marked with an \* . (Specification Collection Occasion Data Elements)

Please note: You can edit the Collection Occasion Key from this screen. See Editing a Collection Occasion Key.



5. Click the blue 'Save' button. (If you decide not to save changes, you can simply navigate away from this screen)

You will receive confirmation that the Client's Collection Occasion details have been saved, and it will now be displaying these new details in the View Collection Occasion Details tab.



If you receive an error message, the data will need to be corrected before the record is saved and added to the PMHC MDS.

### **Editing a Collection Occasion Key**

You can edit a collection occasion's identification key through Viewing a Client's PMHC Episode available on the Data Entry tab, by following these steps:

- 1. In step four when Editing a Client's Collection Occasions for an Episode.
- 2. From the Collection Occasion Edit Details tab, click the 'Edit Key' button.



- 3. Type in the new collection occasion key and click 'Next'.
- 4. Double check the new key is correct and click save. (If it is incorrect, click back to re-enter the key or click the 'cross' in the top right to cancel this key change request)

You will receive confirmation that the Collection Occasion's key has been saved, and the screen will now be displaying the updated collection occasion key details in the Collection Occasions View Details tab.

Successfully updated Collection Occasion Key to CL0001-E02-CO1



# **Deleting a Collection Occasion**

You can delete a Client's Collection Occasions through 'Viewing a Client's Collection Occasions for an Episode' available on the Data Entry tab, by following these steps:

- 1. Once Viewing a Client's Collection Occasions for an Episode.
- 2. Click the Collection Occasion Key.
- 3. Click the red 'Delete' button.
- 4. You will either be displayed a Confirm Delete screen or a Cannot Delete screen


#### **Confirm Delete**

Please note: Once the collection occasion is deleted, you will not be able to recover this collection occasion data.

1. Click the blue 'Confirm' button to delete this collection occasion. (or click the orange 'Cancel' button if you decide not to delete this collection occasion data)




After you click Confirm, you will receive confirmation that the episode has been deleted, and you will be redirected to View Episodes where the episode will no longer be displayed.



#### **Cannot Delete**

If the collection occasion you are trying to delete has any measures, you will not be able to proceed with deleting this collection occasion until all the related records have been deleted.

You can click on the link provided to view the client's measures for this collection occasion, or click the orange Dismiss button




#### **Collection Occasion Measures**

# Viewing a Client's Collection Occasion Measures for an Episode

You can view a Client's Measures added to a Collection Occasion through Viewing a Client's Collection Occasions for an Episode available on the Data Entry tab, by following these steps:

- 1. Once Viewing the Collection Occasion.
- 2. Scroll down to the Measures

A table will display all the Measures linked to this Client's Episode Collection Occasion.



# Measures




3. To view the Measure details, click the Blue Measure Key.





A page will display the Collection Occasion details as recorded via the Collection Occasion Data Elements.



# Adding an Client's Collection Occasion Measures data


You can add a Client's Measure for a Collection Occasion through Viewing a Client's Collection Occasions for an Episode available on the Data Entry tab, by following these steps:

- 1. Once Viewing a Client's Collection Occasions for an Episode.
- 2. Firstly double check the measure is not already showing.
- 3. Click the Add New Measure tab.


Client "CL0001" at PHN "Test PHN", Provider Organisation "Test Provider Organisation 1"

Episode starting 15/03/2019


# ② Collection Occasion on 15/03/2019







4. Select the Collection Occasion Measure type.



- 5. Choose the Score Type, if it isn't already pre-filled.
- 6. Click the blue 'Next' button.
- 7. Enter the Client's Measure details for the Collection Occasion. Mandatory fields are marked with an  $^{\ast}$  .

- See TWB-Plan data specifications for Plan Data.
- See TWB-NI data specifications for Needs Identification Data.
- See K10+ Measure data specifications.
- See WHO-5 Measure data specifications.
- See SIDAS Measure data specifications.
- 6. Click the blue 'Save' button. (If you decide not to add this client's measure, you can simply navigate away from this screen)

You will receive confirmation that the Client's Measure details have been added, and it will now be displaying these new details in the View Measure tab.

Successfully created 0b94f022-b51d-4a87-ae1a-43345449144c.

×


If you receive an error message, the data will need to be corrected before the record is saved and added to the PMHC MDS.

#### **Editing a Client's Measures for a Collection Occasion**

You can edit a Client's Measure for a Collection Occasion through Viewing a Client's Collection Occasions for an Episode available on the Data Entry tab, by following these steps:

- 1. Once Viewing a Client's Collection Occasions for an Episode.
- 2. Scroll down to the Measures
- 3. Click the Blue Measure Kev.
- 4. Click Edit Measure
- 5. Update the Client's Measure details. Mandatory fields are marked with an  $^{\ast}$  .

Please note: You can edit the Measure Key from this screen. See Editing a Measure Key.



6. Click the blue 'Save' button. (If you decide not to save changes, you can simply navigate away from this screen)

You will receive confirmation that the Client's Collection Occasions details have been saved, and it will now be displaying these new details in the View Collection Occasion Details tab.

Successfully saved b07c7fb5-c6bd-4953-bf2d-233048035af31.

×

If you receive an error message, the data will need to be corrected before the record is saved and added to the PMHC MDS.

#### **Editing a Measure Key**

You can edit an measure's identification key through Viewing a Client's Collection Occasions for an Episode available on the Data Entry tab, by following these steps:

- 1. In step four when Editing a Client's Measures for a Collection Occasion.
- 2. From the Collection Occasion Edit Details tab, click the 'Edit Key' button.



- 3. Type in the new collection occasion key and click 'Next'.
- 4. Double check the new key is correct and click save. (If it is incorrect, click back to re-enter the key or click the 'cross' in the top right to cancel this key change request)

You will receive confirmation that the Collection Occasion's key has been saved, and the screen will now be displaying the updated collection occasion key details in the Collection Occasion View Details tab.

Successfully updated Measure Key to b07c7fb5-c6bd-4953-bf2d-233048035af31

4


#### Deleting a Measure from a Collection Occasion

You can delete a Client's Measure from a Collection Occasion through 'Viewing a Client's Collection Occasion Measures for an Episode' available on the Data Entry tab, by following these steps:

- 1. Once Viewing a Client's Collection Occasions for an Episode.
- 2. Scroll down to the Measures
- 3. Click the Blue Measure Key.
- 4. Click Edit Measure
- 5. Click the red 'Delete' button.
- 6. You will be displayed a 'Confirm Deletion' screen.

Please note: Once the measure is deleted, you will not be able to recover this measure data.

7. Click the blue 'Confirm' button to delete this measure. (or click the orange 'Cancel' button if you decide not to delete this measure data)



After you click 'Confirm', you will receive confirmation that the measure has been deleted, and you will be redirected to the View Measures where the measure will no longer be displayed.

0b94f022-b51d-4a87-ae1a-43345449144c successfully deleted


# **PMHC Service Contact Data**

For more detail on how to search, find, view, add, edit or delete Service Contact PMHC data in the PMHC MDS, please visit the PMHC User Guide at https://docs.pmhc-mds.com/projects/user-documentation/en/latest/data-entry.html#service-contacts.

Please note: TWB adds an extra field Service Contact - Funding Source to the standard PMHC Service Contact.

Update the Client's Service Contact details. Mandatory fields are marked with an \* . (Specification Service Contact Data Elements)

For all Service Contacts provided under The Way Back please select "TWB".



# **Upload User Guide**

TWB is an extension of the Primary Mental Health Care Minimum Data Set (PMHC MDS); current PMHC MDS Data online User Guide for Upload is available to be viewed at https://docs.pmhc-mds.com/user-documentation/upload.html.

#### Creating upload files

To create TWB files that fit the PMHC MDS specifications, please visit the Upload Specification for the 'File Types', 'TWB Data Types', 'File Format' requirements, along with 'Example Files'.

This information for creating upload files is available at Upload Specification.

#### **Upload users**

You will only be able to see the Upload tab if you have been assigned the 'Upload' role, when logged into the PMHC MDS on https://pmhc-mds.net.

If you don't have access to the Upload tab and you believe you should, please contact someone in your provider organisation or provider organisation's PHN who has the 'User Management' role.

See: MDS Roles available for TWB Users.

# **Uploading TWB data**

TWB is an extension of the Primary Mental Health Care Minimum Data Set (PMHC MDS); the current PMHC MDS online User Guide can be followed to upload TWB data.

Information on 'Uploading a file', 'Test Modes', 'Viewing uploads', and 'error messages', is available in the PMHC MDS online User Guide at https://docs.pmhc-mds.com/user-documentation/upload.html.

# **Video Training Library**

The TWB video training library is currently under development.

In the interim, you may prefer to view the other online User Guide, or join a training group. (Training information in Step 5 at https://pmhc-mds.com/getstarted/).

# **Frequently Asked Questions**

# **PMHC FAQs**

As the TWB is an extension of the Primary Mental Health Care Minimum Data Set (PMHC MDS), the current PMHC MDS Frequently Asked Questions (FAQs) are available to be viewed at https://docs.pmhc-mds.com/faqs/index.html.

# **Getting Help**

# PMHC MDS Helpdesk

Strategic Data offers a dedicated **Helpdesk** which is available to support Primary Health Networks and Provider Organisations implementing NSPT in relation to the PMHC minimum dataset system (MDS).

All MDS enquiries should be directed to support@pmhc-mds.com.

# **Frequently Asked Questions Change log**