

Putting your job finder online

A click-by-click guide. No terminal, no coding — you paste four values into two places and click through three websites.

Time needed	About 45 minutes the first time
Cost	Nothing, using the free options in this guide
What you need	A Google account, a GitHub account, a Vercel account
Tabs to keep open	GitHub, Vercel, Google AI Studio, Supabase

What you are setting up

Three services work together. Each does one job:

Service	Its job	Cost
Google AI Studio (Gemini)	Reads resumes, scores them, finds live job openings	Free tier
Supabase	Stores accounts, matched roles and application lists	Free tier
Vercel	Hosts the website itself	Free (non-commercial)
GitHub	Holds the files; Vercel reads them from here	Free

Read this first. Do the parts in order. Each one ends with a checkpoint — something you can look at to confirm it worked. Most failed setups are someone discovering at Part 6 that Part 2 went wrong.

PART 0

Unzip the file

2 minutes

Unzip **universal-job-finder.zip**. Inside is a folder called **ujf**. Open it. You should see:

```
public (folder)
api (folder)
netlify (folder)
lib (folder)
README.md
PLATFORMS.md
SETUP-NO-CODE.md
supabase-schema.sql
vercel.json
netlify.toml
package.json
```

Important. Later you will upload the things **inside** `ujf`, not the `ujf` folder itself. Keep this window open — you will come back to it twice.

PART 1

Get your AI key

5 minutes

This is what reads resumes and finds jobs.

1. Go to **aistudio.google.com/apikey** and sign in with your Google account.
2. Click **Create API key**.
3. Click the copy icon. You now have a long string starting with **AIza**.
4. Paste it somewhere safe for a few minutes — a Notes app is fine. Do not put it in a shared document, and do not send it to anyone.

Checkpoint. You have a key starting with **AIza**.

PART 2

Set up the database

10 minutes

This stores each person's account, their matched roles, and their application list.

1. Go to **supabase.com** → **Start your project** → sign in with GitHub or email.
2. Click **New project**. Name it `job-finder`. Click Generate for the database password, then **copy and save it** — you will not need it in this guide, but losing it is a nuisance later. For Region, pick the one closest to your users; for India choose **Mumbai** or **Singapore**.
3. Click **Create new project** and wait about two minutes.

Create the tables

1. Left sidebar → **SQL Editor** → **New query**.
2. In your unzipped folder, open **`supabase-schema.sql`** with any text editor — Notepad, TextEdit, or right-click → Open with → your browser.
3. Select all of it (Ctrl+A or Cmd+A), copy, and paste it into the Supabase query box.
4. Click **Run**, bottom right. You should see a success message.

If you see red errors. You almost certainly pasted only part of the file. Clear the box and paste all of it again.

Turn on email sign-in

1. Left sidebar → **Authentication** → **Providers** (may be called Sign In / Providers).
2. Find **Email** and make sure it is **enabled**. Leave everything else alone.

Copy your two Supabase values

1. Left sidebar → **Project Settings** (gear icon) → **API**.
2. Copy the **Project URL** — it looks like `https://abcdefghijkl.supabase.co`
3. Copy the **anon public** key — a very long string starting with `eyJ`

Do not copy the service_role key. It sits just below the anon key and it bypasses all your security. The anon key is the safe one and it is designed to be visible in a web page.

Checkpoint. You now have three values saved: the Gemini key, the Supabase Project URL, and the Supabase anon key.

PART 3

Put the files on GitHub

10 minutes

1. Go to github.com/new.
2. Repository name: `job-finder`
3. Choose **Private**. You can make it public later; private is safer while setting up.
4. Leave every checkbox unticked. Click **Create repository**.
5. On the next screen, click the link **uploading an existing file**.
6. Open your unzipped **ujf** folder. Select **everything inside it** — all four folders and all the loose files — and **drag them into the browser window**. Wait for every item to finish; folders take a few seconds each.
7. In the **Commit changes** box at the bottom, type `first upload`, then click **Commit changes**.

Checkpoint. Your repository page shows the folders **api**, **lib**, **netlify**, **public** plus the loose files. If instead you see a single folder called **ujf**, you uploaded one level too high — delete the repository and redo step 6, going one folder deeper.

If your computer hides files starting with a dot (`.gitignore`, `.env.example`), don't worry — they are optional.

PART 4

Paste your Supabase values into the page

5 minutes

1. In your GitHub repository, click the **public** folder, then click **index.html**.
2. Click the **pencil icon** at the top right ("Edit this file").
3. Press **Ctrl+F** (Cmd+F on Mac) and search for `YOUR-PROJECT`.
4. You will find two lines. Replace the placeholder text with your real values from Part 2, keeping the quote marks.

Before:

```
const SUPABASE_URL = 'https://YOUR-PROJECT.supabase.co';  
  
const SUPABASE_ANON_KEY = 'YOUR-ANON-KEY';
```

After:

```
const SUPABASE_URL = 'https://abcdefghijkl.supabase.co';  
  
const SUPABASE_ANON_KEY = 'eyJhbGciOiJIUzI1NiIsInR5cCI6Ii...';
```

1. Click **Commit changes** at the top right, then **Commit changes** again in the box that appears.

Careful with the quote marks. They must stay. If you delete one by accident, the page will not load at all. If that happens, edit the file again and put it back.

PART 5

Put it online with Vercel

10 minutes

1. Go to vercel.com/new and sign in with **GitHub**.

2. Find `job-finder` in the list and click **Import**. If it is not listed, click **Adjust GitHub App Permissions** and give Vercel access to that repository.
3. On the configuration screen: Framework Preset **Other**, Build Command **empty**, Output Directory `public`. If Vercel has already filled these in, leave them.
4. Expand **Environment Variables** and add the two below, one at a time.

Name	Value
AI_PROVIDER	gemini
GEMINI_API_KEY	your Alza... key from Part 1

1. Click **Deploy** and wait a minute or two.
2. When it finishes, copy your live address. It looks like `https://job-finder-xxxx.vercel.app`

Checkpoint. Opening that address shows the page reading "Upload a resume. Get the jobs that fit." with a box asking for your email.

PART 6

Tell Supabase your address

3 minutes

Sign-in links will not work until you do this. It is the single most common thing people miss.

1. In Supabase → **Authentication** → **URL Configuration**.
2. **Site URL:** paste your Vercel address, e.g. `https://job-finder-xxxx.vercel.app`
3. Under **Redirect URLs**, click **Add URL** and add both: your address, and the same thing with a star — `https://job-finder-*.vercel.app`. The star version covers the extra addresses Vercel creates whenever you change something.
4. Click **Save**.

PART 7

Test it

5 minutes

Do these in order. Each one checks a different piece, so a failure tells you exactly where to look.

#	Do this	You should see	If not
1	Open your Vercel address	The sign-up box	Part 4 — check the quote marks
2	Enter your email, click the sign-in button	A message saying to check your inbox	Part 2, step 9 — email not enabled
3	Open the email, click the link	You land back signed in, with "Upload your resume" visible	Part 6 — URLs do not match
4	Upload a resume PDF, click Read my resume	Step 2 fills in with your title, skills and matched roles	Part 5, step 4 — Gemini key wrong
5	In step 3, click Check my resume	A score out of 100 with fixes listed	See the table below
6	In step 4, type a city and click Find jobs	Job cards appear after 20 to 40 seconds	See the table below
7	Save a job, sign out, sign back in	The job is still in your list	Part 2, step 7 — tables not created

All seven passing means you are live. Send yourself the link and try it on your phone.

PART 8

Before you share the link with anyone

5 minutes

Cap your usage. Every search costs a little. On a public link, someone will eventually hammer it — often a crawler rather than a person. Staying on Google AI Studio's free tier means it stops rather than charges you. If you ever enable billing on that Google project, set a budget alert the same day.

Turn on rate limiting. In Vercel: your project → **Settings** → **Firewall** → enable rate limiting. This stops one visitor making thousands of requests.

If you plan to charge for this. Vercel's free plan is for non-commercial projects only. The moment you charge money or run ads, you need their Pro plan.

Write a privacy policy. You are storing other people's email addresses and work history. A short page saying what you collect, why, and how someone deletes it. The database already has a delete function built in — see README.md.

PART 9

When something goes wrong

reference

What you see	What it usually is	Fix
Blank white page	A quote mark was deleted in Part 4	Edit public/index.html and check both lines match the example exactly

What you see	What it usually is	Fix
Sign-up box never disappears after clicking the email link	Supabase URLs do not match your live address	Redo Part 6, including the star version
No sign-in email arrives	Email provider disabled, or it is in spam	Part 2 step 9, then check your spam folder
"The resume could not be read"	Gemini key missing or mistyped	Vercel → Settings → Environment Variables, then redeploy
Resume reads fine but no jobs found	Filters too narrow, or Gemini search grounding needs billing enabled on your Google project	Set Posted within to 30 days first. If still nothing, check Google's grounding documentation
Worked, then stopped after an edit	Vercel is still building, or the build failed	Vercel → Deployments → check the newest one is green
Changed a setting, nothing happened	Environment variables only apply to new builds	Vercel → Deployments → newest → ■ → Redeploy

Where the real error lives. Vercel → your project → **Logs**. Visitors only ever see a friendly message; the actual reason appears there.

PART 10

Changing things later

reference

You never need a terminal. To edit any file: open it on GitHub, click the pencil, change it, click **Commit changes**. Vercel notices within seconds and rebuilds. Your live site updates in about a minute.

If an edit breaks the site, GitHub keeps every version. Open the file → **History** → pick the version from before your change → copy it back in.

Things you may want to change, and where they are:

What	Where
How many roles get searched by default	The "Roles to search" dropdown in step 4 — this is your main cost control
Add a country, industry or currency	public/index.html — the COUNTRIES, INDUSTRIES and CURRENCIES lists near the top of the script
Add a job platform search link	public/index.html — the PLATFORM_SEARCH list. See PLATFORMS.md for candidates
Switch from Gemini to Claude	Vercel environment variables: set AI_PROVIDER to anthropic and add ANTHROPIC_API_KEY
Change the wording anywhere	public/index.html — search for the text you want to change