Deploy Runbook — stand up the Indigenomics RAP Portal from scratch

Consolidated, linear "zero → running" checklist. Companion to the deeper `deploy.md` and `deploy-rap.md`, and the handoff context in `PROJECT-AUDIT.md`.

This is the single ordered path to deploy the portal into an AWS account — **including a fresh, client-owned account**. Follow the sections top to bottom; the order matters (e.g. the `AuthSecret` must exist *before* the first deploy). No credentials appear in this document — every secret is a **placeholder you supply**, and `<YOUR_ACCOUNT_ID>` stands in for the target AWS account.

> ***What you're deploying:*** *a Next.js 14 app on* ***SST v4 + OpenNext*** *— the app runs as a Lambda behind CloudFront, talking to DynamoDB. One `sst deploy` creates the CloudFront distribution, the server + image Lambdas, all DynamoDB tables, and the S3 buckets. `sst.config.ts` (repo root) is the source of truth.*

---

0. Decide before you start

Decision	Options	Notes
Stage name	`production` / `ca` / any dev name	`production` is `retain` (its data survives `sst remove`); all other stages are `remove`. **See the caveat below.**
Region	`us-east-1` (default) / `ca-central-1` (residency)	See §3. Bedrock/BDA/Textract availability differs by region.
Extraction engine	`mock` / `bda` / `bedrock`	`mock` first to validate infra, then turn on real AI (§6).
Legal-cases data	receive an export / rebuild via pipeline	The `LegalCases` table is not SST-managed — see §5.2.

> ⚠️ ***Only `production` retains data — `ca` does not.*** *The removal policy keys on the literal stage name `production` (`sst.config.ts:27`): `production` is `retain`, and* ***every other stage — including `ca` — is `remove`****, so `sst remove` (or deleting the stack) destroys that stage's DynamoDB tables and S3 buckets and all their data. This matters because `ca` is the Canadian-residency stage. If you run a* ***real*** *residency environment there, protect it deliberately — enable DynamoDB point-in-time recovery + backups, or move the retention rule off the hardcoded `"production"` name — **before** it holds real data.*

---

1. Prerequisites — per machine (one-time)

- [ ] **Node 20** installed (`node -v`). *(The repo has no `engines` pin; 20 is what CI uses.)*
- [ ] **AWS CLI v2** + credentials for the target account — SSO or `aws configure`.
- [ ] `git clone` the repo and **`npm install`** (this brings in SST v4).
- [ ] **Docker** only if you want the local DynamoDB loop (`npm run ddb:up`) — not needed to deploy.

- [ ] Confirm you're pointed at the right account: `aws sts get-caller-identity` → shows `<YOUR_ACCOUNT_ID>`.

> ***SST version note:*** *`package.json` pins `sst@^4.15.2`. Some in-repo comments still say "SST v3 (Ion)"; before the first deploy, sanity-check the `sst.config.ts` shapes flagged inline (`transform` PITR, `stream`, `subscribe`, bucket `cors`) against the installed version. See the version-drift note in `PROJECT-AUDIT.md` §5.*

---

2. One-time account setup (per AWS account) — the handoff-critical part

Do these **once per account**, before the first deploy. This is the part that differs when moving from the sandbox to a client-owned account.

2.1 Session secret (required — deploy fails without it)

```
npx sst secret set AuthSecret "<A_RANDOM_32+_BYTE_STRING>" --stage <stage>
```

Use a freshly generated random value (e.g. `openssl rand -base64 32`). Stored in SSM Parameter Store by SST — **never commit it**. Set it for **each stage** you deploy.

2.2 Bedrock model access (required for real extraction)

In the **Bedrock console** → **Model access**, in your chosen `BEDROCK_REGION`, enable access to:

- [ ] A **Claude** model (RAP extraction — `InvokeModel` 403s without it).
- [ ] **Amazon Titan Text Embeddings V2** (`amazon.titan-embed-text-v2:0`) — embeddings.
- [ ] **Llama 3.3 70B** (legal-cases briefs / Q&A), if using the cases features.

2.3 SES sender identity (required for notifications)

- [ ] In the stage's region, **verify** your `DIGEST_SENDER` address as an SES identity.
- [ ] While the account is in the SES **sandbox**, also verify `DIGEST_RECIPIENT` (sandbox SES only sends to verified addresses). Request production SES access to lift this.

2.4 BDA project (required only for the `bda` engine / `production` stage)

The default `production` stage references a BDA project by ARN. **In a new account those ARNs won't resolve** — recreate the project and override the ARNs (see §6, Option A). If you only use the `bedrock` or `mock` engine, skip this.

2.5 CI deploy role (optional)

Manual `sst deploy` needs none of this. To enable push-to-`main` auto-deploy, create a **GitHub OIDC provider + deploy role** in `<YOUR_ACCOUNT_ID>` and set the repo secret `AWS_DEPLOY_ROLE_ARN`. Until then, deploy manually — it's the supported path.

2.6 Budget alarm (recommended)

Create an AWS Budget alarm on day one. **Cost is almost entirely Bedrock LLM inference** and is easy to run up during bulk extraction — see `PROJECT-AUDIT.md` §3.

---

3. Region & residency strategy

- **No residency requirement** → deploy everything in one region (`us-east-1` is the default and where BDA / Textract / Titan / Llama all work). Simplest.
- **Canadian data residency** → deploy the app + tables in `ca-central-1`, but note **BDA and Textract are not fully available there**; Bedrock reaches Claude via the `us.` inference profile (data at rest in Canada, inference geo-routes). The `ca` stage ships the in-country **text-layer** engine for exactly this reason.

> *The sandbox's Textract/CloudTrail blocks are **SCPs from the parent org, not the product**. In a client-owned account with no such SCPs, the full Textract OCR path becomes available.*

---

4. Environment variables (set at deploy time)

SST reads these from the shell at deploy. For real deploys prefer **SST Secrets / SSM** over inline env where the value is sensitive.

Var	Purpose	Typical value
`SST_AWS_REGION`	region to deploy into	`us-east-1` or `ca-central-1`
`EXTRACTION_IMPL`	extraction engine	`mock` / `bda` / `bedrock`
`DOC_LOADER`	document loader	`textract` / `textlayer`
`BEDROCK_REGION`	Bedrock/BDA/Textract region	`us-east-1`
`BEDROCK_MODEL_ID`	Claude inference-profile id (bedrock engine)	e.g. `us.anthropic.claude-...`
`BDA_PROJECT_ARN`	your BDA project (bda engine)	`arn:aws:bedrock:us-east-1:<YOUR_ACCOUNT_ID>:data-automation-project/...`
`BDA_PROFILE_ARN`	data-automation profile (bda engine)	`arn:aws:bedrock:us-east-1:<YOUR_ACCOUNT_ID>:data-automation-profile/us.data-automation-v1`
`REVIEW_MODE`	`indigenomics` (queue) / `off` (auto-publish)	`indigenomics`
`RAP_CORS_ORIGINS`	allowed upload origins (comma-sep)	your CloudFront/custom-domain URL + `http://localhost:3000`
`DIGEST_SENDER` / `DIGEST_RECIPIENT`	notification email (verified SES)	your addresses
`ALERTS_EMAIL`	observability SNS subscription (ca stage)	your address
`WAF_BLOCKING`	flip the CloudFront WAF from count-only to blocking (`observe` stages)	unset = count-only; `true` = enforce
`RAP_TABLE` / `RAP_UPLOAD_BUCKET` / `RAP_ANALYTICS_BUCKET`	wired by SST	*(auto)*

The `ca` stage bundles its vars in the npm script (§5.1) so you don't set them by hand.

---

5. Deploy

5.1 First deploy (mock engine — validate infra)

```
# default region / us-east-1
npx sst deploy --stage <stage>

# ca-central-1 residency stage (vars are baked into the script — don't hand-roll this one)
npm run ca:deploy
```

> ⚠️ *For the `ca` stage always use `npm run ca:deploy` / `npm run ca:diff`. Hand-rolling `sst deploy --stage ca` silently drops `SST_AWS_REGION`, `EXTRACTION_IMPL`, and `DOC_LOADER`, degrading the deploy.*

Note the outputs: the **CloudFront URL** and the SST-generated **table/bucket names**.

5.2 Seed / data bootstrap

- [ ] **Portal demo data:** `npx sst shell --stage <stage> -- tsx scripts/seed-sst.ts` (resolves the per-stage table names automatically). This is an **upsert** of the canonical fixtures — safe to re-run.
- [ ] **Legal-cases corpus (`LegalCases`)** — *not SST-managed*. Choose one:
- **Receive an export** from the outgoing team and restore it, **or**
- **Rebuild via the pipeline** (`cases:create:cloud`, `cases:ingest:cloud`, `cases:harvest-*:cloud`, `cases:embed:bedrock:cloud`, `cases:index-build:cloud` — the `cases:*` scripts in `package.json`). The harvesters scrape external court sites; run them deliberately.

> *Do **not** run `ddb:create:cloud` / `rap:create:cloud` against SST-managed stages — they target bare table names and would create a second, wrong table. Always seed against the SST-generated name.*

5.3 Before-handoff data hygiene (new client production)

- [ ] Delete the **103 `@demo` company accounts** and retire the shared `demo-portal-2026` password. **Keep `institute@demo`** (the Indigenomics staff account — a separate singleton) for the Institute's initial access, but give it a real, private password. Optionally leave one or two demo company logins for exploring. *(No purge script exists yet — this is manual; seeding is scripted.)*
- [ ] Review **`src/lib/commitments/org-bn-map.ts`** (self-flagged "VERIFY BEFORE PROD MIGRATION").
- [ ] Replace the sample fixture corpora in `scripts/fixtures/` with the client's own documents.

---

6. Turn on real extraction

Deploy once with `mock` to prove the infra, then switch the engine.

> ***Which engine? See the empirical comparison — `./03-rap-engine-comparison.md`** (live n=8 run across three engines). **Recommended for a client-owned, unrestricted account: Option B with `DOC_LOADER=textract`***

> ***(Bedrock + Textract-LAYOUT)*** *— best coverage, real (read, not inferred) page numbers, and the only engine that processed all 8 test docs. Use* ***`DOC_LOADER=textlayer`*** *as the cheapest / best-grounding / most residency-friendly fallback for born-digital PDFs (no OCR, so it can't read scanned docs). Use* ***BDA (Option A)*** *only where speed matters more than provenance. Note: the LLM extraction step is Bedrock inference either way, and Canada is not a Bedrock inference geography, so inference leaves Canada regardless of engine ("in-CA" = data-at-rest + OCR in Canada).*

Option A — BDA (managed, multi-page, us-east-1 only)

1. Create the blueprint from `src/lib/rap/bda-blueprint.json` **in us-east-1**: `aws bedrock-data-automation create-blueprint --type DOCUMENT --blueprint-stage LIVE --schema file://... --region us-east-1`
2. Create a Data Automation project referencing it; note the **project ARN**.
3. Redeploy with `EXTRACTION_IMPL=bda`, `BEDROCK_REGION=us-east-1`, `BDA_PROJECT_ARN=<your new project ARN>`, `BDA_PROFILE_ARN=arn:aws:bedrock:us-east-1:<YOUR_ACCOUNT_ID>:data-automation-profile/us.data-automation-v1`.

Option B — Claude on Bedrock (fully in-country, e.g. ca-central-1)

Keeps processing in Canada and grounds every field in a verbatim quote.

```
SST_AWS_REGION=ca-central-1 EXTRACTION_IMPL=bedrock BEDROCK_MODEL_ID=<Claude profile id> \
  npx sst deploy --stage <stage>
```

Requires `textract:StartDocumentTextDetection` + `GetDocumentTextDetection` + `bedrock:InvokeModel`. *(In the sandbox these Textract calls are SCP-blocked, which is why the `ca` stage uses `DOC_LOADER=textlayer` instead — not needed in an unrestricted account.)*

---

7. Verify the deploy

```
URL=<the CloudFront URL from step 5.1>
curl -s -o /dev/null -w "%{http_code}\n" "$URL/coverage"   # expect 200
```

- [ ] Open the URL and walk **report → confirm → coverage → Index**.
- [ ] Sign in as **Indigenomics** → `/rap/upload`, upload a sample RAP → job reaches `PENDING_REVIEW` (flagged) or auto-publishes → appears on `/rap`.
- [ ] Record a progress update → the `RollupAggregator` recomputes (check its CloudWatch logs).
- [ ] **ca stage only:** confirm the SNS **email subscription** (click the confirmation link sent to `ALERTS_EMAIL`) so alarms can notify.
- [ ] **`ca` + `production` (`observe`):** a **WAFv2 WebACL auto-attaches** to the CloudFront distribution (rate-limit + AWS managed CommonRuleSet + KnownBadInputs), created in us-east-1. It ships **count-first** — nothing is blocked yet. Confirm attachment: `aws cloudfront get-distribution-config --id <id>` shows a non-empty `WebACLId`. After watching `AWS/WAFV2` count-mode metrics for false positives, redeploy with `WAF_BLOCKING=true` to enforce. No SCP change was needed for the deploy role.

---

8. Cost & teardown

- Serverless infra ≈ free at demo scale; **real cost is Bedrock/BDA/Textract per page/token**. See `PROJECT-AUDIT.md` §3 for real figures.
- **Tear a stage down when idle:** `npx sst remove --stage <stage>`.
- Remember `production` is `retain` — its data buckets survive a remove and need manual cleanup if you truly want everything gone.
- **Non-production stages (including `ca`) do NOT retain** — `sst remove` deletes their DynamoDB tables and S3 buckets and all their data. Back up first if the stage holds anything you need (see the §0 caveat).

---

9. Troubleshooting

Symptom	Fix
`Token has expired` / `ExpiredToken`	Refresh creds (`aws sso login` or re-auth).
`sst deploy` fails complaining about a secret	`AuthSecret` not set for this stage — do §2.1.
`InvokeModel` AccessDenied / 403	Bedrock model access not enabled in `BEDROCK_REGION` — §2.2.
BDA job `ClientError`	Wrong blueprint field names / project ARN, or missing `BDA_PROFILE_ARN`.
Presigned upload blocked (CORS)	Set `RAP_CORS_ORIGINS` to your app origin; confirm the bucket `cors` block deployed.
App shows no data after deploy	Tables exist but weren't seeded — run §5.2.
Seed wrote to the wrong/empty table	Pass/resolve the **SST-generated** table name, not a literal like `RapData`.
Rollup never updates	Streams enabled on `RapData`? `RollupAggregator` IAM / `RAP_TABLE` env? Check its logs.
`AccessDenied` on a service that should work	You may be under an org **SCP** (as the sandbox is for Textract/CloudTrail) — confirm with the account owner.
`sst deploy` type/prop error	Reconcile the flagged `sst.config.ts` API shapes with the installed SST version (§1).

No credentials or real secret values appear in this runbook — only placeholders you supply. `<YOUR_ACCOUNT_ID>` is the target AWS account.