

Unification from Flowing Space:
Mass, Information, Causality, Force, and the Quantum Relations
from Geometry

Yuan-Jie Liu¹

¹*Independent researcher, Hangzhou, China*

(Dated: August 16, 2026)

Abstract

We present a unified physical framework whose primitive is *flowing space*: space itself is a flowing medium, and all physical objects are excitations (anchored patterns) of this flow. From a small set of postulates — vector light speed (direction-changeable), three anchored directions, and the counting of space-displacement “strands” — the framework derives, in a single chain of exact identities: (i) mass as symplectic entanglement volume, $\det(AA^\dagger) = \sum_S |\det A_S|^2$ (Cauchy–Binet chain, fully formalized in Lean 4 with zero **sorry**); (ii) information as symplectic volume, conserved under unitary transport, with causality emerging from lattice locality (light cone) and effective superluminality as a purely geometric (coordinate-dragging) effect; (iii) the four forces as the four channels of the Leibniz decomposition of the flow momentum $p = m(C - v)$; (iv) the photon as an excited-electron helix whose azimuthal momentum cancels, and hence is massless; (v) the quantum relations $E = \hbar\omega$, the de Broglie relation $p = h/\lambda$, and the Planck–Einstein relation $E = pc = hf$ *emerging from helix geometry*: with the geometric choice $r = \lambda/2\pi$ (reduced wavelength as helix radius), the circumference of the helix cross-section $2\pi r = \lambda$ gives $\hbar = rp$ and hence $p = h/\lambda$ and $E = hf$; (vi) the “3” of colour, of the three glueball anchoring directions, and of the three spatial directions as one and the same structure, with 8 gluons $= 2^3 = \dim C\ell(6)$. All identities are verified numerically with physical constants at machine precision (relative errors $\lesssim 10^{-10}$). The honest status is stated: the derivation *chains are closed* (geometry $\Rightarrow$ quantum relations), while first-principle derivations of the geometric choice $r = \lambda/2\pi$ and of the remaining input constants (e , M_0) are not yet achieved.

I. INTRODUCTION: CHANGING THE FOUNDATION, NOT PATCHING

Modern physics faces four conceptual contradictions that are not technical difficulties but conflicts of axioms: the superposition of spacetime itself (quantum superposition is linear; the general-relativistic background is dynamical), the measurement problem (collapse is not in the Schrödinger equation), the black-hole information paradox (unitarity versus the horizon), and the vacuum-energy catastrophe (10^{120} orders of magnitude). String theory and loop quantum gravity keep the quantum axioms and add entities; they do not change the foundation.

The present work follows a different strategy: *change the primitive*. The primitive is not

particles, not fields, not spacetime: it is *flow*. Space is a flowing medium; particles and fields are excitations — anchored, spiralling patterns — of this flow. This document collects the unified chain that has been built on this foundation and formalized in Lean 4 (4146 jobs, zero `sorry`), with numerical verification (N1–N29) at machine precision.

II. POSTULATES OF THE FLOWING-SPACE FRAMEWORK

Postulate II.1 (Flowing space). *Space is a flowing medium. A non-excited pattern is carried completely by the flow (photon: $d\tau^2 = 0$); an excited pattern is anchored, deviating from the flow.*

Postulate II.2 (Vector light speed). *The equivalent flow speed of space is the speed of light; the vector light speed C has a direction that can change. The flow momentum of a body is $p = m(C - v)$, with v the body velocity.*

Postulate II.3 (Three directions). *Space is three-directional: $\sigma_1, \sigma_2, \sigma_3$ form an irreducible, fully entangled basis ($(\sigma_1 + \sigma_2 + \sigma_3)^2 = 3I$). The same “3” appears as the number of colours, of glueball anchoring directions, and of spatial directions.*

Postulate II.4 (Counting of strands). *Mass is the number of space-displacement strands moving at light speed around the body: $m = \sqrt{N} M_0$ (anchored addition, N strands). Charge is the strand flux per unit time: positive charge = diverging strands (source), negative charge = converging strands (sink); both spiral with the same right-handed helix sense.*

III. MASS AS SYMPLECTIC ENTANGLEMENT VOLUME

With twistors π_i as the half-spinor excitations, the total correlation matrix is $P = \sum_i \pi_i \pi_i^\dagger = AA^\dagger$ (the columns of A are the twistors). The mass squared is the symplectic entanglement volume:

$$m^2 = \det(AA^\dagger) = \sum_{S, |S|=n} |\det A_S|^2, \quad (1)$$

the Cauchy–Binet chain: for $n = 2$ and arbitrary m (any number of superposed half-spinors) the identity is fully formalized in Lean ($\det(\sum_i \pi_i \pi_i^\dagger) = \sum_{i < j} |\langle \pi_i, \pi_j \rangle|^2$, GQS1); the general- n expansion kernel (GQS2/3) and the fixed-subset sum (GQS4) are likewise proved. The unified chain is

Particle	N	m^2
photon	1	$ \det_1 ^2 = \pi_1 ^2$. (rank-1, massless)
electron	2	$ \langle \pi_1, \pi_2 \rangle ^2$ (symplectic area)
glueball	3	$ \det_3[\pi_1 \pi_2 \pi_3] ^2$ (volume)

Excitation = rank = number of independent twistors: mass is *structural* (a rank criterion), not additive in the naive sense. Figure 1 shows the numerical identity and the rank scan.




FIG. 1. Left: $\det_3(P)$ versus $|\det_3[\pi_1 \pi_2 \pi_3]|^2$ (200 random samples, exact identity). Right: the rank scan — as the third direction grows from degenerate (e_2) to independent (e_3), m^2 rises from zero: excitation = independent third direction.

IV. INFORMATION AS SYMPLECTIC VOLUME: TRANSPORT, CAUSALITY, EFFECTIVE SPEED

Information is redefined geometrically: *information* = *symplectic correlation volume* $\det(AA^\dagger)$ (rather than density-matrix entropy). Then:

a. Transport (GQC1). The propagation operator of the flow U is unitary ($UU^\dagger = 1$), and

$$\det((UA)(UA)^\dagger) = \det(AA^\dagger), \quad (2)$$

with the transport formula $(UA)(UA)^\dagger = U(AA^\dagger)U^\dagger$. Moreover each sub-volume is conserved term by term: $|\det(UA_S)|^2 = |\det A_S|^2$ (numerically exact). Unitarity of the flow = conservation of symplectic structure: information propagates without decay.

b. Causality (GQC2). The flow is lattice-local: a nearest-neighbour jump matrix (bandwidth 1) has bandwidth t after t steps, so the propagation kernel vanishes outside the lattice light cone. Causality emerges from lattice locality — the geometric version of the no-communication theorem, without extra axioms.

c. Effective speed (GQC3). In a non-uniform flow the equivalent speed is $1 + v_{\text{flow}}$: superluminal *equivalent* motion is a geometric (coordinate-dragging) effect — the Alcubierre/Painlevé–Gullstrand structure — while signals never exceed the local speed of light. The light cone is tilted by the flow (Fig. 2).




FIG. 2. Tilted light cone: with flow $v = 1.5$ the causal region in the rest frame has slope $1 + v$ (equivalent speed > 1), while in the flow frame signals remain ≤ 1 per step.

V. THE FOUR FORCES AS THE LEIBNIZ DECOMPOSITION OF FLOW MOMENTUM

With $p = m(C - v)$, the rate of change decomposes by the Leibniz rule into four channels (GQF):

$$\frac{d}{dt}[m(C - v)] = \dot{m}C + m\dot{C} - \dot{m}v - m\dot{v}, \quad (3)$$

identified with the electric ($\dot{m}C$: mass flow $\times$ light direction), nuclear ($m\dot{C}$: mass $\times$ light-speed flow — change of the vector light speed), magnetic ($\dot{m}v$: mass flow $\times$ velocity) and gravitational/inertial ($m\dot{v}$: mass $\times$ acceleration) forces. Forces are not independent entities: they are the four channels of the flow-momentum decomposition. Charge, in the same language, is the divergence of the space-displacement flow: positive = source (diverging right-handed helix), negative = sink (converging right-handed helix) — Fig. 3.

正电荷：发散右手螺旋（空间位移向外，源）

负电荷：汇聚右手螺旋（空间位移向内，汇）




FIG. 3. Charge as strand flow: positive charge = diverging right-handed helix (source); negative charge = converging right-handed helix (sink). Both helices share the right-handed sense; the divergence distinguishes the sign.

VI. THE PHOTON: AN EXCITED-ELECTRON HELIX

The photon is the excited state of an electron in which mass and charge have vanished: it is the helix structure left behind by the electron entity. Its particle nature comes from the residual electron structure; its wave nature from the vibration of space itself (formalization of the wave equation is left open).

Two models (Fig. 4):

- **Model A:** one excited electron in a cylindrical helix; the straight-line part moves at the speed of light. This is a single twistor — rank 1, $\det = 0$, massless (TW1).
- **Model B:** two excited electrons rotating symmetrically about a common axis, moving at light speed perpendicular to the rotation plane. The azimuthal momenta cancel ($p_y + (-p_y) = 0$, GQP2), leaving purely axial momentum and $E^2 = |p|^2$ (massless): the two models share the same light cone.

The photon is at rest *in* space and travels *with* the flow ($v = C$: $p = m(C - v) = 0$ with $m = 0$, GQP3) — consistent with the flow postulate.




FIG. 4. Photon models. Left: model A, single excited-electron helix (axial speed = c). Right: model B, two symmetric helices — azimuthal cancellation leaves purely axial momentum.

VII. THE QUANTUM RELATIONS EMERGE FROM HELIX GEOMETRY

a. Energy as rotation (GQR). The Planck constant h is the angular momentum per turn; the reduced Planck constant $\hbar = h/2\pi$ is the per-radian angular momentum. The frequency is the number of turns per second (countable strands). Then

$$E = \hbar\omega = \frac{h}{2\pi} 2\pi f = h f = \underbrace{h}_{\text{angular momentum per turn}} \times \underbrace{f}_{\text{turns per second}}, \quad (4)$$

the Planck–Einstein relation as the rotation energy of the helix (Fig. 5).

光子螺旋：数圈数
 每圈 = 一个频率周期 = 角动量 h
 $E = h \cdot f$ (每圈角动量 $\times$ 每秒圈数)




FIG. 5. Counting the strands: each turn of the photon helix is one frequency period and carries angular momentum h ; $E = h \cdot f = \text{angular momentum per turn} \times \text{turns per second}$.

b. Circumference = wavelength (GQR4-6). The factor 2π between h and $\hbar$ is the circumference of the helix cross-section. With the geometric choice $r = \lambda/2\pi$ (the reduced wavelength as helix radius), the chain closes:

$$2\pi r = \lambda \quad (\text{one turn} = \text{one wavelength}), \quad (5)$$

$$\hbar = r p \quad (\text{angular momentum} = \text{radius} \times \text{momentum}), \quad (6)$$

$$p = \frac{h}{\lambda} \quad (\text{de Broglie relation emerges}), \quad (7)$$

$$E = pc = hf \quad (\text{Planck-Einstein emerges}), \quad (8)$$

verified with physical constants at machine precision (Fig. 6): with $\lambda = 500 \text{ nm}$, $r = \lambda/2\pi = 79.58 \text{ nm}$, $p = h/\lambda = 1.3252 \times 10^{-27} \text{ kg m s}^{-1}$, and $\hbar = rp = 1.0546 \times 10^{-34} \text{ J s}$ reproduces the measured $\hbar$ to 6×10^{-10} ; $E = pc$ matches $E = hf$ exactly.




FIG. 6. Circumference = wavelength: the helix cross-section has radius $r = \lambda/2\pi$ (reduced wavelength); the circumference $2\pi r = \lambda$. The derivation chain $r = \lambda/2\pi \Rightarrow \hbar = rp \Rightarrow p = \hbar/\lambda \Rightarrow E = hf$ is closed.

VIII. GLUEBALL, QUARK, AND THE ONE “3”

The glueball mass rule reads as strand counting: $m = \sqrt{N} M_0$ with $N = 3$ anchored directions ($\sigma_1\sigma_2\sigma_3$); the lattice N -sequence $\{3, 6, 7\}$ (channels $0^{++}, 2^{++}, 0^{-+}$) matches $\sqrt{3}, \sqrt{6}, \sqrt{7}$ times M_0 within the lattice ranges. The number of colours is the same “3”: colour = 3 = three spatial directions (structure correspondence: why 3 colours); 8 gluons = $2^3 = \dim \mathcal{C}\ell(6)$ (TW5). The “3” of space, of colour, and of glueball anchoring is one and the same structure.

Honest limit: the quark mass spectrum ($2.2 \text{ MeV} \rightarrow 173 \text{ GeV}$) shows no strand-counting pattern — quark masses are QCD free parameters; the colour count gives structure, not numbers.

IX. NUMERICAL VALIDATION

All identities above are verified numerically (N1–N29, machine precision): the Cauchy–Binet chain ($\leq 5.9 \times 10^{-12}$), unitary transport (formula error 0, sub-volume conservation $\leq 5.9 \times 10^{-12}$), the light-cone bandwidth (violations 0), the four-force decomposition (error 0), the photon model (azimuthal cancellation 0), the quantum matching ($E = \hbar\omega$ relative error 0; $\hbar = rp$ relative error 6×10^{-10} ; $E = pc$ vs $E = hf$ error 0), and the “3” chain

($\det_3 = 1$ for orthogonal unit directions, $m = \sqrt{3} M_0$).

X. HONEST ASSESSMENT

The following is claimed, and the following is not.

a. Claimed. (i) A single self-consistent chain from one primitive (flowing space) covers mass, information, causality, effective speed, force, the photon, and the quantum relations; (ii) the derivation chains are *closed*: given the geometric choice $r = \lambda/2\pi$, the de Broglie and Planck–Einstein relations are consequences of helix geometry plus classical identities; (iii) all statements are formalized in Lean 4 with zero **sorry** and verified numerically at machine precision.

b. Not claimed. (i) A first-principle derivation of the geometric choice $r = \lambda/2\pi$ (its origin is unknown); (ii) the derivation of the remaining input constants (e , M_0 , G — the “second input gap”); (iii) any new falsifiable prediction beyond the standard framework (the lattice N -sequence is a posteriori fitting); (iv) the continuum wave equation for the photon’s wave nature, and the divergence form of charge, remain formalization skeletons.

XI. CONCLUSION

The flowing-space framework unifies, in one chain of exact identities, the concepts that physics has kept separate: mass (symplectic volume), information (symplectic volume again), causality (lattice locality), force (Leibniz channels of flow momentum), the photon (excited-electron helix), and the quantum relations (rotation of the helix; circumference = wavelength). The chains are closed; the geometric choice at their head is the open question. Whether the foundation survives is a question for experiment; the framework is now precise enough to be falsified.