

## question 1

```
n=input('enter a positive integer: \n')
```

```
n =  
5
```

```
fprintf('the factorial of %d is %d',n,recfac(n)); % semi colons are not  
needed
```

```
the factorial of 5 is 120
```

```
% whenever its an integer write %d or else u will get error  
function f=recfac(n)  
if n==1  
    f=1;  
else  
f=n*recfac(n-1);  
end  
end
```

## question 7

```
a = input('Enter the base (a): ');  
n = input('Enter a positive integer exponent (n): ');  
fprintf('%.5f\n', retpow(a, n));
```

```
0.00032
```

```
function f = retpow(a, n)  
    if n == 0  
        f = 1;  
    elseif n > 0  
        f = (1/a) * retpow(a,n - 1);  
    else  
        error('The exponent shud be a positive integer.');
```

```
    end  
end
```

## question 4

```
a = input('Enter base (a): ');  
n = input('Enter exponent (n): ');  
result = p(a, n);  
fprintf('The result of %d^%d is %d\n', a, n, result);
```

The result of  $5^5$  is 3125

```
function f = p(a, n)
    if n == 0
        f = 1;
    else
        f = a * p(a, n - 1);
    end
end
```

## question 5

```
n = input('Enter the position (n) of the Fibonacci number: ');
result = fibonacci(n);
fprintf('The %dth Fibonacci number is %d\n', n, result);
```

The 5th Fibonacci number is 3

```
function f = fibonacci(n)
    if n == 1
        f = 0;
    elseif n == 2
        f = 1;
    else
        f = fibonacci(n - 1) + fibonacci(n - 2);
    end
end
```

## question 6

```
n = input('Enter the position (n) in the sequence: ')
```

```
n =
5
```

```
result = sequence(n);
fprintf('The %dth term of the sequence is %d\n', n, result);
```

The 5th term of the sequence is 1579

```
function f = sequence(n)
    if n == 0
        f = 6;
    else
        f = 3 * sequence(n - 1) + 1;
    end
end
```

## question 2