OS & SP

Name : S LOHITHA **Roll No :** 2520030109

SKILL – 10

1.Skill10.c

lohitha27@LAPTOP-A9F545F(

GNU nano 8.7.1 skill10.c *

```c
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
#include <unistd.h>
#include <sys/wait.h>

int main(void)
{
    char cwd[1024];

    /* pwd functionality */
    if (getcwd(cwd, sizeof(cwd)) != NULL) {
        printf("Current Directory: %s\n", cwd);
    } else {
        perror("getcwd");
    }

    /* Export functionality */
    printf("\nBefore export:\n");

    char *value = getenv("OSSP_VAR");

    if (value != NULL) {
        printf("OSSP_VAR = %s\n", value);
    } else {
        printf("OSSP_VAR is not set\n");
    }

    printf("\nSetting OSSP_VAR=Hello_OSSP\n");

    if (setenv("OSSP_VAR", "Hello_OSSP", 1) == -1) {
        perror("setenv");
        return 1;
    }

    printf("After export:\n");
    printf("OSSP_VAR = %s\n", getenv("OSSP_VAR"));

    /* Check that child inherits variable */
    pid_t pid = fork();

    if (pid < 0) {
        perror("fork");
        return 1;
    }

    if (pid == 0) {
        printf("\nChild Process:\n");
        printf("OSSP_VAR = %s\n", getenv("OSSP_VAR"));
        exit(0);
    }

    waitpid(pid, NULL, 0);

    printf("\nProgram completed successfully.\n");

    return 0;
}
```

OUTPUT :

```
lohitha27@LAPTOP-A9F545FG:~/SKILL$ nano skill10.c
lohitha27@LAPTOP-A9F545FG:~/SKILL$ gcc -Wall -Wextra -g skill10.c -o skill10
lohitha27@LAPTOP-A9F545FG:~/SKILL$ ./skill10
Current Directory: /home/lohitha27/SKILL

Before export:
OSSP_VAR is not set

Setting OSSP_VAR=Hello_OSSP
After export:
OSSP_VAR = Hello_OSSP

Child Process:
OSSP_VAR = Hello_OSSP

Program completed successfully.
lohitha27@LAPTOP-A9F545FG:~/SKILL$
```