

OS & SP

Name : S LOHITHA **Roll No :** 2520030109

SKILL – 09

1.Skill9.c




lohitha27@LAPTOP-A9F545F(
GNU nano 8.7.1 skill9.c *
printf(" cd <dir> - change directory\n");
printf(" cd - change to home directory\n");
printf(" prev - return to previous directory\n");
printf(" help - display commands\n");
printf(" exit - terminate program\n\n");
}
int main(void)
{
char input[MAX_INPUT];
printf("==\n");
printf(" OSSP PROGRAM 9\n");
printf(" Directory Navigation\n");
printf("==\n");
printf("\nType 'help' for commands.\n\n");
while (1) {
printf("shell9> ");
fflush(stdout);
if (fgets(input, sizeof(input), stdin) == NULL)
break;
input[strcspn(input, "\n")] = '\0';
if (input[0] == '\0')
continue;
if (strcmp(input, "exit") == 0)
break;
if (strcmp(input, "help") == 0) {
show_help();
}
else if (strcmp(input, "pwd") == 0) {
show_directory();
}
else if (strcmp(input, "prev") == 0) {
go_previous();
}
else if (strcmp(input, "cd") == 0) {
char *home = getenv("HOME");
if (home == NULL) {
printf("HOME environment variable is not set.\n");
} else {
change_directory(home);
}
}
else if (strncmp(input, "cd ", 3) == 0) {
char *directory = input + 3;
while (*directory == ' ' || *directory == '\t')
directory++;
if (*directory == '\0') {
printf("Usage: cd <directory>\n");
} else {
change_directory(directory);
}
}
else {
printf("Unknown command: %s\n", input);
printf("Type 'help' for available commands.\n");
}

```
        if (strcmp(input, "help") == 0) {
            show_help();
        }
        else if (strcmp(input, "pwd") == 0) {
            show_directory();
        }
        else if (strcmp(input, "prev") == 0) {
            go_previous();
        }
        else if (strcmp(input, "cd") == 0) {
            char *home = getenv("HOME");

            if (home == NULL) {
                printf("HOME environment variable is not set.\n");
            } else {
                change_directory(home);
            }
        }
        else if (strncmp(input, "cd ", 3) == 0) {
            char *directory = input + 3;

            while (*directory == ' ' || *directory == '\t')
                directory++;

            if (*directory == '\0') {
                printf("Usage: cd <directory>\n");
            } else {
                change_directory(directory);
            }
        }
        else {
            printf("Unknown command: %s\n", input);
            printf("Type 'help' for available commands.\n");
        }
    }

    printf("Program 9 terminated.\n");
    return 0;
}
```

OUTPUT :

```
collect2: error: ld returned 1 exit status
lohitha27@LAPTOP-A9F545FG:~$ nano skill9.c
lohitha27@LAPTOP-A9F545FG:~$ nano skill9.c
lohitha27@LAPTOP-A9F545FG:~$ gcc -Wall -Wextra -g skill9.c -o skill9
lohitha27@LAPTOP-A9F545FG:~$ ./skill9
=======================================
        OSSP PROGRAM 9
        Directory Navigation
=======================================

Type 'help' for commands.

shell9> pwd
/home/lohitha27
shell9> cd /tmp
Directory changed successfully.
shell9> prev
Directory changed successfully.
shell9> help

Available commands:
 pwd          - show current directory
 cd <dir>     - change directory
 cd           - change to home directory
 prev         - return to previous directory
 help         - display commands
 exit         - terminate program

shell9> pwd
/home/lohitha27
shell9> exit
Program 9 terminated.
lohitha27@LAPTOP-A9F545FG:~$
```