

Roll no:- 19BCSO14

NAME :- B. Lohith Reddy

1) the given sql query gives an error as there is no third column in the table

2) `SELECT Emp1.NAME From Employees Emp1, Employees Emp2`
where `Emp1.insurance_poli = Emp2.insurance_poli`

3) ~~`SELECT * FROM Employee where salary = (select max(salary))`~~

3) `Select * from Employee where salary = (select max(salary))`
`from Employee where salary In (select distinct Top M`
`salary from Employee order by sal Desc))`

4) True,

4) False, DBMS drops objects like constraints, indexes columns, defaults but does not drop views and stored procedures.

5) `Select * from std-Info-Details where std-ID % 2 = 0`
or

`select * from std-Info-Details where std-ID % 2 = 1`
by using the above query we get the all values with even id.

6) `Select Top 0 * Into Emp = Empty-Table from university Table.`

⇒ we use the above query copy's Top 0 from the university table into Empty-Table as we are copying Top 0 the table remains empty.

name:- B.Lohith Reddy

Roll no:- 19BCS014

7)

8)	Complete		Required		
	Scholar	Tutorial	Tutorial		
	Lohith	OS	calculus	calculus	OS
	Ram	DBMS	DSA	DSA	DBMS
	Gopi	SE	ML	ML	SE
	Sita	Algebra	vectors	vectors	Algebra

i)

All scholars

Scholar

Lohith

Ram

Gopi

Sita

ii)

Scholar And Required

Lohith

calculus

Ram

DSA

Gopi

ML

Sita

vectors

iii)

Scholar And Required Not complete.

Lohith

calculus

Ram

DSA

Gopi

ML

Sita

vectors

4) Cannot Graduate.

Lohith
Ram
Gopi
Sita.

5) the created table will be empty
can Graduate

empty <