



Sunstone

OpenNebula Views


Admin



VDCAdmin




Cloud User





OpenNebula Views


Admin



VDCAdmin



Cloud User




Basic Usage – VMs

suspend	VM state saved. Kept in the host.
power off (--hard)	Powers off a VM. Kept in the host.
stop	VM state saved. Taken to the system datastore.
undeploy (--hard)	Powers off a VM. Taken to the system datastore.
reboot (--hard)	Reboots the VM.
delete --recreate	Cleans the VM and moves it to PENDING.
shutdown (--hard)	Powers off a VM, cleans host and VM is removed from OpenNebula.
delete	VM is immediately destroyed regardless of state. Recommended only for oneadmin .

Basic Usage – VMs

Hands on! (Sunstone)



- **Storage:** Attach new disk
 - Create new Image => Type: *"Datablock"*; *"Empty Datablock"*; Size: 100; Format: *"qcow2"*
- **Network:** Attach new nic (**poweroff** inside tty to detect)
- **Snapshot:**
 - Take (system) snapshot
 - Revert
- **Capacity:** Resize VM capacity

Permissions

Hands on! (Sunstone)

Make the all the resources previously created usable by everybody

Permissions:	Use	Manage	Admin
Owner	☒	☒	☐
Group	☒	☐	☐
Other	☒	☐	☐
Ownership			
Owner	oneadmin		
Group	oneadmin		

Apply to all the images, templates and virtual networks.
Owner could be changed too => **chown** and **chmod**.

Groups

Hands on!

Create Group

Name:

students



Views



Admin



Permissions

Go to the **Admin Tab** and Check the box to **Create an administrator user**

Username: students-admin

Password: localhost1

Check the **Permissions** tab (no modifications)

Groups

Hands on!

When a group is created, a new set of **ACLs** are introduced

☐	ID	Applies to	Affected resources	Resource ID / Owned by	Allowed operations	Zone
☐	8	User 2	Virtual Machines, Images, VM Templates, Documents	Group students	use, manage, create	All
☐	7	User 2	Users	Group students	use, manage, admin, create	All
☐	6	Group students	Virtual Machines, Images, VM Templates, Documents	All	create	All
☐	5	Group students	Virtual Networks, Datastores	All	use	OpenNebula
☐	4	Group students	Hosts	All	manage	OpenNebula

The Power of VDCs



Update



☐	ID ▾	Name	Groups	Clusters	Hosts	VNets	Datastores
☐	0	default	2	1	0	0	0

Showing 1 to 1 of 1 entries

Previous

1

Next

10 ▾

1 TOTAL



Reset

Create

Wizard

Advanced



General



Groups



Resources



Clusters



Hosts



VNets



Datastores




Zone

OpenNebula ▾


Configure your Cloud from the Admin perspective

Admin

VDCAdmin




Cloud User



Using Groups

Hands on!

Login as students-admin



- Create a student
- Assign Quotas

Create User

Define Quotas

Running VMs


CPU

Memory (GBs)


Add User

OpenNebula Views


Admin



VDCAdmin




Cloud User




Hands on!

Login as the student and instantiate a new VM



- Select the *Vprometheus0* template
- Network: 1

- Explore the VM actions. **Power Off** and **Save VM**
- With the *oneadmin* account see the new template and image
- Other options: SSH Key, Quotas, Settings

*Using Groups***Hands on!****Login as students-admin**

Other Features

Federation

OpenNebula can scale by federation many OpenNebula instances.

Scheduler

The OpenNebula Scheduler is extremely flexible. Write your own rules you want to guarantee that your vms end up wherever you need them.

OneFlow

Manage multi-vm services

OneGate

Send custom Metrics to OpenNebula

AppMarket

Deliver appliances ready to be consumed

CloudBursting

Scale out your private resources to EC2

vOneCloud

vCloud Director Replacement with al the OpenNebula Cloud benefits