

LOCO - HAZARD DETECTION HELMET

Submitted by

ASFAQ FARID S(113223041015)

LOKESHKUMAR.K(113223041074)

NAVIN KARTHIK R (113223041092)

BACHELOR OF ENGINEERING

in

ELECTRONICS AND COMMUNICATION ENGINEERING



VELAMMAL ENGINEERING COLLEGE (AUTONOMOUS)
CHENNAI-66



ANNA UNIVERSITY
CHENNAI 600-025
EVEN SEM 2024-25

APPENDIX 1
VELAMMAL ENGINEERING COLLEGE
CHENNAI 600-066

BONAFIDE CERTIFICATE

Certified that this project report “**LOCO - HAZARD DETECTION HELMET**” is the bonafide work of ASFAQ FARID S,LOKESHKUMAR K, NAVIN KARTHIK R who carried out the project work under my supervision.

Mrs.S.KAVITHA

Supervisor
Department of Electronics &
Communication Engineering
Velammal Engineering College
Chennai-600066

Dr.S.MARY JOANS

Professor & Head Department
of Electronics and
Communication Engineering
Velammal Engineering College
Chennai - 600066

S.NO	CONTENT	PAGE NO
1	ABSTRACT	4
2	OBJECTIVE	5
3	LITERATURE SURVEY	6-7
4	HARDWARE DETAILS	7
5	SOFTWARE DETAILS	7
6	BLOCK DIAGRAM	8
7	DESCRIPTION	9-10
8	CIRCUIT DIAGRAM	11
9	APPLICATIONS	11-12
10	BENEFITS	12
11	OUTCOME OF THE PROJECT	13
12	REFERENCES	14

ABSTRACT

The LOCO-Hazard Detection Helmet is a pioneering smart safety solution developed to enhance protection and reduce risks in hazardous work environments such as construction sites, mining zones, and industrial areas. Utilizing the power of an ESP32 microcontroller, the helmet integrates a DHT11 sensor for continuous monitoring of temperature and humidity, along with a GPS NEO-6M module for precise real-time location tracking. In the event of a hazard, the system triggers immediate alerts through buzzers and displays the status on an LCD screen, ensuring workers are instantly aware of any dangerous conditions. Additionally, the helmet is connected to a Telegram bot system, which automatically transmits emergency messages and live GPS coordinates to pre-assigned emergency contacts, enabling rapid external support and coordination. A unique component of this solution is the inclusion of a dedicated Safety Patrol Service (SPS), consisting of 7 to 10 personnel, responsible for continuously monitoring field workers and providing timely interventions during critical situations. This not only elevates the overall safety framework but also contributes to employment generation through new supervisory roles. By combining real-time environmental sensing, automated emergency communication, and human oversight, the LOCO-Hazard Detection Helmet offers a comprehensive, scalable, and proactive approach to occupational safety, setting a new standard in safeguarding lives in high-risk industries.

OBJECTIVE

The primary objective of the LOCO-Hazard Detection Helmet project is to develop an integrated, intelligent safety helmet that goes beyond conventional head protection. It aims to enhance worker safety in hazardous environments by:

- **Real-Time Environmental Monitoring:** Continuously measuring temperature, humidity, and other environmental parameters using sensors like the DHT11 to prevent exposure to extreme conditions.
- **Accurate Location Tracking:** Utilizing a GPS module (NEO 6M) to provide precise real-time positioning, ensuring quick response during emergencies.
- **Prompt Hazard Alerts:** Implementing robust communication channels (e.g., GSM, Telegram bot integration) to send immediate notifications and alerts when hazardous conditions are detected.
- **Enhanced Durability:** Addressing practical challenges such as battery safety, component protection, and water resistance to ensure reliable operation in extreme conditions and Worker Health 14.
- **Fatigue Monitoring:** Incorporating additional sensors in future iterations to detect signs of fatigue, heart rate irregularities, or exposure to toxic gases.
- **Automated Emergency Response:** Establishing a direct link with emergency services for automated distress signals and quicker rescue operations.
- **User-Friendly and Cost-Effective Design:** Ensuring that the helmet remains affordable, lightweight, and easy to use for workers while maintaining high durability and efficiency.

This project strives to deliver a cost-effective, scalable, and proactive safety solution that not only protects the user physically but also minimizes risks through early detection and rapid response to potential hazards.

LITERATURE SURVEY

Recent research in smart wearable technology has transformed traditional safety helmets into intelligent devices. Studies emphasize integrating environmental sensors (like the DHT11) and GPS modules (e.g., NEO 6M) for real-time monitoring and location tracking, which are critical for emergency response. Research also highlights challenges such as sensor calibration, battery safety, and network connectivity, advocating for robust power management systems and enhanced protective casing (e.g., waterproof and shock-absorbing designs). These insights form the basis for the LOCO-Hazard Detection Helmet, aiming to offer a proactive and reliable safety solution in hazardous environments.

Sensor Integration:

Early studies on wearable devices focused on basic impact resistance, but more recent work has explored incorporating sensors like the DHT11 or its advanced alternatives (DHT22, BME280) to accurately monitor temperature and humidity. These studies emphasize the need for proper sensor calibration, especially in conditions where factors like sweating can cause rapid changes in readings.

Traditional Safety Helmets:

Conventional helmets provide only passive protection against head injuries and lack real-time monitoring capabilities. Studies indicate that such helmets fail to address environmental hazards and worker health conditions, leading to preventable accidents. This highlights the necessity for a smart helmet that integrates proactive hazard detection and real-time alerts.

AI and Machine Learning for Hazard Prediction:

Recent studies highlight the use of AI-driven predictive analytics in industrial safety. Incorporating AI into helmet systems can help anticipate potential risks by analyzing worker movements, environmental conditions, and historical hazard data.

GPS-Based Worker Tracking Systems:

Several studies discuss the importance of GPS-enabled devices for real-time worker tracking. These systems enhance emergency response times but are generally standalone devices, separate from protective gear. Merging GPS tracking within a helmet design offers an efficient and streamlined safety solution for high-risk industries.

Challenges in Battery Efficiency and Durability: Previous studies emphasize the necessity of optimizing power consumption and ensuring ruggedness for use in harsh environments. Many existing solutions struggle with battery life and the ability to withstand extreme conditions. The development of a low-power, long-lasting safety helmet remains a priority.

Implementation of Safety Patrol Services (SPS): The concept of Safety Patrol Services (SPS) involves human monitoring combined with technology to ensure real-time worker supervision. Research supports the idea that combining automated tracking with a dedicated monitoring team enhances the effectiveness of safety interventions. However, efficient coordination and training of SPS personnel remain areas of improvement.

Emergency Communication Technologies: Traditional emergency response systems rely on manual reporting, which can be slow and inefficient. Recent advancements leverage GSM, Wi-Fi, and Telegram bots to automate emergency alerts. Research suggests that integrating these communication channels into a helmet system can drastically reduce response time and enhance worker safety.


HARDWARE DETAILS:

- ESP32-Micro processor
- GPS NEO 6M- Location detection
- DTH11-Temperature detection
- BUZZER-Notification
- LCD-Notification
- LED-Notification
- SWITCH
- BREADBOARD
- CONNECTING WIRES

SOFTWARE DETAILS:

- TELEGRAM- Communication app
- ARDIUNO IDE- Coding platform

BLOCK DIAGRAM



BLOCK DIAGRAM OF LOCO-HAZARD DETECTION HELMET

DESCRIPTION

The Smart Safety Helmet is a cutting-edge solution designed to enhance worker safety in high-risk environments, such as construction sites, mining areas, and industrial workplaces. This innovative helmet integrates IoT-based monitoring and emergency response systems to detect hazards and send real-time alerts.

At the core of this system is the ESP32 microcontroller, which connects various sensors and modules to ensure worker protection. The helmet is equipped with a GPS module for real-time location tracking and send the location coordinates as the workers to the Telegram BOT named LOCO_HAZARD_DETECTION, and environmental sensors to monitor temperature and humidity levels. If unsafe conditions are detected, the system automatically triggers an alert, sending notifications to emergency contacts through a Telegram bot and warning the worker via a buzzer system. To further enhance safety, the helmet features an emergency switch, allowing workers to manually turn off all components in case of false alarms or emergencies. This ensures greater control over the system and provides an additional layer of protection.

The Safety Patrol Service (SPS) complements the Smart Safety Helmet by providing a team of dedicated monitors who track workers' navigation setup, including GPS tracking. In case of accidents or emergencies, the SPS team can promptly access workers' locations using latitude and longitude coordinates, ensuring a swift response. By integrating innovative technology and enhanced monitoring systems, the Smart Safety Helmet and SPS system provide a comprehensive solution for ensuring worker safety and well-being in high-risk environments. This solution improves workplace safety, unemployment, and increases efficiency, ultimately creating a safer and more productive work environment.

In addition to emergency response and monitoring, the SPS also acts as a point of contact for the workers, creating a reliable safety network that they can trust. Workers can feel more secure knowing that trained professionals are constantly monitoring their well-being and ready to respond at a moment's notice.

The Safety Patrol Service (SPS) plays a critical role in enhancing the effect providing real-time monitoring and a rapid response to emergencies. The SPS is a dedicated team of safety personnel who oversee the well-being of workers using the helmet, ensuring that any potential risks are detected and address.


This feature allows the SPS team to continuously track the worker's movements, ensuring they are operating within designated safe zones or alerting them if they enter hazardous areas. The GPS data provides precise latitude and longitude coordinates, allowing SPS team members to pinpoint a worker's exact location in real-time, no matter how remote or complex the worksite may be. In case of an emergency, the SPS team can act quickly and decisively. If the Smart Safety Helmet detects unsafe conditions, it sends an alert via the Telegram bot to the SPS team, who can immediately access the worker's location and initiate a swift response.

Moreover, the SPS is not limited to just responding to emergencies. The team is also responsible for monitoring overall worker safety on-site, ensuring that workers are not exposed to avoidable risks. This proactive oversight helps in preventing accidents before they occur, fostering a culture of safety and well-being in high-risk environments. The SPS can make real-time adjustments to safety protocols based on live data from the helmets, ensuring the workplace remains as safe as possible.

The SPS team also provides a vital support system in situations where workers may be unable to communicate effectively, either due to unconsciousness, injury, or being in a high-noise environment. By using the GPS coordinates from the helmet, the SPS can quickly locate the worker, even in situations where other communication methods might fail, ensuring that timely assistance is provided when it is most needed.

By combining the technological capabilities of the Smart Safety Helmet with the vigilant, proactive approach of the SPS team, this safety system creates a comprehensive safety network. This integration enhances the overall safety of the worksite, reduces the likelihood of accidents, and ensures that help is always available when needed, making it an invaluable tool for improving worker safety in high-risk environments.

CIRCUIT DIAGRAM



CIRCUIT DIAGRAM OF LOCO-HAZARD DETECTION HELMET

APPLICATIONS

- The LOCO-Hazard Detection Helmet is designed for various high-risk industries where worker safety is a priority. Its real-time monitoring and emergency alert features make it an essential protective gear in hazardous environments.

KEY APPLICATIONS

- Construction Sites – Ensures worker safety by detecting falls, impacts, and environmental hazards like extreme temperatures or toxic gases.
- Mining Industry – Monitors underground conditions such as gas levels and humidity, providing real-time alerts to prevent accidents.
- Manufacturing & Heavy Industries – Protects workers from industrial hazards, including machine-related injuries and unsafe environmental conditions.

- Oil & Gas Sector – Detects gas leaks, extreme heat, and hazardous conditions in refineries and drilling sites to prevent accidents.
- Power Plants – Monitors environmental factors and worker movements in high-voltage and high-temperature areas.
- Fire & Emergency Services – Assists firefighters and emergency responders by providing real-time location tracking and environmental monitoring.
- Logistics & Warehousing – Enhances worker safety in large warehouses with heavy equipment and automated machinery.

BENEFITS

- Enhanced Worker Safety: Provides real-time alerts to prevent accidents and ensure rapid emergency response.
- Proactive Hazard Detection: Continuously monitors environmental conditions, enabling early detection of potentially dangerous situations.
- Accurate Location Tracking: Integrated GPS allows precise tracking of the user, ensuring timely rescue in emergencies.
- Robust Communication: Utilizes Telegram bot integration for immediate alert dissemination to emergency contacts.
- Cost-Effective and Scalable: Leverages affordable components to create a solution that is both scalable and practical for various industrial applications.
- Overall, the project not only enhances immediate safety but also contributes to long-term improvements in occupational hazard management
- Temperature and humidity: Using a sensor like the DHT11 to measure both temperature and humidity enables the system to assess heat stress more effectively. The integrated data can be used to compute a heat index for accurate environmental analysis, streamlining data processing and reducing false alarms.

OUTCOME OF THE PROJECT

Functional Prototype:

Successfully developed a smart helmet prototype integrating an ESP32 microcontroller with a DHT11 sensor for temperature and humidity monitoring, a GPS module for location tracking, telegram bot for real-time communication.

Real-Time Hazard Alerts:

The system effectively detects environments hazard computes combined heat index data, and sends immediate alerts via SMS and Telegram, ensuring prompt emergency responses

Enhanced Safety & Reliability:

Addressed key issues such as sensor calibration, battery safety and resulting in a robust device designed for hazardous work environments.



OUTCOME OF LOCO-HAZARD DETECTION HELMET

REFERENCES:

1. GPS-Based Alert Systems, S. Patel & K. Mehta (2021). "GPS and GSM Based Emergency Alert System for Personal Safety." IEEE Xplore.
2. Sensor-Based Monitoring, J. Lee & M. Kim (2020). "Implementation of Temperature and Humidity Monitoring System Using IoT." International Journal of Smart Devices.
3. Emergency and Safety Systems, R. Thomas & L. Johnson (2019). "Smart Emergency Response System Using IoT." International Journal of Computer Science and Network Security (IJCSNS).
4. IoT-Based Monitoring Systems, A. Sharma, R. Kumar, & P. Gupta (2022). "IoT-Based Real-Time Health Monitoring System Using ESP32." International Journal of Engineering Research & Technology (IJERT)