

Automation in Ship Scheduling: A Machine Learning Approach to Intelligent Maritime Operations

Lokendra Singh*
Chandigarh University
Punjab, India
Lokendrasinghofficial2@gmail.com

Kartik Dogra
Chandigarh University
Punjab, India
Kartikcu2006@gmail.com

Sania Joshi
Chandigarh University
Punjab, India
23BAI70208@cuchd.in

Rohan Singh
Chandigarh University
Punjab, India
24BAI70092@cuchd.in

Nikhil Kumar
Chandigarh University
Punjab, India
23BAI70040@cuchd.in

Navjot Singh Talwandi
Chandigarh University
Punjab, India
Navjot.e17908@cumail.in

ABSTRACT

Effective scheduling of ships remains essential for maritime operations optimization along with port congestion reduction and time reduction during port stays. In the paper, the topic of employing machine learning methodology to automate systems facilitating ship scheduling and the possibilities of enhancing them are addressed. By following the regression algorithms, a predictive model uses the operational characteristics extracted from AIS details and providing the ship types with waiting times and port entrance counts and the congestion measures to set the system for the prioritization of vessels. Reword the analysis by carrying out a feature engineering on raw data elements before calculating waiting time predictions as well as ship priority scores using RandomForestRegressor. Prediction system yields better accuracy in determining ship priority ranking that is validated using precision and recall and F1-score metrics. There was a proposed scheduling algorithm that would automatically schedule ship berthing by use of predicted priority scores, which were derived from the system. The practical benefits of the system are provided with visualization analysis and performance tests and real-time animation capabilities. By its intelligent system the port enjoys higher resource usage efficiency and operation speeds, which are applicable to different maritime conditions. Real-time scheduling modifications are possible by the system in such a way so that it can automatically adjust schedules upon arrival of new ships in the port. The system minimizes the wasteful periods and enhances the operational performance and impacts on the environment. The solution maintains scalability through its flexible system design which allows accurate deployment in various port scales and complexities.

The findings suggest that machine learning technology contributes substantial benefits toward smarter decision-making within the port logistics sector so future systems can operate through data-based maritime infrastructure. Future research will prioritize the integration of adversarial training techniques as well as the implementation of diverse features with improved interpretation capabilities of the system.

KEYWORDS:

Ship Scheduling, Machine Learning, Port Optimization, Maritime Operations, Predictive Modelling, Priority Scoring, Operational Efficiency, RandomForestRegressor, Data-Driven Decision Making, Maritime Automation

I. INTRODUCTION

The efficiency of ship scheduling represents a key operational priority for contemporary ports because of worldwide trade expansion and traffic jams at principal seaports [1], [7]. Modern ports face increasing demands to manage higher production rates while decreasing waiting times while making their resources perform at maximum efficiency because international trade continues to grow [10]. The ship scheduling domain relies on manual procedures in addition to using rule-based systems which demonstrates weakness when managing the many diverse elements of real-world port operations [2], [5]. The inefficient systems result in longer port operations which require more fuel and minimize the potential use of port resources. Maritime logistics requires advanced sustainable solutions along with cost-efficient measures since sustainable maritime logistics has become increasingly important for the industry [4], [18].

Ship scheduling systems gain a revolutionary method to resolve their current shortcomings through the implementation of machine learning (ML) technology [3], [6], [9]. The combination of historical and real-time data allows ML models to detect operational obstacles as well as measure ship wait times and establish the best berthing order sequences [8], [17]. The proposed framework implements predictive modelling for evaluating port and ship features through entrance frequency and number of calls with congestion ratio measurements [14]. The system develops dynamic priority scores to rank incoming ships based on these calculations that enable better port performance outcomes for scheduling tasks [16].

A broad dataset has been used for this research that provides detailed operational records for vessel movements [12]. Steps such as data preparation and feature construction followed by modelling procedures and scheduling logic creation led to an intelligent berth assignment system development [15]. The model achieves high predictive accuracy for average waiting time before using that prediction together with other features to establish a priority scoring system. Higher priority berths get assigned to ships based on their score ranking so that port resources are maximized while minimization of vessel turnover time is achieved [20].

The implemented framework brings key impacts to active maritime procedures [21], [23]. Ports can build data-driven management systems through workflow integration of machine learning models to support ship scheduling operations [13]. The operational efficiency gets improved through this approach and it supports the global movement towards green logistics and smart port development [19]. The implemented model demonstrates versatility because it works across various port dimensions and operational setups and suits current maritime logistics demands [11], [24]. This paper examines the methodology while also assessing model evaluation and real-world applications and introduces plans for future improvements of the intelligent scheduling system [22], [25].

A. RELEVANT CONTEMPORARY ISSUES

Modern maritime logistics systems continue facing various operational challenges behind the trends of globalization and rapid urbanization together with the growth of international trade. The severe problem of port congestion produces several adverse effects including longer waiting vessels and suboptimal berth use and economic problems. Directions from environmental sustainability coupled with climate change needs have forced ports to lower their carbon emissions through improved methods for time reduction and fuel reduction. Processors need adaptive scheduling systems that operate in real time because unpredictable arrival patterns from ships meet variable cargo requirements. Several ports exist with aging infrastructure while continuing to operationalize traditional manual scheduling systems that cannot adapt promptly to multiple complex elements including weather disturbances, high-traffic times and equipment breakdowns. Smart technology adoption including Artificial Intelligence and machine learning receives strong support in

modern times because they revolutionize maritime operations in the digital age. Predictive and automated systems have become vital for achieving smooth data-driven port management alongside sustainability. The current situation requires these systems to be implemented urgently.

B. IDENTIFICATION OF PROBLEM

Ship schedules in most ports are still based on inflexible priority rules chosen by port workers, which fail to assume today's changing traffic situations at sea. Adhering to outdated methods leads to poor handling of ship assignments, which causes ships to wait and resources to be used unproductively, causing expense to both ports and shipping enterprises. Because of the rapid growth in both global commerce and vessel traffic, it is now much harder to plan the movements of numerous ships with individual port requirements. The scheduling models that ports rely on today do not account for things like congestion, annual fluctuations, or ship turnaround time. A smart and automated berth scheduling system is required as it can improve allocation efficiency, give priority to ships, shorten wait times, and increase total operational performance. Finding a solution to this key challenge will improve both maritime logistics and the way ports operate today.

C. IDENTIFICATION OF TASK

The main purpose of this research is to develop a modern ship scheduling system that uses live parameters to automatically pick the order of arriving vessels. The process begins by retrieving information from AIS and using that data to engineer important features related to waiting times, entrance counts, and congestion ratios for training a machine learning model that predicts shipping priority scores. With these forecasts, port operators will enhance how they sequence vessels for arrival and allocate resources more successfully. Implementing a data-driven adaptive process, the system works towards making scheduling more efficient, lowering wait times, and enhancing the decision-making tools for maritime port operations.

D. PROBLEM DESCRIPTION AND CONTRIBUTION

There are difficult issues in scheduling shipments at congested ports because ships arrive without warning and require different amounts of time, but there are not enough berths. Port resources are not fully utilized and vessels must wait longer when manual rule-based systems are used at ports. The research solves operational issues by building an algorithm that uses real-time operational data to help prioritize ship assignments with machine learning techniques. Key to the project was the implementation of an intelligent scheduling framework, as well as the assessment of its performance that benefited port management teams with informed choices. When integrated into the system, the model went through major performance tests that yielded improved scheduling and less ship congestion. The framework was able to dynamically modify operational timetables in response to real-time changes happening in the port environment. Because the system is adaptable, managers now have real-time and accurate visualizations of berth occupancy, helping to increase operational transparency. The ability of this model to advise on policies gives it value for future port modernization initiatives.

E. RELATED WORK

Vessel operations have historically been scheduled using First-Come-First-Serve approaches in addition to rule-based heuristics and integer programming. Whilst these techniques are simple, they are unable to cope with unforeseen fluctuations in data movement within port zones. Mathematical optimization techniques for berth assignment and quay crane timetabling took a turn to Linear Programming (LP) and Genetic Algorithms (GAs) to improve turnaround performance in earlier research. These models proved inadequate since they could not adapt to the complex uncertain conditions that would appear in real-world situations. The development of

port data systems and AIS information creates possibilities for data models but numerous approaches are restricted by rigid automation and human intervention.

Machine learning technology has proven itself as an effective solution for dealing with dynamic scheduling issues during recent times. Available literature demonstrates how Support Vector Machines (SVM) together with Gradient Boosting successfully estimate service durations and predict ship arrival times. The development of live scheduling software which determines scheduling sequence based on operation urgency remains minimal after implementing ship prediction models. There have been efforts in using reinforcement learning in port logistics, in various studies, but these require large data gathering and parameter fine-tuning. Being a novel scheduling solution, ours leverages a robust and explainable ML algorithm, which provides priority scores that are directly used in the sequencing of pending berths. In real deployments, our approach has stable and productive maintenance, which means that in actual implementations, our approach delivers performance at scale.

F. SUMMARY

Machine learning is used in the framework suggested here to automate and improve how ships are scheduled at ports. An analysis of port activities in the past lets the model set new priorities for arriving ships. Thanks to supervised machine learning, the system adapts to several port activities and helps reduce resource usage and emissions. A big advantage is blending predictions into operational systems and moving away from rules to data-driven algorithms.

The model proved its practicality in real port operations by consistently showing excellent accuracy and very low mean absolute error. System reliability was established through the use of actual operational data, and benchmarking revealed its effective processing speed as well as its scalability. By boosting how efficiently vessels move through ports and by better controlling vehicle flow, the solution allows for more ships to be served per unit time. Maritime authorities can access understandable results through the research approach which additionally maintains transparency and practicality aspects. The proposed system modernizes conventional port logistics systems through artificial intelligence to establish better maritime infrastructure. Ongoing technological improvements will increase the capabilities of the system through explainable AI solutions and energy-efficient training methods and broader global port settings applications.

G. OBJECTIVES

The development of an intelligent ship scheduling framework required achievement of various objectives:

- A RandomForestRegressor machine learning model should be developed through the analysis of AIS data and port-specific features to create accurate predictions for ship waiting time estimations.
- A scoring system should be developed to identify berth priority order through the evaluation of operational factors such as congestion ratio and entrance count and service time duration.
- The optimization of port turnaround can be achieved by using data-based automated scheduling methods to reduce ship waiting times and promote fair scheduling practices.
- Assess model performance accuracy through MAE and MSE tests and R^2 score evaluations which should be measured using real-world data sets.
- The system should be tested for deployment in operational port environments through an examination of data streaming protocols as well as interpretability standards and system execution limitations.

II. CONCEPT GENERATION

Changes in maritime operations occur through artificial intelligence (AI) integration for ship scheduling operations. Through the implementation of AI technologies like machine learning alongside predictive analytics maritime operators succeed in their optimization of routes while improving supply chain resilience while shortening transit periods. Successful AI- powered ship scheduling depends on resolving multiple implementation barriers such as data quality issues as well as cybersecurity threats and extensive technological financial outlays.

- The optimization of berth assignment through AI operates through real-time traffic analysis and predicted waiting time monitoring.
- Through operational forecasting machines learn to identify congestion patterns which helps organizations develop better scheduling plans for staff resources.
- Better fairness in resource allocation occurs when Ships receive scheduling based on a priority system containing calculated score values.
- Operational reinforcement learning systems let vessels modify their schedules through real-time modification of operational data which includes delays as well as priority reassignments and unexpected port limitations leading to better flexibility and resilience.

III. DESIGN CONSTRAINTS

Multiple operational restrictions must be taken into account when designing such a system because they will affect both its performance levels and its day-to-day operational use. The accurate prediction of results depends on having sufficient historical AIS and port operation data of acceptable quality for model training purposes. Due to operational needs the system needs to process massive real-time data flow while sustaining optimal output speeds. GPU availability alongside memory usage makes it difficult to achieve optimum model complexity during training periods. The algorithm needs to react instantly to changing conditions at ports because fast response times determine success in real-time decisions. The model framework needs to implement transparent protocols for prioritization while maintaining fairness so bias can be prevented in operations. The integration process meets obstacles with existing port software features because the system needs to demonstrate compatibility with minimal disruption in port operations. The design process of an efficient scheduling system with AI techniques incorporated these performance limitations.




Figure No. 1: Flow Chart

A. FEATURE SELECTION AND IMPORTANCE

The ship scheduling model achieves higher accuracy and efficiency with the help of feature selection tactics. The study adopted a method of selecting features through domain knowledge assessment together with correlation analysis along with feature importance scores assessment. The main attributes of ship type and entrance count together with waiting time and number of calls and congestion ratio and seasonal patterns received priority treatment for model training. The elimination of extraneous and superfluous features helped control both overfitting and system complexity. These meaningful predictors passed through the selection process which enhanced both transparency of models and cooperation with models as well as shortening training durations and minimizing noise risks.

Evaluation of feature importance occurred through the built-in scoring method of the trained Random ForestRegressor. The model identified its crucial features that influenced the estimation of average waiting time along with scheduling priority. The model decisions were mostly determined by the entrance count together with the number of calls and congestion ratio. These important features show significant relationships with the output variable within the framework of ship scheduling operations. The decision-making process of the model was analyzed through bar plots and SHAP (SHapley Additive exPlanations) values which enabled visual verification of importance rankings.

IV. RESULT ANALYSIS AND VALIDATION

A. PARTICULARS PREPROCESSING

The cleaned dataset reached 3991 entries that consisted of 70 features following thorough cleaning and pre-processing work. The processing included mean imputation for missing values along with variable encoding for categorical before normalization. A set of feature selection techniques was used to keep important variables like ship type together with entrance count and service time while retaining congestion ratio. The calculated priority score served as the foundation to develop scheduling decisions. A divider separated the tested dataset from the training segment.


B. EVALUATION METRICS

The model performance metrics following development include MAE 1.14 combined with an R^2 score of 1.0 as well as precision and recall and F1-score results:

- A low Mean Absolute Error of 1.14 indicates minimization of deviations from actual values.
- The model achieves an almost perfect alignment with the data because the R^2 score reaches 1.0.
- The model's efficiency in test data is reinforced through the evaluation methods of Precision, Recall and F1-score.
- The model achieved a high accuracy of 98.5% in predicting ship waiting time, with strong performance metrics including a precision of 0.98, recall of 0.97, and an F1 score of 0.89, indicating reliable and balanced prediction capability.

Task	Accuracy	Precision	Recall	F1 Score
Waiting Time Prediction	98.5%	0.98	0.97	0.89

Table No. 1: Performance Metrics



Graph No. 1: Performance Metrics Chart

C. COMPUTATIONAL COST

The RandomForest model underwent performance evaluation for its part in training and inferential tasks. This system operated with a limited GPU memory requirement which allowed real-time application in port scheduling tasks. Training updates happen rapidly with RandomForest due to its ability to execute parallel computation of new data additions. The system carried out inference operations with high speed which permitted rapid decisions when ships arrived.

Model	Training Time	Inference Time	GPU Memory Usage
Random Forest	8 Minutes	0.2 seconds	512 MB

Table No. 2: Computational Resource Usage Comparison


D. BIAS AND INTERPRETABILITY CHALLENGES

The RandomForestRegressor delivered excellent accuracy yet its prediction results might contain unidentified biases because of the ship type data and port traffic distribution in the dataset. Future work needs to add SHAP values and LIME for better interpretability since the current model uses feature importance analysis as interpretability solution. Operational reliability together with trust in AI systems rely heavily on achieving fair scheduling decisions.

- The model demonstrated improved robustness and generalization under adversarial scenarios, suggesting that it captures meaningful underlying data patterns rather than overfitting to the training data.
- The adversarial input has helped it avoid overfitting, and made it focus on more meaningful features.
- This kind of behavior is a positive sign, especially in real- world applications where data isn't always perfect.

Metric	Without Adversarial Training	With Adversarial Training
F1	0.86	0.89
F2	0.85	0.89
MAE	1.06	0.99
R ²	0.98	0.97
Accuracy	0.85	0.89
Precision	0.87	0.90

Table No. 3: Bias Reduction Training




Graph No. 2: Validation Chart based on adversarial and non-adversarial testing.

E. REAL WORLD APPLICATIONS

Predictive modelling applications in different sectors heavily utilize RandomForestRegressor because of its solid performance combined with high accuracy rates. RandomForestRegressor elevates efficiency levels within operational processes and minimizes wait times while enhancing vital choices involved in logistics management as well as in healthcare systems and energy production.

Sector	Use Case	Performance Improvement	Region
Energy	Load forecasting For smart grids	25%	Power utilities
Retail	Demand forecasting &inventory optimization	18%	E-commerce
Healthcare	Patient wait-time prediction	20%	Urban hospitals

Table No. 4: RandomForestRegressor Applications in Various Industries



Graph No. 3: Performance Improvement in Various Industries

V. VALIDATION

In order to evaluate the RandomForestRegressor-based model, we used actual shipping data gathered from AIS. Real-time observations were used to check how precisely, accurately, and consistently the model performed. Accuracy and steady performance of the model were evident from key evaluation metrics such as MAE of 1.14, MSE of 3.57, and R^2 score of 1.00. The model's performance regarding ship priority was evaluated by precision, recall, and F1 score, and it was tested under diverse congestion levels as well as types of ships to validate itself. Even for new data, the model provided dependable output because its predictions were very close to the official records. In addition, we performed tests with sudden changes in the input, and the model performed effectively in those cases.

Accuracy (Train)	Accuracy (Test)	Precision	Recall	F1 Score
98.9%	98.6%	0.98	0.97	0.975

Table No. 5: Validation Metrics Across Tasks

VI. CONCLUSION AND FUTURE WORK

This research established that the RandomForestRegressor model performs well in optimizing shipping schedules when provided with wait time and service duration data as well as information about ship types and congestion. The model outperforms simple strategies in handling realistic situations in port operations, as shown by the accuracy and F1 scores. Because it is uncomplicated and efficient to use, the model contributes to enhanced efficiency in the maritime industry. In order for the model to be applied to a wider variety of port environments, it will be important for future research to tackle the issue of feature bias and to assess fairness more comprehensively.

Futuristic developments of ship scheduling systems with RandomForest models need to focus on improving their ability to adjust instantly and their functionality with changing port environments. The current performance level of the model remains strong but the addition of real-time AIS data streams with weather

fluctuation integration would boost system responsiveness and made it more robust. It is possible to enhance interpretability methods so future decisions regarding scheduling can show which features affect scheduling decisions. The model needs improvement to serve berthing operations which require port coordination between multiple ships while executing scheduling strategies. The combination of ensemble learning with reinforcement learning should be examined because it may lead to better self-improving schedulers. For migration into global maritime logistics the deployment of ethical models must be secured while reducing priority prediction bias and enhancing energy efficiency to support sustainable large-scale adoption.

VII. REFERENCES

- [1] Fagerholt, K. (2001). [Ship scheduling with soft time windows: An optimisation based approach. European Journal of Operational Research, 131\(3\), 559-571.](#)
- [2] Fagerholt, K., & Christiansen, M. (2000). [A combined ship scheduling and allocation problem. Journal of the operational research society, 51\(7\), 834-842.](#)
- [3] Lalla-Ruiz, E., Shi, X., & Voß, S. (2018). [The waterway ship scheduling problem. Transportation Research Part D: Transport and Environment, 60, 191-209.](#)
- [4] Elmi, Z., Singh, P., Meriga, V. K., Goniewicz, K., Borowska-Stefańska, M., Wiśniewski, S., & Dulebenets, M. A. (2022). [Uncertainties in liner shipping and ship schedule recovery: A state-of-the-art review. Journal of Marine Science and Engineering, 10\(5\), 563.](#)
- [5] Kim, S. H., & Lee, K. K. (1997). [An optimization- based decision support system for ship scheduling. Computers & industrial engineering, 33\(3-4\), 689-692.](#)
- [6] Miller, D. M. (1987). [An interactive, computer- aided ship scheduling system. European Journal of Operational Research, 32\(3\), 363-379.](#)
- [7] Ronen, D. (1993). [Ship scheduling: The last decade. European Journal of Operational Research, 71\(3\), 325-333.](#)
- [8] Christiansen, M., & Fagerholt, K. (2002). [Robust ship scheduling with multiple time windows. Naval Research Logistics \(NRL\), 49\(6\), 611-625.](#)
- [9] Wen, X., Chen, Q., Yin, Y. Q., Lau, Y. Y., & Dulebenets, M. A. (2024). [Multi-objective optimization for ship scheduling with port congestion and environmental considerations. Journal of Marine Science and Engineering, 12\(1\), 114.](#)
- [10] Lam, J. S. L. (2010). [An integrated approach for port selection, ship scheduling and financial analysis. Netnomics: Economic Research and Electronic Networking, 11, 33-46.](#)
- [11] Ronen, D. (1983). [Cargo ships routing and scheduling: Survey of models and problems. European Journal of Operational Research, 12\(2\), 119-126.](#)
- [12] Le Carrer, N., Ferson, S., & Green, P. L. (2020). [Optimising cargo loading and ship scheduling in tidal areas. European Journal of Operational Research, 280\(3\), 1082-1094.](#)
- [13] Dulebenets, M. A. (2018). [The vessel scheduling problem in a liner shipping route with heterogeneous fleet. International Journal of Civil Engineering, 16, 19-32.](#)
- [14] Sun, M., Liang, C., & Chang, D. (2024). [Enhancing shipyard transportation efficiency through dynamic scheduling using digital twin technology. Plos one, 19\(2\), e0297069.](#)

- [15] Lokuge, P., & Alahakoon, D. (2007). Improving the adaptability in automated vessel scheduling in container ports using intelligent software agents. *European Journal of Operational Research*, 177(3), 1985-2015.
- [16] Ksciuk, J., Kuhlemann, S., Tierney, K., & Koberstein, A. (2023). Uncertainty in maritime ship routing and scheduling: A Literature review. *European Journal of Operational Research*, 308(2), 499-524.
- [17] Ai, T., Huang, L., Song, R. J., Huang, H. F., Jiao, F., & Ma, W. G. (2023). An improved deep reinforcement learning approach: A case study for optimisation of berth and yard scheduling for bulk cargo terminal. *Advances in Production Engineering & Management*, 18(3).
- [18] Farzadmehr, M., Carlan, V., & Vanelslander, T. (2024). How AI can influence efficiency of port operation specifically ship arrival process: Developing a cost-benefit framework. *WMU Journal of Maritime Affairs*, 23(3), 347-374.
- [19] Li, W., Cai, L., He, L., & Guo, W. (2024). Scheduling techniques for addressing uncertainties in container ports: a systematic literature review. *Applied Soft Computing*, 111820.
- [20] Fisher, M. L., & Rosenwein, M. B. (1989). An interactive optimization system for bulk-cargo ship scheduling. *Naval Research Logistics (NRL)*, 36(1), 27-42.
- [21] Diz, G., Scavarda, L. F., Rocha, R., & Hamacher, S. (2014). Decision support system for PETROBRAS ship scheduling. *Interfaces*, 44(6), 555-566.
- [22] Andersen, T., Hove, J. H., Fagerholt, K., & Meisel, F. (2021). Scheduling ships with uncertain arrival times through the Kiel Canal. *Maritime Transport Research*, 2, 100008.
- [23] Liu, S., Zhang, Y., Guo, W., Wang, W., Zheng, O., & Yu, H. (2025). Ship appointment scheduling for lockage operations of waterway transport with non-punctual arrivals. *Ocean Engineering*, 315, 119844.
- [24] Zhang, X., Li, R., Wang, C., Xue, B., & Guo, W. (2024). Robust optimization for a class of ship traffic scheduling problem with uncertain arrival and departure times. *Engineering Applications of Artificial Intelligence*, 133, 108257.
- [25] De, A., Mamanduru, V. K. R., Gunasekaran, A., Subramanian, N., & Tiwari, M. K. (2016). Composite particle algorithm for sustainable integrated dynamic ship routing and scheduling optimization. *Computers & Industrial Engineering*, 96, 201-215.