
pre-registered, confirmatory
pre-registered, secondary or sensitivity
pre-registered re-test (already-analysed data)
exploratory (development years)
Development 2010–2019
trends (B) A vs B
ΔCV_94 (E94) A vs E94
R1 A vs A + R1
R2 A vs A + R2
R3 A vs A + R3
R4a A vs A + R4a
R4b A vs A + R4b
R4c A vs A + R4c
R4a_nf A vs A + R4a_nf
n_B A vs A + n_B
S1 A vs A + S1
S2 A vs A + S2
B1 A vs A + B1
B2 A vs A + B2
B1_nf A vs A + B1_nf
B2_nf A vs A + B2_nf
n_B + R4a (F3) A vs A + n_B + R4a
lnR4a A vs A + lnR4a
M1 SG-PIL A vs A + log10 CV_SG-PIL
M2 brightest core A vs A + log10 CV_core
M3 SPOT A vs A + log10 CV_SPOT
#23 dots A vs A + log(1+N_dots)
#24 F_new A vs A + F_new
Model C A vs C
CV_box A vs A + log10 CV_box
BF(a) A vs A + log10 BF(a)
CV6 A vs A + log10 CV6
K3 A + R4a vs A + R4a + K3
#22 S_last C vs C_S
#26 MR C vs C + MR
CV_box C vs C + log10 CV_box
BF(a) C vs C + log10 BF(a)
CV6 C vs C + log10 CV6
#27 MRKT C_CV vs C_CV + logit(curve score)
#28 CNN1D C_CV vs C_CV + logit(curve score)
#29 FBL C_CV vs C_CV + L
Held-out 2021, 2023, 2024, single-region
trends (B) A vs B
ΔCV_94 (E94) A vs E94
R4a A vs A + R4a
R4c A vs A + R4c
R4a_nf A vs A + R4a_nf
EUV-unseen 2021, 2023, 2024 (two-region)
CV_box A vs A + log10 CV_box
CV_box C vs C + log10 CV_box
2022 sensitivity set (never pooled)
CV_box A vs A + log10 CV_box
CV_box C vs C + log10 CV_box
2025–26, ≤2-region
R4a A vs A + R4a
Model C A vs C
CV_box A vs A + log10 CV_box
CV_box C vs C + log10 CV_box
−0.02
0.00
0.02
0.04
0.06
0.08
0.10
Δ log-loss = log-loss(baseline) − log-loss(baseline + candidate); line: 95% CI