

Credentials & setup guide for Ops / Marketing

Send this to whoever owns Meta Business, email DNS, website forms, dialer, and Read AI. CRM engineering wiring is ready — these items unblock go-live.

CRM production URL: <https://hive-crm-sigma.vercel.app>

Where to paste Meta tokens in CRM: Admin → Marketing → Connections

Where to toggle WA/email stages: Admin → Config → WA + Email triggers

Document date: 25 Aug 2026 · Steps checked against Meta WhatsApp Cloud API, Meta leadgen webhooks, Resend Domains, Read AI Webhooks (Help Center)

WhatsApp: Use **Meta WhatsApp Cloud API directly**. AiSensy / WATI / Interakt are **not required** (Option B only if leadership insists on a BSP inbox).

0. Owner checklist (who does what)

BLOCK	OWNER	DELIVERABLE TO TECH
1. WhatsApp Cloud API + templates	Marketing / Meta admin	Phone Number ID, permanent System User token, approved templates
2. Email (Resend) + DNS	IT / domain admin	Verified domain + Resend API key + From address
3. Meta Lead Ads webhook	Ads / Meta admin	Page ID, Page token in CRM Connections, webhook subscribed + Page installed
4. Website forms	Website / marketing eng	Form URL list + test submits with UTMs
5. Dialer decision	Admissions ops	Route A (Twilio) or Route B (SIM app) + vendor
6. Read AI	Admissions ops	Pro/Enterprise + workspace webhook + signing key

1. WhatsApp via Meta Cloud API

Docs: developers.facebook.com/docs/whatsapp/cloud-api/get-started · Access tokens guide under WhatsApp Business Platform

Option A — Meta Cloud API (recommended — use this)

- Go to **Meta for Developers** → create or open an app → add product **WhatsApp**.
- On **WhatsApp** → **API setup**, connect a **WhatsApp Business Account (WABA)** and add / verify a business phone number.
- From API setup, copy and keep:
 - Phone number ID** → CRM env `META_WA_PHONE_NUMBER_ID`

- **WhatsApp Business Account ID** (for templates)

4. **Temporary tokens from “Generate access token” expire quickly** — fine for `hello_world` test only, not production.
5. Create a **permanent System User token** (Meta’s recommended path for direct developers):
 1. **Meta Business Suite** → **Business settings** → **Users** → **System users** → Add
 2. Assign assets: your **App + WhatsApp account** (full / manage WhatsApp Business accounts)
 3. Generate token with at least: `whatsapp_business_messaging` , `whatsapp_business_management` (add `business_management` if the UI offers it)
 4. Copy once → send securely to tech as `META_WA_TOKEN` (Vercel env)
6. Send a test `hello_world` template from API setup to confirm the number works.
7. **Production number note:** After adding + verifying a real business number in WhatsApp Manager, Meta may require an API `POST /{PHONE_NUMBER_ID}/register` with a 6-digit PIN before Cloud API sends. If test works but production number fails, ask tech to run registration with your token.

Option B — BSP (AiSensy / WATI / Interakt)

Not required. Only if leadership wants a BSP shared inbox. CRM already sends via Meta Cloud API without a BSP.

1b. Message templates (start day 1 — longest lead time)

Path: **WhatsApp Manager** → Message templates → Create (or Graph API `/WABA_ID/message_templates`).

Outside the ~24-hour customer-care window, only **approved templates** can be sent. Approval can take hours to days — submit early. Category (Utility / Marketing / Authentication) affects pricing and approval.

Suggested template **names** (must match CRM Admin → Config → WA + Email triggers after approval):

CRM TRIGGER KEY	SUGGESTED WA TEMPLATE NAME	BODY VARIABLES (ORDER)
<code>new_lead</code>	<code>hs_new_lead</code>	<code>{{1}}</code> name · <code>{{2}}</code> counsellor
<code>counsellor_allocated</code>	<code>hs_counsellor_allocated</code>	name · counsellor
<code>call_logged_nurturing</code>	<code>hs_call_nurturing</code>	name · counsellor
<code>dnp</code>	<code>hs_dnp</code>	name · counsellor
<code>r1_booked / r2_booked / r3_booked</code>	<code>hs_r1_booked</code> etc.	name · datetime · Meet link (+ consent line in fixed text)
<code>*_reschedule / *_no_show</code>	<code>hs_r1_reschedule</code> ...	name · new datetime / rebook CTA
<code>offered</code>	<code>hs_offered</code>	name · offer deadline
<code>fee_deadline_approaching</code>	<code>hs_fee_deadline</code>	name · payment deadline · amount
<code>closed_won</code>	<code>hs_closed_won</code>	name

Approve final copy before Meta submission. Include this fixed sentence on interview templates:

“This interview may be recorded for the admissions committee.”

Hand to tech: Phone Number ID · permanent token · approved template names + languages (e.g. `en`).

2. Email via Resend (transactional)

Docs: resend.com/docs/add-a-domain

1. Create a Resend account → **Domains** → **Add Domain**.
2. Prefer a **sending subdomain** (Resend best practice), e.g. `mail.hiveschool.in` or `send.hiveschool.in` .
3. Open the domain's **Records** tab. Add **exactly** what Resend shows to DNS (typically all three):
 - **DKIM** — TXT (often `resend._domainkey...`)
 - **SPF** — TXT on the send subdomain
 - **MX** — for bounce/return-path on that subdomainDo **not** invent SPF values or add Resend to your apex SPF unless Resend's UI tells you to.
4. Click **Verify** in Resend (often <15 minutes; DNS can take up to 72h). Use Resend's `dns.email` checker if stuck.
5. Optional: after verify, add DMARC at `_dmarc.hiveschool.in` starting with `p=none` .
6. Create an API key → send to tech as `RESEND_API_KEY` .
7. Agree From address on the verified domain, e.g. `HiveSchool Admissions <admissions@mail.hiveschool.in>` → tech sets `EMAIL_FROM` .

3. Meta Lead Ads → CRM (real-time)

Docs: developers.facebook.com/docs/marketing-api/guides/lead-ads/quickstart/webhooks-integration

3a. What CRM already expects

- Webhook URL: `https://hive-crm-sigma.vercel.app/api/leads/meta`
- Page access token → CRM **Admin** → **Marketing** → **Connections** (platform: meta)
- Webhook verify token → same Connections page (keep identical in Meta + CRM)

3b. Steps (current Meta flow — do not skip Page install)

1. Meta for Developers → your app → add **Webhooks**.
2. Subscribe object **Page**, field `leadgen`.
3. Callback URL: `https://hive-crm-sigma.vercel.app/api/leads/meta`
4. Verify Token: invent a long random string → save the **same** string in CRM Connections → Meta webhook verify token.
5. Click **Verify and Save** (Meta GET-challenges the CRM URL — must succeed).
6. Generate a **Page access token** with permissions typically including: `leads_retrieval` , `pages_manage_metadata` , `pages_show_list` , `pages_read_engagement` (and ads-related scopes if App Review requires them for your setup).
7. **Install the app on the Facebook Page** (dashboard subscribe alone is not enough — Meta docs require this or webhooks won't fire):

```
POST https://graph.facebook.com/v25.0/{PAGE_ID}/subscribed_apps
subscribed_fields=leadgen&access_token={PAGE_ACCESS_TOKEN}
```

Use Graph API Explorer (POST) or ask tech to run the curl. Prefer current Graph version (v25.x as of early 2026); older tutorials saying v17/v21 still work until that version is deprecated.

8. In CRM → **Admin** → **Marketing** → **Connections**:

- o Platform: **meta**
- o Account / Page ID
- o Access token: Page token
- o Save

9. **App Review:** testing on Pages you admin works in development; production lead retrieval for live ads usually needs `leads_retrieval` approved. Start App Review early if ads run under other admins.

10. Publish a test Lead Ad form → submit → lead in CRM within ~1 minute with campaign attribution.

11. Submit the **same phone twice** → one lead, two touchpoints (dedup).

4. Website / landing page forms

1. Send tech a spreadsheet of **every live form URL** (main site + LPs).

2. Each form must `POST` JSON to:

`https://hive-crm-sigma.vercel.app/api/leads/website`

Header: `Authorization: Bearer {CRM_TRACK_API_KEY}` (tech provides the key).

3. Minimum fields: `name`, `phone`. Recommended: `email`, `source`, `programme`, `session_id`, `utm_source`, `utm_medium`, `utm_campaign`, `utm_content`.

4. From a UTM-tagged link, submit one test lead per form. Confirm on the lead profile + Marketing tab.

Field map for developers: `docs/website-forms-audit.md` in the CRM repo.

5. Dialer — choose one path

	ROUTE A — CLOUD CLICK-TO-CALL	ROUTE B — SIM TRACKING (RECOMMENDED FIRST)
Behaviour	Counsellor clicks Call in CRM; Twilio rings them then bridges to lead	Counsellor dials from personal SIM; phone app syncs call log to CRM
Fits today?	Changes dial habit	Matches current personal-SIM reality
CRM endpoint	Already built (Twilio env)	<code>POST /api/leads/sim-calls</code>
What you decide	Twilio account + numbers + consent for recording	Vendor (e.g. Runo) + webhook auth + consent

Recommendation: start Route B for adoption; keep Twilio as optional click-to-call later.

Unknown numbers: CRM can park them in `unmatched_calls` (default on).

6. Read AI on interview Meets

Docs: support.read.ai → Getting Started with Webhooks. Plans: **Pro / Enterprise / Enterprise+** only.

1. Upgrade Read AI to Pro (or higher) and create / use an admissions **Workspace**.

2. Connect **Google Calendar** for the same account(s) that receive CRM Meet invites (shared admissions calendar / interviewers).
3. Enable auto-join for Google Meet (Account / Workspace settings → Meeting recording → Auto-join). Prefer joining meetings where the account is invited/host.
4. Create a **Workspace webhook** (not only a personal user webhook — so all interviewers' meetings flow):
 - Path: **Integrations → Workspace → Webhooks** (admins/owners only)
 - URL: `https://hive-crm-sigma.vercel.app/api/read-ai/webhook` (HTTPS only)
 - Trigger: **meeting_end** (required for report attach)
 - Name: ASCII only (no emoji)
 - Email on the Read account must be verified
5. Copy the webhook **signing key** from Read's webhook settings → send to tech as `READ_AI_WEBHOOK_SECRET` .
Read signs deliveries with header `X-Read-Signature` (HMAC-SHA256). Tech stores the key in Vercel — you do not invent a Bearer token in the Read UI.
6. Acceptance test: book R1 in CRM → conduct Meet → Read joins → report link appears on that round within minutes.

CRM already creates Calendar + Meet + `calendar_event_id` . Matching depends on calendar/Meet identity in the webhook payload — keep using the shared admissions calendar.

7. What to send back to tech (copy-paste pack)

ITEM	VALUE
META_WA_PHONE_NUMBER_ID	
META_WA_TOKEN (System User, permanent)	
WA templates approved (names + language)	
RESEND_API_KEY	
EMAIL_FROM	
Meta Page ID	
Meta Page access token (or pasted in CRM Connections)	☐ Saved in CRM
Webhook verify token (same in Meta + CRM)	
Form URL list + test date	
Dialer choice	☐ A Twilio · ☐ B SIM vendor: _____
Read AI plan + workspace webhook	☐ Yes
READ_AI_WEBHOOK_SECRET (signing key)	

8. Acceptance tests (Nikhil's bar)

☐	CHECK
☐	Change any stage → WA + email fire within seconds and appear on Activity timeline
☐	DNP call outcome fires “we tried reaching you”
☐	Interview booking message has correct datetime + Meet link
☐	Toggle a stage off in Config → that stage stops messaging
☐	Test Lead Ad → CRM < 1 min with attribution
☐	Same phone twice → one lead, two touchpoints
☐	Every website form → fields + UTMs intact
☐	SIM/Twilio call appears on timeline with duration
☐	R1 Meet → Read AI report on that exact round; R2 mentor can open it

HiveSchool Admissions CRM · Integration setup pack · Aug 2026

Sources: Meta WhatsApp Cloud API get-started + access tokens; Meta Lead Ads webhooks integration; Resend add-a-domain; Read AI Getting Started with Webhooks (workspace vs user, X-Read-Signature). UI labels in Meta/Resend/Read may shift slightly — follow in-product names if they differ.