DBMS Lab Assignment-3

Name: Lokesh Babu Kasse

Roll.no: 20bcs067

Aim: To create a table for the given set of entities and attributes, Updating the newly formed tables by following the given problem statement

Experiment:

```
1. First, we create tables (Employees, Departments, Projects, Workson) create table
employee(
employee_id numeric(9) not null,
first name varchar(10),
last_name varchar(20),
deptcode char(5),
salary numeric(9,2),
Primary key (employee_id)
);
Create table departments(
deptcode char(5) not null,
deptname varchar(30),
Manager_id numeric(9),
subdeptof char(5),
Primary key (deptcode)
);
Create table projects(
project id char(8) not null,
deptcode char(5),
description varchar(200),
startdate date,
stopdate date,
revenue numeric(12,2),
Primary key (project id)
);
create table workson(
employee id numeric(9) not null,
project id char(8) not null,
assignedtime numeric(3,2)
);
2. Now, we are going to add foreign keys for the above-created tables
alter table employees add foreign key (deptcode)
references departments ('deptcode');
alter table departments add foreign key (subdeptof)
references departments ('deptcode');
alter table departments add foreign key (employee_id)
```


```
references employee ('employee id');
alter table workson add foreign key (employee id)
references employee ('employee_id');
alter table workson add foreign key (project_id)
references projects ('project id');
       3. Entering 8 rows of data in these tables
insert into employee
values(190301,"Lokesh","Kasse","A",100000.00),
(190302,"Vivek","Ankathi","B",90000.00),
(190303,"Harry","Potter","C",85000.00),
(190304,"Hermione","Granger","D",86000),
(190305,"Ron","Weasley","E",80000),
(190306,"Draco","Malfoy","F",81000),
(190307,"Neville","Longbottom","G",82000),
(190308,"Luna","Lovegood","H",83000);
insert into departments
values("C01","Mathematics",1991,"03C1"),
("C02", "Social Studies", 1992, "03C2"),
("C03","Language",1993,"03C3"),
("C04", "General Science", 1994, "03C4"),
("C05", "General Knowledge", 1995, "03C5"),
("C06","Ethics",1996,"03C6"),
("C07", "Computers", 1997, "03C7"),
("C08", "Sports", 1998, "03C8");
insert into projects
values("20C11","03A1","Dissecting the 'anatomy' of viral web content, memes, or
social media arguments.",'20040101','20040105',34000).
("20C12","03A2"," Launching a recycling program that solves an identified problem
with existing recycling programs. This can be done at a household-level, school-level,
neighborhood-level, or city-level.", '20040201', '20040202', 54620),
("20C13","03A3","Analyzing the five most popular social media platforms for teens,
then predict and design a new platform based on existing trends and past trajectory of
change.",'20040315','20040320',41300),
("20C14","03A4","Creating visibility for something beautiful, useful, or otherwise deserving
of attention that currently is under-appreciated.",'20040416','20040421',31000),
("20C15","03A5","Mashing three existing video games together to create a new game.
Obviously this would not be done digitally but through annotated planning and blueprint
design.",'20040513','20040522',155000),
("20C16", "03A6", "Solving the problem of negative or fake
news",'20040615','20040623',22000),
```

("20C17","03A7"," Helping local businesses increase environmental


sustainability.",'20040701','20040713',106000), ("20C18","03A8","Creating an interactive family tree with voice-overs from living family members.",'20040827','20040912',46000);


```
insert into workson values(190301,"20C11",1.23), (190302,"20C12",2.32), (190303,"20C13",3.34), (190304,"20C14",6.54), (190305,"20C15",5.23), (190306,"20C16",7.45), (190307,"20C17",6.28), (190308,"20C18",8.43);
```

Er diagram:




Tables:





Exercises:

- 1.select project id from projects where date(startdate) <= 2020-02-23
- 2.select project_id , stopdate startdate from projects;
- 3.select year(startdate) from projects; select distinct year(startdate) from projects;
- 4.select employee_id from workson where assignedtime > 2.0;
 - select employee id from workson where assigned time > 4.0;
 - select employee id from workson where assigned time > 6.0;
- 5.select project_id , year(startdate) from projects
 - Order by year(startdate) asc;
- 6.select avg(salary) from employee
- 7.select min(salary) from employee
- 8.select max(salary) from employee
- 9.select first_name from employee where char_length(first_name) = 6;
- 10.select first_name from employee where first_name regexp '^a';
- 11select employee_id from employee , projects where emp_deptcode = deptcode;



Conclusion:

Thus, the tables were created. Added a primary key and a foreign key for the respective tables. Entered data for respective tables. Later on, listed the first and last names of all employees table, all attributes of the projects with revenue greater than \$40,000, the department codes of the projects with revenue between \$100,000 and \$150,000, the project IDs for the projects that started on or before July 1, 2004.