

Microsoft Azure

Search resources, services, and docs (G+)

lguduru@usf.edu  
UNIVERSITY OF SOUTH FLORIDA

All services > Microsoft.Web-FunctionApp-Portal-a5cda9dd-bf93 | Overview >

testloki

Function App

Search

«

Refresh

Stop

Restart

Swap

Get publish profile

Reset publish profile

Download app content

Delete

Send us your feedback

Overview

Activity log

Access control (IAM)

Tags

Diagnose and solve problems

Microsoft Defender for Cloud

Events (preview)

Functions

Functions

App keys

App files

Proxies

Deployment

Deployment slots

Deployment Center

Settings

Configuration

Essentials

Resource group (move) : testloki\_group-b783

Status : Running

Location : East US

Subscription (move) : Azure for Students

Subscription ID : 17c7dee8-161c-4bdc-97f0-d12b86bdb48f

Tags (edit) : [Click here to add tags](#)

URL : <https://testloki.azurewebsites.net>

Operating System : Windows

App Service Plan : [ASP-testloki-group-b783-9d8e \(Y1.0\)](#)

Properties : [See More](#)

Runtime version : 4.21.3.20740

JSON View

Metrics

Features (9)

Notifications (0)

Quickstart

Memory working set

Function Execution Count

Microsoft Azure

Your Functions 4.0 app is up and running

Azure Functions is an event-based serverless compute experience to accelerate your development.

Learn more

```
lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ vi sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ ls
README.md  sample.txt  sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git add .
warning: in the working copy of 'sample2.txt', LF will be replaced by CRLF the next time Git touches it

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git commit -m 'created a new file'
[develop 5dd42ab] created a new file
1 file changed, 1 insertion(+)
create mode 100644 sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git checkout feature
Switched to branch 'feature'

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature)
$ git fetch
remote: Enumerating objects: 1, done.
remote: Counting objects: 100% (1/1), done.
remote: Total 1 (delta 0), reused 0 (delta 0), pack-reused 0
Unpacking objects: 100% (1/1), 621 bytes | 155.00 KiB/s, done.
From github.com:lokeshguduru/sshrepo
  6739f84..ddd93ed  main       -> origin/main

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature)
$ ls
README.md  sample.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature)
$ git merge
fatal: No remote for the current branch.

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature)
$ git merge develop
Merge made by the 'ort' strategy.
 sample2.txt | 1 +
1 file changed, 1 insertion(+)
create mode 100644 sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature)
$ ls
README.md  sample.txt  sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature)
$
```

```
MINGW64/c/Users/lokes/sshrepo
Switched to branch 'develop'

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ ls
README.md  sample.txt  sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git checkout feature1
Switched to branch 'feature1'

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ ls
README.md  sample.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ git pull origin develop
From github.com:lokeshguduru/sshrepo
* branch      develop    -> FETCH_HEAD
Already up to date.

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ ls
README.md  sample.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ git checkout develop
Switched to branch 'develop'


lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git push origin develop
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 306 bytes | 306.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:lokeshguduru/sshrepo.git
   e024cd6..5dd42ab  develop -> develop

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git checkout feature1
Switched to branch 'feature1'

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ git pull origin develop
From github.com:lokeshguduru/sshrepo
* branch      develop    -> FETCH_HEAD
Merge made by the 'ort' strategy.
 sample2.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ ls
README.md  sample.txt  sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ |
```



## Hey, Java developers!


Your app service is up and running.  
Time to take the next step and deploy your code.

Have your code ready?  
Use deployment center to get code published from your client or setup continuous deployment.

[Deployment Center](#)

Don't have your code yet?  
Follow our quickstart guide and you'll have a full app ready in 5 minutes or less.

[Quickstart](#)



**Technical Information**  
java.version: 1.8.0\_345  
java.home: C:\Program Files\Java\Adoptium-Eclipse-Temurin-Open\DK-8u345

```

MINGW64~/c/Users/lokes/sshrepo
* branch      develop    -> FETCH_HEAD
Merge made by the 'ort' strategy.
 sample2.txt | 1 +
 1 file changed, 1 insertion(+)
 create mode 100644 sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ ls
README.md sample.txt sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ git checkout develop
Switched to branch 'develop'

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ vi base.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git add .

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git commit -m 'new file created'
[develop a04cbdd] new file created
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 base.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git push origin develop
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 331 bytes | 331.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:lokeshguduru/sshrepo.git
   5dd42ab..a04cbdd  develop -> develop

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git checkout feature'
> ^C

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git checkout feature1
Switched to branch 'feature1'

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ git merge develop
Merge made by the 'ort' strategy.
 base.txt | 0
 1 file changed, 0 insertions(+), 0 deletions(-)
 create mode 100644 base.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ ls
README.md base.txt sample.txt sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$

```

lokeshguduru / sshrepo

Code

Issues

Pull requests 1

Actions

Projects

Wiki

Security

Insights

Settings

added one more line #2

Open

lokeshguduru wants to merge 1 commit into [main](#) from [feature](#)

Conversation 0

Commits 1

Checks 0

Files changed 1

+1 -0

lokeshguduru commented 2 minutes ago

Owner \*\*\*

No description provided.

added one more line eefee18

Add more commits by pushing to the [feature](#) branch on [lokeshguduru/sshrepo](#).

This branch has conflicts that must be resolved

Use the web editor or the command line to resolve conflicts.

Conflicting files

sample.txt

Merge pull request

You can also open this in GitHub Desktop or view command line instructions.

Write Preview

Leave a comment

Attach files by dragging & dropping, selecting or pasting them.

Reviewers

No reviews

Still in progress? Convert to draft

Assignees

No one—assign yourself

Labels

None yet

Projects

None yet

Milestone

No milestone

Development

Successfully merging this pull request may close these issues.

None yet

Notifications

Unsubscribe

You're receiving notifications because you're watching this repository.

1 participant

```

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git commit -m 'new file created'
[develop a04cbdd] new file created
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 base.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git push origin develop
Enumerating objects: 4, done.
Counting objects: 100% (4/4), done.
Delta compression using up to 8 threads
Compressing objects: 100% (2/2), done.
Writing objects: 100% (3/3), 331 bytes | 331.00 KiB/s, done.
Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
To github.com:lokeshguduru/sshrepo.git
   5dd42ab..a04cbdd  develop -> develop

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git checkout feature'
> AC

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (develop)
$ git checkout feature1
Switched to branch 'feature1'

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ git merge develop
Merge made by the 'ort' strategy.
 base.txt | 0
1 file changed, 0 insertions(+), 0 deletions(-)
create mode 100644 base.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ ls
README.md  base.txt  sample.txt  sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ git checkout feture
error: pathspec 'feture' did not match any file(s) known to git

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature1)
$ git checkout feature
Switched to branch 'feature'

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature)
$ ls
README.md  sample.txt  sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature)
$ git rebase develop
Successfully rebased and updated refs/heads/feature.

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature)
$ ls
README.md  base.txt  sample.txt  sample2.txt

lokes@DESKTOP-NQ95P07 MINGW64 ~/sshrepo (feature)
$

```

WARNING: Found ~/.bashrc but no ~/.bash\_profile, ~/.bash\_login or ~/.profile.

This looks like an incorrect setup.  
A ~/.bash\_profile that loads ~/.bashrc will be created for you.  
Agent pid 759  
Enter passphrase for /c/Users/lokes/.ssh/mykey:  
Identity added: /c/Users/lokes/.ssh/mykey (lokes@DESKTOP-NQ95P07)

```

lokes@DESKTOP-NQ95P07 MINGW64 ~
$ git clone git@github.com:lokeshguduru/sshrepo.git
Cloning into 'sshrepo'...
remote: Enumerating objects: 3, done.
remote: Counting objects: 100% (3/3), done.
remote: Total 3 (delta 0), reused 0 (delta 0), pack-reused 0
Receiving objects: 100% (3/3), done.

```

```

lokes@DESKTOP-NQ95P07 MINGW64 ~
$ cd /c/Users/lokes/sshrepo

```

Settings

lokeshguduru (lokeshguduru)  
Your personal account

Public profile

Account

Appearance

Accessibility

Notifications

Access

Billing and plans

Emails

Password and authentication

Sessions

SSH and GPG keys

Organizations

Moderation

Code, planning, and automation

Repositories

Codespaces

Packages

Copilot

Pages

Saved replies

Security

Code security and analysis

Integrations

Go to your personal profile

SSH keys

This is a list of SSH keys associated with your account. Remove any keys that you do not recognize.

Authentication Keys

key

SHA256:Qw/SKkNwShx2ASyYjE1aHhK7OPABSc+uRZTguSRV55w

Added on Jun 19, 2023

Last used within the last week — Read/write

Delete

Check out our guide to generating SSH keys or troubleshoot common SSH problems.

New SSH key

GPG keys

There are no GPG keys associated with your account.

Learn how to generate a GPG key and add it to your account.

New GPG key

Vigilant mode

Flag unsigned commits as unverified

This will include any commit attributed to your account but not signed with your GPG or S/MIME key.  
Note that this will include your existing unsigned commits.

Learn about vigilant mode.