

# **SC2006 SOFTWARE ENGINEERING**

### **LAB 3:**

# Design and Implementation

# **Motley Crew**

<u>Name</u>	Matriculation Number
Lau Quan Feng, Ryan	U2220009B
Lee Ern Qi Eunice	U2220339J
Lee Jia Xin Mildred	U2223802F
Claire Chu Xinyi	U2222134L
Lokeshh Sampath	U2221605A

### Table of Contents

Project Description	3
Mission Statement	3
Target Audience	3
Functional Requirements	4
Non-Functional Requirements	8
Data Dictionary	9
Use Case Diagram	10
User Case Description	11
Class Diagrams of Entity, Key Boundary and Control Classes	23
Sequence Diagrams	24
Dialog Map	27
User Interface Design Mock-ups	29
Overall User Interface Diagram	

### **Project Description**

#### **Mission Statement**

Team Motley Crew aims to develop a website that empowers individuals with the knowledge they need to thrive in a fast-paced world, anytime, anywhere. Our project is dedicated to delivering **concise and informative news summaries** that cater to the unique lifestyles and preferences of our audience, by harnessing the power of LLMs to offer personalized experiences. We believe that staying informed should be accessible, efficient, and inclusive, and we are committed to providing a tech-driven news consumption experience that enriches lives and fosters informed decision-making. In harmony with the Smart Nation principles, we are committed to champion equitable access to information and knowledge, leaving no citizen behind in the digital age. We also wish to foster a culture of inclusivity, where the benefits of technology are harnessed to empower every individual in our diverse society.

### **Target Audience**

Our target audience represents a diverse group of individuals with unique lifestyles, needs, and preferences. It ranges from busy professionals to students who juggle demanding work or study schedules, recreational, and family commitments. They value staying informed but often struggle to find time for comprehensive news consumption. Tech-savvy users who embrace digital tools and applications to streamline their lives and routines will also benefit from our tech-driven news consumption experience.

### **Functional Requirements**

#### 1. Landing Page

- 1.1. When a non-logged in user navigates to the website, they will be directed to the landing page
- 1.2. The page must display two mutually exclusive buttons: "Sign Up" and "Login".
  - 1.2.1. If "Sign Up" is selected, the user shall be redirected to the user registration page.
  - 1.2.2. If "Login" is selected, the user shall be redirected to the user login page.

#### 2. User Registration

- 2.1. Users shall be able to create accounts by providing a unique username, email, and password
  - 2.1.1. Users must input their username in the top input text box.
  - 2.1.2. Users must input their emails in the second from the top input text box.
  - 2.1.3. Users must enter their password in the third from the top input text box.
  - 2.1.4. Users must re-enter their password as confirmation in the bottom input text box.
    - 2.1.4.1. If the re-entered password does not match the password, the system must show an error message to the user, prompting them to try again.
- 2.2. User registration includes validation and error handling for duplicate usernames and email to ensure a smooth on boarding experience.
  - 2.2.1. Passwords entered by user must meet certain requirements.
    - 2.2.1.1. Passwords must contain a minimum of 12 characters.
    - 2.2.1.2. Passwords must contain at a combination of uppercase, lowercase letters and at least 1 number.
  - 2.2.2. If the password does not meet all requirements, the system must show an error message with the condition not met, prompting them t
- 2.3. The system must be able to securely sync with the database to save the user information under a newly created user account.
  - 2.3.1. The user data saved consists of the username, email, and password.
  - 2.3.2. A default profile must be created as an entry into the database.
    - 2.3.2.1. A default profile contains the basic user login information with no news preferences set.
      - 2.3.2.1.1. Default reading age is set to 21 years old.
      - 2.3.2.1.2. Default news preference is set to "All".
- 2.4. Once a user is registered, the user shall be directed to the home page.

### 3. User Login

- 3.1. Users with existing accounts shall be able to securely log in using their registered credentials on the login page.
  - 3.1.1. Registered credentials include either username or email address, and password.
    - 3.1.1.1. Users must input their username or emails in the top input text box.
    - 3.1.1.2. Users must input their password in the bottom input text box.
- 3.2. The system must authenticate the credentials of the user by checking with the database.
  - 3.2.1. If the user is unable to be authenticated, the system must show an error message to the user, prompting them to try again.
  - 3.2.2. If the user successfully authenticates, the system must allow the user to log in and redirect them to the home page.
- 3.3. The system must display a "Forget Password" button to allow users to retrieve their login information and reset their passwords.
  - 3.3.1. If "Forget Password" is selected, users will be redirected to the Forget Password page.
  - 3.3.2. Forget Password Page

- 3.3.2.1. The page consists of a prompt for users to enter the email address registered with their account in a text box.
- 3.3.2.2. A "Next" button shall be displayed for users to submit their email address.
- 3.3.2.3. Upon submission, the system will verify that the email listed is indeed registered under an existing account.
- 3.3.2.4. If the email is verified,
  - 3.3.2.4.1. An email containing instructions to change password shall be sent to the email address.
  - 3.3.2.4.2. The system will generate a random 8-digit PIN and reset the user's password to the PIN.
  - 3.3.2.4.3. The email shall contain the PIN with instructions to use the PIN as a temporary password.
  - 3.3.2.4.4. Upon logging in with the PIN, the system will direct the user to their profile page's reset password page and prompt the user to change their password.
- 3.3.2.5. If the email is not verified,
  - 3.3.2.5.1. Return an error message: "Email is not registered, join us today!"
  - 3.3.2.5.2. A button shall allow users to sign up by redirecting them to the sign-up page.ng them to the sign-up page.

### 4. Home Page

- 4.1. Users are presented with a streamlined dashboard to access their daily summarised news.
  - 4.1.1. The dashboard shall consist of a top-aligned horizontal navigation bar.
    - 4.1.1.1. The nav-bar will consist of three left-aligned buttons: "Your Digest", "Trending", and "Explore".
      - 4.1.1.1.1 If "Your Digest" is selected, the user shall be redirected to the Your Digest Page.
      - 4.1.1.1.2. If "Trending" is selected, users shall be redirected to the Trending page.
      - 4.1.1.1.3. If "Explore" is selected, users shall be redirected to the Explore page.
    - 4.1.1.2. The nav-bar will consist of one right-aligned button, "Profile", and an icon beside.
      - 4.1.1.2.1. If "Profile" is selected, users shall be redirected to the User Profile Settings page.
  - 4.1.2. The dashboard shall contain a greeting, in the format "Good morning, <Username>".
- 4.2. Your Digest Page
  - 4.2.1. Users are presented with a summarised version of the news, with content based on preselected interests, alongside an input text box to alter the text's writing style.
  - 4.2.2. User Preference Selection
    - 4.2.2.1. The User Preference Selection bar will consist of "All", and seven topic preference selection options: "Sports", "Tech", "Business", "Health", "Entertainment" and "Science".
    - 4.2.2.2. Upon selection, the selected preference will be highlighted in grey.
    - 4.2.2.3. If "All" is selected, all seven preferences will be highlighted.
  - 4.2.3. News Summary
    - 4.2.3.1. The summarised text body will be the output of the process as outlined in News Summarisation Function.
    - 4.2.3.2. The text body will be left aligned.
    - 4.2.3.3. The text body will display a minimum text size of 12.
  - 4.2.4. The date of the news in will be displayed right aligned to the Dashboard greeting.
    - 4.2.4.1. The date format will be Day-Month name.
  - 4.2.5. A right aligned input text box shall allow users to input custom prompts to alter the writing style of the summarised text.
    - 4.2.5.1. A header above the input text box will read "Stylize it!".

- 4.2.5.2. The text box shall contain an input text field with a "summarise" button at the bottom.
  - 4.2.5.2.1. If "summarise" is selected, the user inputted prompt will alter the current displayed text.
  - 4.2.5.2.2. If no text is inputted when "summarise" is selected, a "Please input a prompt" error message will be displayed.

#### 5. News Article Retrieval

- 5.1. The system must ensure the news endpoint is live by querying it prior to retrieving articles.
  - 5.1.1. The system must return a report after establishing connection.
- 5.2. The system must be able to specify the type of articles it retrieves.
  - 5.2.1. The system must be able to specify the category of articles.
  - 5.2.2. The system must be able to specify the country of articles.
  - 5.2.3. The system must be able to specify if it is retrieving trending or live news.
- 5.3. The system must establish a connection with the NewsAPI endpoint to fetch a list of news articles
  - 5.3.1. If retrieval is successful, the system must return a report of the articles fetched.
  - 5.3.2. Each fetched article item will contain the news source, author, title, description, link to article, link to article image, date published and content.

#### 6. News Summarisation Function

- 6.1. A Large-Language Model (LLM) shall be hosted on a separate server to provide summarisation functions.
  - 6.1.1. The server must have available endpoints to grant access to querying the LLM.
- 6.2. The system must ensure the LLM endpoint is live by querying it prior to using it.
  - 6.2.1. The system must return a report after establishing connection.
- 6.3. The system must query the LLM via the endpoint using prompts engineered in a specific templated format.
  - 6.3.1. Prompt inputs must include the preferences of the users such as categories, country, and preferred reading age.
  - 6.3.2. Prompt inputs must have a field to specify word limit for summary outputs.
  - 6.3.3. Prompt inputs must have a field to allow for user-defined customisation of body text.
- 6.4. The system must return a report after each response and store the output in the database.

#### 7. Trending Page

- 7.1. Users are presented with a summarised version of the top 10 trending news.
- 7.2. The page begins with "Good morning, <User>" above the list of trending articles.
- 7.3. In each article box, the user can click on the "Visit Page" or "Share" buttons.
  - 7.3.1. "Visit page" brings users to the source of the news article.
  - 7.3.2. "Share" allows users to copy the link of the news article.
- 7.4. News Summary
  - 7.4.1. Summarised Text Body
    - 7.4.1.1. The summarised text body will be the output of the process as outlined in News Summarisation Function.
    - 7.4.1.2. The text body will be left aligned.
    - 7.4.1.3. The text body will display a minimum text size of 12.

#### 8. Explore Page

- 8.1. Fact-of-the-Day Function.
  - 8.1.1. The LLM will generate a fact based on the date.
  - 8.1.2. The generated fact must be shorter than 30 words.

- 8.2. Display titles and short excerpt of news articles
  - 8.2.1. Users can be directed to the source to read the full article.
- 8.3. User Preference Selection
  - 8.3.1. The User Preference Selection bar will consist of "All", and seven topic preference selection options: "Sports", "Tech", "Business", "Health", "Entertainment" and "Science".
  - 8.3.2. Upon selection, the selected preference will be highlighted in grey.
  - 8.3.3. If "All" is selected, all seven preferences will be highlighted.
- 8.4. The page begins with "Good morning, <User>" above the list of articles.
- 8.5. The articles will be ordered by most recent first.
  - 8.5.1. The date format will be Day-Month name.

### 9. <u>User Profile Settings</u>

- 9.1. The system must show a drop-down list when the user clicks on their profile icon at the top right of the website.
  - 9.1.1. The drop-down list will consist of two options: "Settings" and "Log Out".
    - 9.1.1.1. If "Settings" is selected, the user will be directed to the settings page.
    - 9.1.1.2. If "Log Out" is selected, the system must safely log the user out and redirect them to the landing page.
- 9.2. Users shall be able to update their profile information in the settings page.
  - 9.2.1. The user shall be able to update their email address.
  - 9.2.2. The user shall be able to update their username.
  - 9.2.3. The user shall be able to update their password.
  - 9.2.4. The user shall be able to update their reading age.


# Non-Functional Requirements

Performance	Summarization Speed: 1. The summarization process should be efficient to provide a response within 30 seconds. 2. Users should not experience significant delays of more than 60 seconds while fetching and summarizing articles.
Responsiveness	1. The application's user interface should be responsive such that each page loads within 5 seconds, ensuring smooth interactions across different devices.
<b>Customization:</b>	User Preference Tracking: 1. The application should continuously update and adjust user preferences based on user interactions. 2. Summarization content should align with user-selected age and preferences
Usability	User-Friendly Interface: 1. The user interface should be intuitive and easy to navigate, where users can retrieve their desired information within 10 seconds of launching the website. 2. Users of varying technical backgrounds should be able to use the app without difficulty.
Accessibility	1. The application should adhere to the Web Content Accessibility Guidelines (WCAG) 2.2, ensuring usability for users with disabilities.

# Data Dictionary

Term	Definition
User	An individual who uses the website to retrieve summarised news based on
	their personal preferences.
System	The application that encompasses the entire summarisation functionality.
	It includes the user interface, back-end servers, and databases, as well as
	LLM API and NewsAPI.
News Summary	A concise representation of the key points from the main news article
	retrieved from the NewsAPI, which is then displayed in the user interface.
News	This refers to any content, particularly in the form of updates or reports,
	that has information about current events and developments from around
	the world. This serves as the input data for the LLM to begin the process
	of summarization.
News Search	A request or query made by a user to the news application's backend. It is
	done with the objective of retrieving certain news articles or summaries
	based on certain criteria.

## Use Case Diagram



# User Case Description

Use Case ID:	1		
Use Case Name:	Create account		
Created By:	Lokeshh Sampath	Last Updated By:	Lokeshh Sampath
Date Created:	4/9/2023	Date Last Updated:	4/9/2023

Actor:	User, Database	
Description:	The user creates a news account on the application.	
Preconditions:	User has downloaded and opened the application.	
	2. User is not already registered with the app using the same	
	credentials.	
Postconditions:	1. If successful, a new user's account is created in the	
	database, and the user is logged in.	
	2. User can proceed to use the app and obtain news summaries	
	based on his/her preferences.	
Priority:	High	
Frequency of Use:	One-time per user, occasional (only for new users)	
Flow of Events:	1. User enters the application and clicks on sign up.	
	2. Application displays the signup screen.	
	3. User provides the registration information, including	
	username and password.	
	4. Upon clicking of register button, the back-end system	
	validates uniqueness of username and complexity of	
	password.	
	5. If both conditions are satisfied, the app creates an account	
	for the user and logs in the user automatically.	
	6. User lands on main home page.	
Alternative Flows:	If provided username already exists, app displays an error message,	
	prompting user to re-enter a different username.	
Exceptions:	1.EX.1 If details for account creation does not meet criteria, system	
	must show an error message to user, prompting them to try again.	
Includes:	Retrieve user information	
Special Requirements:	Secure storage of user credentials.	
	2. Automatic log in to the home page.	
Assumptions:	Users are using a valid username and password.	
Notes and Issues:	Server capacity issues may slow down the process of registration of	
	new accounts.	

Use Case ID:	2		
Use Case Name:	Login		
Created By:	Lokeshh Sampath	Last Updated By:	Lokeshh Sampath
Date Created:	4/9/2023	Date Last Updated:	4/9/2023

Actor:	User, Database	
Description:	User logs in to the application, using a unique account.	
Preconditions:	The user must open the application and click on the login button.	
Postconditions:	The user's account credentials are valid.	
	2. When successful, the user is redirected to the home page of	
	the application.	
	In case of failed login, system to allow user to retry.	
Priority:	High	
Frequency of Use:	High	
Flow of Events:	1. User enters the application and clicks on login.	
	2. Application displays the login screen.	
	3. User enters their username and password in the input boxes	
	provided.	
	4. System takes in the input and looks for the username and	
	hashed password in the server-side database.	
	5. User is redirected to the home page upon successful	
	authentication.	
	If unsuccessful, system prompts the user to retry.	
Alternative Flows:	NIL	
Exceptions:	2.EX.1 If login details do not match any existing accounts, system	
	must show an error message to user, prompting them to try again.	
Includes:	Retrieve user information	
Special Requirements:	Secure storage of user credentials in database.	
Assumptions:	NIL	
Notes and Issues:	Server downtime may prevent successful login.	

Use Case ID:	3		
Use Case Name:	Retrieve User Information		
Created By:	Lau Quan Feng, Ryan	Last Updated By:	Lau Quan Feng, Ryan
Date Created:	4/9/2023	Date Last Updated:	4/9/2023

Actor:	User
Description:	Obtains user profile details and preferences stored in database
Preconditions:	User is creating an account or logging into the website
Postconditions:	Loads preferences and account details into the website and displays
	them.
Priority:	High
Frequency of Use:	High
Flow of Events:	1. System initiates request to retrieve user information after user
	clicks on create account or login.
	2. The system will validate with the database if the account exists,
	or a new account is being created
	3. Requested user information will be fetched from the database.
Alternative Flows:	NIL
Exceptions:	3.EX.1 If the connection with database cannot be established, the
	system must display an error message to the user.
Includes:	NIL
Special Requirements:	NIL
Assumptions:	NIL
Notes and Issues:	NIL

Use Case ID:	4		
Use Case Name:	Select Preference		
Created By:	Claire Chu	Last Updated By:	Claire Chu
Date Created:	4/9/2023	Date Last Updated:	4/9/2023

Actor:	User
Description:	User selects preferences for the summarised content.
Preconditions:	User must be logged in
Postconditions:	System sends preferences to input prompt.
Priority:	High
Frequency of Use:	High
Flow of Events:	1. Upon logging in, users are given options to choose from in
	the dashboard's preference bar, taken from the database.
	2. User selects preferences.
Alternative Flows:	NIL
Exceptions:	NIL
Includes:	Input prompt
Special Requirements:	NIL
Assumptions:	NIL
Notes and Issues:	NIL

Use Case ID:	5		
Use Case Name:	Stylize body text		
Created By:	Claire Chu	Last Updated By:	Claire Chu
Date Created:	4/9/2023	Date Last Updated:	4/9/2023

Actor:	User	
Description:	Users can choose to change the writing style of their summarised	
	news	
Preconditions:	1. Users must be logged in	
	2. Initial summarised text is displayed	
Postconditions:	Input prompt with style preferences is sent to the LLM API	
Priority:	Medium	
Frequency of Use:	Medium	
Flow of Events:	1. Users decide if they wish to change the writing style of the currently available text.	
	2. Users input their desired style into the text box if they wish to change the style.	
A1	3. System will send the inputted text to the input prompt.	
Alternative Flows:	NIL	
Exceptions:	NIL	
Includes:	NIL	
Special Requirements:	NIL	
Assumptions:	Stylistic choices are comprehensible and non-contradictory.	
Notes and Issues:	NIL	

Use Case ID:	6		
Use Case Name:	Input Prompt		
Created By:	Claire Chu	Last Updated By:	Claire Chu
Date Created:	4/9/2023	Date Last Updated:	4/9/2023

Actor:	LLM API, News API, User		
Description:	LLM API generates summarised text based on inputted prompt		
	from user		
Preconditions:	Users must select text style and/or content preferences		
Postconditions:	LLM API must return summarised news to be displayed		
Priority:	High		
Frequency of Use:	High		
Flow of Events:	Preferences are received from user and formatted into the		
	input prompt.		
	2. Input prompt is processed by the LLM API.		
	3. LLM API receives processed news article content.		
	4. LLM API summarises relevant news content in accordance		
	to user preferences.		
	5. LLM API returns summarised news to be displayed.		
Alternative Flows:	NIL		
Exceptions:	NIL		
Includes:	Process News Articles		
Special Requirements:	NIL		
Assumptions:	There is relevant news content that can be taken from the News		
	API.		
Notes and Issues:	NIL		

Use Case ID:	7		
Use Case Name:	Reset Password		
Created By:	Eunice Lee	Last Updated By:	Eunice Lee
Date Created:	4/9/2023	Date Last Updated:	4/9/2023

Actor:	User		
Description:	User can reset their password in the event they forget		
Preconditions:	Have a registered email		
Postconditions:	User's password has been changed and they can successfully login		
Priority:	High		
Frequency of Use:	Low		
Flow of Events:	1. The user will be able to click into the forget password page.		
	2. The page consists of a prompt for users to enter their email		
	registered to their account in an input box.		
	3. Upon submission, the system verifies that the email is		
	registered under an existing account.		
	4. The system generates a random password and resets the		
	account's password to it.		
	5. An email containing instructions to change password will		
	be sent to the email address.		
	6. Using the given password as a temporary one, the user logs		
	in to the page.		
	7. The system prompts the user to change their password.		
	8. After a successful attempt to change password, the user is		
	brought back to the home page.		
Alternative Flows:	7.AC.1 If the email is not verified, the system prompts the user to		
	register their email and create an account.		
Exceptions:	NIL		
Includes:	NIL		
Special Requirements:	NIL		
Assumptions:	NIL		
Notes and Issues:	NIL		

Use Case ID:	8		
Use Case Name:	Display Fact of the Day		
Created By:	Lee Jia Xin Mildred	Last Updated By:	Lee Jia Xin Mildred
Date Created:	4/9/2023	Date Last Updated:	4/9/2023

Actor:	LLM API	
Description:	The LLM API processes and provides a daily "Fact of the Day" to	
	the website.	
Preconditions:	1. The LLM API is operational and accessible by the website.	
	2. The website has sent a request for the "Fact of the Day."	
Postconditions:	"Fact of the Day" is displayed	
Priority:	Medium	
Frequency of Use:	High (Daily)	
Flow of Events:	1. The website sends a request to the LLM API, requesting the	
	"Fact of the Day."	
	2. The LLM API receives the request and validates it.	
	3. The LLM API generates a random "Fact of the Day" or retrieve	
	it from a reliable source.	
	4. The LLM API sends the "Fact of the Day" back to the website.	
	5. The website displays the received fact to the user.	
Alternative Flows:	NIL	
Exceptions:	NIL	
Includes:	NIL	
Special Requirements:	1. The LLM API should ensure that the "Fact of the Day" is	
	accurate, interesting, and informative.	
Assumptions:	1. The LLM API has access to a reliable source of interesting	
	facts.	
Notes and Issues:	NIL	

Use Case ID:	9		
Use Case Name:	Display Summarised News		
Created By:	Lee Jia Xin Mildred	Last Updated By:	Lee Jia Xin Mildred
Date Created:	4/9/2023	Date Last Updated:	4/9/2023

Actor:	LLM API		
Description:	LLM API provides news articles for display on website.		
Preconditions:	1. The LLM API is operational and accessible by the website.		
	2. The website has sent a request for summarised news		
	articles.		
Postconditions:	The LLM API returns summarised news articles to the website		
Priority:	High		
Frequency of Use:	High		
Flow of Events:	1. The LLM API processes the request by using its language		
	model to generate summarised versions of the requested		
	news articles.		
	2. The LLM API sends the summarised news articles back to		
	the website.		
	3. The website displays the received summaries to the user.		
Alternative Flows:	NIL		
Exceptions:	10.EX.1: If the LLM API encounters errors during the		
	summarisation process, display an error message.		
Includes:	NIL		
Special Requirements:	NIL		
Assumptions:	1. The LLM API can generate coherent and accurate		
	summaries from news articles.		
Notes and Issues:	NIL		

Use Case ID:	10		
Use Case Name:	Redirect to Original Article	:	
Created By:	Lee Jia Xin Mildred	Last Updated By:	Lee Jia Xin Mildred
Date Created:	4/9/2023	Date Last Updated:	4/9/2023

Actor:	LLM API		
Description:	LLM API facilitates the redirection of users to the original full-		
	length article on an external website.		
Preconditions:	1. The user clicks the "Visit Page" button to view the full-length		
	article.		
	2. The news summary website has a valid link to the original article.		
Postconditions:	The user is redirected to the original full-length article on an		
	external website.		
Priority:	Medium		
Frequency of Use:	Occasional		
Flow of Events:	1. The user on the website selects an option to view the full-length		
	article.		
	2. The website sends a request to the LLM API to facilitate the		
	redirection.		
	3. The LLM API receives the request and validates it.		
	4. The LLM API processes the request by generating a redirection		
	link to the original article.		
	5. The LLM API sends the redirection link back to the website.		
	6. The website performs a client-side redirection, sending the user		
	to the external website hosting the full-length article.		
Alternative Flows:	NIL		
Exceptions:	11.EX.1 If the LLM API encounters errors while generating the		
	redirection link or validating the request, return an error message.		
Includes:	NIL		
Special Requirements:	1. The website should clearly indicate that the user is being		
	redirected to an external website to view the full article to		
	maintain transparency.		
	2. Implement security measures to protect users from		
	malicious links or websites.		
Assumptions:	1. The external website hosting the full-length article is		
	reliable and accessible.		
Notes and Issues:	NIL		


Use Case ID:	11		
Use Case Name:	Request Real-time News Data		
Created By:	Lau Quan Feng, Ryan	Last Updated By:	Lau Quan Feng, Ryan
Date Created:	4/9/2023	Date Last Updated:	4/9/2023

Actor:	News API
Description:	The system requests for news article data from the API endpoint to
	display a list of queried results given user preference, country, and
	whether the news is breaking.
Preconditions:	1. User logs into the website.
	2. User changes their preferred news categories
Postconditions:	The system processes the response object to be used by other
	processes such as LLM summarisation.
Priority:	High
Frequency of Use:	High
Flow of Events:	1. User logs into website or changes their preferred news categories.
	2. The system sends a GET request to the API endpoint with the
	relevant information from user.
	3. API will send a POST request containing a response object with
	the relevant news articles based on preferences selected by user.
	4. Information within the response object will be used in
	downstream processing in the LLM for summarisation.
Alternative Flows:	NIL
Exceptions:	12.EX.1 If the API connection cannot be established, the system
	must display an error message visible to the user on the dashboard.
Includes:	NIL
Special Requirements:	NIL
Assumptions:	NIL
Notes and Issues:	NIL


Use Case ID:	12		
Use Case Name:	Fact of the Day prompt		
Created By:	Lau Quan Feng, Ryan	Last Updated By:	Lau Quan Feng, Ryan
Date Created:	4/9/2023	Date Last Updated:	4/9/2023


Actor:	LLM API
Description:	The LLM will receive a templated prompt input which prompts it to
	generate a short and interesting fact of the day based on what day of
	the year it is. E.g., "9th August is Singapore's birthday!"
Preconditions:	User must navigate to the explore page.
Postconditions:	Fact of the day generated will be displayed on the explore page.
Priority:	Medium
Frequency of Use:	Medium
Flow of Events:	1. The system will obtain the date of the current day upon user log
	in.
	2. The date will be fed into a prompt template.
	3. The overall prompt will be sent to the LLM via a POST request.
	4. The LLM will process the prompt received and generate a fact of
	the day.
	5. The LLM API will send a POST to the system containing the
	generated response from the LLM.
Alternative Flows:	NIL
Exceptions:	14.EX.1 If the API connection cannot be established, the system
	must display an error message visible to the user on the dashboard.
Includes:	NIL
Special Requirements:	NIL
Assumptions:	User is logged into the website.
Notes and Issues:	NIL


## Class Diagrams of Entity, Key Boundary and Control Classes





### Sequence Diagrams













# Dialog Map



# System Architecture




### User Interface Design Mock-ups


### LANDING PAGE




### LOGIN PAGE



### SIGNUP PAGE




### HOME PAGE




\*Bubble up whatever is selected --> filter news

#### TRENDING PAGE




SUMMARISES THE TOP 10 HEADLINING NEWS ARTICLES

### EXPLORE PAGE



### PROFILE PAGE



## Overall User Interface Diagram

