| Item                                    | Status   |
|---|--|
| CM 1802                                 | https://www.microsoft.com/en-us/evalcenter/  |
| GPP Apply once                          | https://www.verboon.info/2013/05/how-to-reapply-a-group-policy-preference-that-is-configured-to-apply-once/  |
| Surface Dock                            | https://docs.microsoft.com/en-us/surface/surface-dock-updater  |
| Launch HTA                              | https://blogs.technet.microsoft.com/cameronk/2011/01/25/can-i-use-serviceui-exe-to-launch-other-programs-besides-the-udi-setup-wizard/   |
| SQL Query                               | https://automatizeblog.wordpress.com/2016/02/26/sql-reportquery-on-execution-status-of-a-task-sequence-that-has-3-different-states/  |
|   | Network Readiness SCCM Readiness AD Readiness Drivers Via SCCM Servicing   |
| Lenovo Logo                             | https://forums.lenovo.com/t5/ThinkPad-X-Series-Laptops/X1-Bios-hangs-when-windows-restarts/td-p/3887084<br>https://support.lenovo.com/us/en/solutions/ht103960   |
| Folder Redirection                      | https://asysops.com/archives/how-to-disable-folder-redirection/ https://support.microsoft.com/en-us/help/888203/how-to-stop-folder-redirection-in-windows-server-2003-and-in-windows-2 [HKEY_CURRENT_USER/Software/Policies\Microsoft]  ORDERING USER/Software/Policies\Microsoft]   |
|   | [HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Group Policy Objects] [HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Policies From <a 181345="" en-us="" helo="" how-to-replace-in-use-files-at-windows-restart"="" href="https://social.technet.microsoft.com/Forums/windows/en-US/25f2d9ba-881b-430c-bb7-203a124254d3/changed-folder-redirection-goo-but-setting-will-not-take-affect?forum=winserverGP&gt; http://www.adshotgyan.com/2012/06/redirected-data-moves-from-one-server.html    This   This&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;TS Hangs at office installation&lt;/td&gt;&lt;td&gt;https://social.technet.microsoft.com/Forums/en-US/df8f6ba1-84dc-4a6e-a19e-507d2b68d32b/osd-task-sequence-hangs-during-install-applications-group?forum=configmanagerosd&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Power Config&lt;/td&gt;&lt;td&gt;https://specopssoft.com/blog/preventing-sleep-when-patching-a-new-image/ http://pmautomation.co.uk/?p=266&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;Pending Reboot&lt;/td&gt;&lt;td&gt;HKEY_LOCAL_MACHINE\SYSTEM\CurrentControlSet\Control\Session Manager&lt;/td&gt;&lt;/tr&gt;&lt;tr&gt;&lt;td&gt;WMI Queries&lt;/td&gt;&lt;td&gt;From &lt;a href=" https:="" support.microsoft.com="">https://support.microsoft.com/en-us/helo/181345/how-to-replace-in-use-files-at-windows-restart</a> write computersystem get model write computer yet vendor, version Write BIOS get SerialNumber write computersystem get /format:list |
| SCCM Client Version                     | Get-WMIObject -namespace root\ccm -class sms_client  |
| Enable Mouse Cursor in Win 10           | reg.exe add HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\Policies\System /v EnableCursorSuppression /t REG_DWORD /d0 /f  |
| Get App Name from Unique content ID     | https://support.lenovo.com/nz/en/accessories/acc100348  Get-MmiObject -ComputerName DEMRHSCMP003.ONETAKEDA.COM -Namespace "root\sms\site_C01" -Query "select SecuredModelName from SMS_CIToContent where ContentUniqueID = 'Content_25cda114 cb46-4625-81c9-e4cb7f62b8dc"   select -first 1   %[get-wniobject -ComputerName DEMRHSCMP003.ONETAKEDA.COM -Namespace "root\sms\site_C01" -query "select LocalizedDisplayName from SMS_Application where ModelName = 'S(5_SecuredModelName)"}   select LocalizedDisplayName -first 1   |
| GPO Registry                            | HKEY_CURRENT_USER\Software\Microsoft\Windows\CurrentVersion\Group Policy\History   |
| GPP to Delete File                      | User Policy; User Configuration > Preferences > Windows Settings > Files > DELETE > is within the local C:\Users\%username% directory.   |
| One Drive Client                        | https://support.office.com/en-us/article/new-onedrive-sync-client-release-notes-845dcf18-f921-435e-bf28-4e24b95e5fc0   |
| O.S Version                             | wmic os get BuildNumber, Caption, version Select * from Win32_OperatingSystem where BuildNumber='14393'  |
| O.S Release Info                        | https://www.microsoft.com/en-us/itpro/windows-10/release-information   |
| Driver Info                             | gwmi Win32_pnpsigneddriver   where {\$devicename -like '*Wireless*' -and \$devicename -notlike '* Bluetooth*'}   Select devicename, driverversion, Description   ft  |
| Singapore DP Issue                      | http://gerryhampsoncm.blogspot.ie/2013/02/sccm-2012-task-sequence-fails-with-bcd.html  |
| Driver Information Hardware Inventory   | https://blogs.technet.microsoft.com/configmgr_geek_speak/2013/11/10/inventorying-and-reporting-network-adapter-driver-details-and-how-to-report-only-the-wireless-type-with-bonus-mini-primer-on-sql-report-builder-in-configuration-manager-2012/   |
| SCCM Client Registries                  | HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\SMS\Mobile Client AssignedSiteCode GPRequestedSiteassignmentCode Computer\HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\CCM\FSP  |
| Upgrade SCCM Client                     | "C:\windows\ccmsetup\ccm\squantama\ccmsetup\ccm\squantama\ccmsetup\ccm\squantama\ccmsetup\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\squantama\ccm\   |
|   | "C:\windows\ccmsetup\ccmsetup\ccmsetup.exe" "/MP:USLSASCMP001 onetakeda.com" FSP="USLSASCMP001 onetakeda.com" INSTALL="ALL" SMSMP="USLSASCMP001 onetakeda.com" SMSSITECODE="P02"   |
| Profile                                 | HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Windows\CurrentVersion\ProfileList From <a href="https://support.microsoft.com/en-us/help/156826/how-to-disable-and-delete-user-profiles">https://support.microsoft.com/en-us/help/156826/how-to-disable-and-delete-user-profiles</a>  |
| DP Content                              | Get-WMIObject -ComputerName USLSASCMP001 -Namespace "root\sccmdp" -Query ("Select * from SMS_PackagesInContLib where PackageID = 'C0100566")  http://wmug.co.uk/wmug/b/peter_egerton/archive/2014/03/19/configuration-manager-dp-configuration-status-and-content-validation   |
| GUID                                    | SELECT * FROM dbo.v_R_System WHERE (SMBIOS_GUIDO LIKE 'GUIDHERE%') From <a href="https://nikifoster.wordpress.com/2011/01/31/find-configmgr-client-by-smsblos-guid/">https://nikifoster.wordpress.com/2011/01/31/find-configmgr-client-by-smsblos-guid/</a>  |
| Duplicate MAC Address                   | select vrs.ResourceID, Name0, vmac.MAC_Addresses0 from v_R_System vrs join v_RA_System_MACAddresses vmac on vmac.ResourceID=vrs.ResourceID where vmac.MAC_Addresses0='e0:4f:43:94:bb:a8'   |
| Add Machines to Collection<br>COM Issue | https://larslohmann.blogspot.com/2014/06/get-wmiobject-retrieving-com-class.html#comment-form  |
| WMI Filter for Below 1709               | root\CIMv2 select * from Win32_OperatingSystem where Version < "10.0.16299%" and ProductType="1"   |
| WMI Filter for 1803                     | root\CIMv2 Select BuildNumber from Win32 OperatingSystem where BuildNumber='17134'   |
| GPRESULT Scope                          | gpresult /SCOPE:Computer /User:rpq9374 /h c:\Patches\comp3.html  |
| GPP Preference                          | Computer: HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Group Policy\Client\RunOnce  |
| BitLocker                               | User: HKEY_Current_User\SOFTWARE\Microsoft\Group Policy\Client\RunOnce  Enable\Disable   |
|   | manage-bde -protectors -disable c: manage-bde -protectors -enable c: Save Keys to AD manage-bde -protectors -get c: manage-bde -protectors -get c: manage-bde -protectors -adbackup c: -id {38B0D8AE-C4D4-4838-A0D0-9A3ABEBA720B} Recover keys manage-bde -unlock <windowsdrive> -RecoveryKey <usbdriverletter>:\keyfile.key ex: manage-bde -unlock C: -RecoveryKey E:\keyfile.key</usbdriverletter></windowsdrive>  |
| Spark                                   | Advanced Apache Spark Training - Sameer Farooqui (Databricks)  |
| Client Privosioning Mode<br>Auto Update | Powershell.exe Invoke-WmiMethod -Namespace root\CCM -Class SMS_Client -Name SetClientProvisioningMode -ArgumentList \$false  C:\Windows\CCM\Logs\CertificateMaintenance.log  HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\CCM  HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\CCMSetup  HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\SMS  HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\SMS\Mobile Client\Software Distribution\State   |
| I                                       | Paused REG_DWORD 0x1   |

|   | PausedCookie REG_DWORD 0x225  HKEY_LOCAL_MACHINE\Software\Microsoft\CCM\CcmExec  ProvisioningMode REG_SZ_true  https://configurationmanager.uservoice.com/forums/300492-ideas/suggestions/16050814-control-windows-10-driver-auto-update   |
|---|--|
| Cisco jabber Integration  | https://coningurationmanager.uservoice.com/torums/suu49z-laeas/suggestions/16050814-control-windows-10-driver-auto-update  https://supportforums.cisco.com/t5/jabber-clients/your-office-configuration-is-corrupt-reinstall-cisco-jabber-to/td-p/2204364   |
| Language Bar in Windows 10 Keyboard<br>Setting                              | HKEY_CURRENT_USER\Software\Microsoft\CTF\LangBar ShowStatus DWORD 0 = Floating on desktop 4 = Docked in the taskbar 3 = Hidden From <a href="https://www.tenforums.com/tutorials/103041-turn-off-language-bar-ingut-indicator-windows=10-a.html">https://www.tenforums.com/tutorials/103041-turn-off-language-bar-ingut-indicator-windows=10-a.html</a>  |
| Keyboard Settings   | https://support.citrix.com/article/CTX223316   |
| PXE Settings  | https://gal.vin/2017/05/05/pxe-booting-for-uefi-bios/<br>https://community.infoblox.com/t5/DNS-DHCP-IPAM/UEFI-PXE-Boot/td-p/6210   |
| WMI Filter for GPP  | Select BuildNumber from Win32_OperatingSystem where BuildNumber < '17134'  |
| Keyboard Layout Japan<br>LayerDriver JPN                                    | https://support.microsoft.com/en-us/help/927824/windows-may-not-use-the-correct-keyboard-layout-when-you-connect-a-usb   |
| Show WiFi Devices   | netsh wlan show interface<br>netsh wlan show wlanreport  |
| KMS Server  | nslookup -type=all_vlmcstcp  |
| Prevent machines from downloading printer drivers - cirrato                 | https://getadmx.com/?Category=Windows_10_2016&Policy=Microsoft.Policies.DeviceSoftwareSetup::DeviceMetadata_PreventDeviceMeta dataFromNetwork  |
| Microsoft Security Guidance blog MDT Logs                                   | https://blogs.technet.microsoft.com/secguide/  C:\Windows\Temp\DeploymentLogs  |
| INDI Logs   | C:\windows\temp\pupploynientc0ys C:\windows\temp\pupploynientc0ys C:\windows\temp\pupploynientc0ys C:\windows\temp\pupploynientc0ys C:\windows\temp\pupploynientc0ys   |
| This could be due to CredSSP encryption oracle remediation.                 | REG ADD HKLM\Software\Microsoft\Windows\CurrentVersion\Policies\System\CredSSP\Parameters\ /v AllowEncryptionOracle /t REG_DWORD /d 2 From <a href="https://support.microsoft.com/en-us/heb/4295591/credssa-encryption-oracle-remediation-error-when-to-rdp-to-azure-ym">https://support.microsoft.com/en-us/heb/4295591/credssa-encryption-oracle-remediation-error-when-to-rdp-to-azure-ym</a>   |
| Language Packs  | https://techcommunity.microsoft.com/t5/Windows-IT-Pro-Blog/Adding-Local-Experience-Packs-to-your-Windows-image/ba-p/254125<br>https://msdn.microsoft.com/en-us/goglobal/bb688177.aspx  |
| Microsoft Tech community  | https://techcommunity.microsoft.com/t5/Windows-10/ct-p/Windows10   |
| Windows 10 Compatibility Scan   | setup.exe /Auto Upgrade /Quiet /NoReboot /Compat ScanOnly  |
| Get-ADComputer  | Get-ADComputer -Filter "Name -like 'US*" - SearchBase 'OU=AR, OU=AMERICAS, OU=Workstations, DC=OneTakeda, DC=com' - SearchScope 1 - Properties * Get-ADComputer - Filter "Name -like 'US*" - SearchBase 'OU=AR, OU=AMERICAS, OU=Workstations, DC=OneTakeda, DC=com' - SearchScope 1   Select-Object Name, DistinguishedName, Enabled, when Created, when Changed   Out - GridView  |
| Windows 10 App Compat Strategy`   | https://blogs.msdn.microsoft.com/cjacks/2016/09/12/windows-10-app-compat-strategy/   |
| Get AD Group memebership  | (Get-ADUser thackerd – Properties MemberOf). MemberOf   out-file c:\patches\thackeradgroups.txt  |
| Windows 10 Setup command options Windows 10 Upgrade Assessment              | https://docs.microsoft.com/en-us/windows-hardware/manufacture/desktop/windows-setup-command-line-options  • No issues found: 0xC1900210  |
| Errors  | Compatibility issues found (hard block): 0xC1900208  Migration choice (auto upgrade) not available (probably the wrong SKU or architecture)- 0xC1900204  Does not meet system requirements for Windows 10: 0xC1900200  Insufficient free disk space: 0xC190020E  From <a href="https://blogs.technet.microsoft.com/mnlehaus/2015/08/23/windows-10-pre-upgrade-validation-using-setup-exe/">https://kevinisms.fason.org/2017/02/windows-10-in-place-upgrade-assessment.html</a>   |
| GPP<br>Group policy preference<br>Reapply                                   | HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\Group Policy\Client\RunOnce HKCU\SOFTWARE\Microsoft\Group Policy\Client\RunOnce From <a href="https://www.verboon.info/2013/05/how-to-reaoply-a-group-policy-preference-that-is-configured-to-apply-once/">https://www.verboon.info/2013/05/how-to-reaoply-a-group-policy-preference-that-is-configured-to-apply-once/&gt;</a>   |
| How to Display Detailed Information on the Boot Screen                      | Computer Configuration -> Policies -> System -> <b>Display highly detailed status messages</b> = Enabled <b>verbosestatus</b> and the value <b>1</b> in the registry key <b>HKEY_LOCAL_MACHINE\SOFTWARE Microsoft \Windows \CurrentVersion\Policies\System.</b> From <a href="http://woshub.com/troubleshoot-slow-gpo-processing-and-login-speed-impact/">http://woshub.com/troubleshoot-slow-gpo-processing-and-login-speed-impact/</a>   |
| Import functions from a powershell script                                   | . \build_funtions.ps1 . \build_builddefs.ps1   |
| Install RSAT Tools for Win 10 1809  | DISM.exe /Online /add-capability/CapabilityName:Rsat.ActiveDirectory.DS-LDS.Tools 0.0.1.0 /CapabilityName:Rsat.Dns.Tools 0.0.1.0 /CapabilityName:Rsat.CroupPolicy.Management.Tools 0.0.1.0 /CapabilityName:Rsat.LLDP.Tools 0.0.1.0   |
| Get Installed software updates  | Get-hotfix   |
| SMSCFG.ini SCCM Client MP Issue   | https://www.emmanuelrached.com/tag/smsconfig-ini/  \ProgramData\Microsoft\Crypto\RSA\MachineKeys\19c5cf9c7b5dc9de3e548adb70398402*   |
| SCCIVI CHEFIC IVIF 1330E  | http://www.mssccm.com/uncategorized/sccm-client-registration-failed-regtask-failed-to-get-certificate-emor-0x80004005/   |
| SCCM Logging  | reg add HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\CCM\Logging\@Global/v LogDirectory /t REG_SZ /d C:\Windows\CCM\Logs /f reg add HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\CCM\Logging\@Global /v LogEnabled /t REG_DWORD /d 1 /f reg add HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\CCM\Logging\@Global /v Enabled /t REG_SZ /d True /f reg add HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\CCM\Logging\@Global /v Enabled /t REG_SZ /d True /f reg add HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\CCM\Logging\@Global /v LogNaxHistory /t REG_DWORD /d 1 /f reg add HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\CCM\Logging\@Global /v LogMaxHistory /t REG_DWORD /d 3 /f reg add HKEY_LOCAL_MACHINE\SOFTWARE\Microsoft\CCM\Logging\@Global /v LogMaxSize /t REG_DWORD /d 250000 /f  |
| Sets the Windows UI language override setting for the current user account. | Set-WinUILanguageOverride -Language de-DE  |
| Get BitLocker Protectors  | manage-bde-protectors-get <volume></volume>  |
| SCCM DP Content distribution  | https://blogs.technet.microsoft.com/sudheesn/2013/12/15/content-distribution-to-distribution-points-part-ii/   |
| Add Appx Package windows store  | Dism.exe /  Add-AppxPackage -Path Microsoft.NET.Native.Framework.x86.1.6.appx  Add-AppxPackage -Path Microsoft.NET.Native.Runtime.x64.1.6.appx  Add-AppxPackage -Path Microsoft.NET.Native.Runtime.x64.1.6.appx  Add-AppxPackage -Path Microsoft.WindowsStore_8wekyb3d8bbwe.appxbundle  Powershell.exe -ExecutionPolicy ByPass -Command "Add-AppxPackage -Path Microsoft.NET.Native.Framework.x86.1.6.appx" & Powershell.exe -ExecutionPolicy ByPass -Command "Add-AppxPackage -Path Microsoft.NET.Native.Framework.x86.1.6.appx"  Powershell.exe -ExecutionPolicy ByPass -Command "Add-AppxPackage -Path Microsoft.NET.Native.Runtime.x64.1.6.appx"  Powershell.exe -ExecutionPolicy ByPass -Command "Add-AppxPackage -Path Microsoft.NET.Native.Runtime.x64.1.6.appx"  Powershell.exe -ExecutionPolicy ByPass -Command "Add-AppxPackage -Path Microsoft.WindowsStore_8wekyb3d8bbwe.appxbundle" |
|   | If the problem cannot be identified from the event viewer / gpresult, then we can enable gpsvc logging. On the client where the GPO Problem occurs follow these steps to enable Group Policy Service debug logging.  1. Click Start, click Run, type regedit, and then click OK.  2. Locate and then click the following registry subkey: HKEY_LOCAL_MACHINE \Software\Microsoft\Windows NT\CurrentVersion  3. On the Edit menu, point to New, and then click Key.  4. Type Diagnostics, and then press ENTER.  5. Right-click the Diagnostics subkey, point to New, and then click DWORD (32 -bit) Value.6. Type GPSvcDebugLevel, and then press ENTER.  8. Right-click GPSvcDebugLevel, and then click Modify.  8. In the Value data box, type 30002 (Hexadecimal), and then click OK  9. Exit Registry Editor.  10. View the Gpsvc.log file in the following folder: %windir%\debug\usermode  |

|  | Note – If the usermode folder does not exist, create it under %windir%\debug.  If the usermode folder does not exist under %WINDIR%\debug\the gpsvc.log file will not be created.  Now, you can either do a "gpupdate/force" to trigger GPO processing or do a restart of the machine in order to get a clean b oot application of group policy (Foreground vs Background GPO Processing).  After that, the log itself should be found under: C:\Windows\Debug\Usermode\gpsvc.log  An important note for Windows 7/ Windows Server 2008 R2 or older operating systems to consider: On multiprocessor machines, we might have concurrent threads writing to log at the same time. In heavy  |
|--|--|
|  | A REPORT OF THE PROPERTY OF TH |
| 1  | In Important note for Windows Server Zook at 2 or older operating systems to consider: of ministrates writing to log at the same time, in heavy logging scenarios, one of the writes attempts may fail and we may possibly lose debug log information.  Concurrent processing is very common with group policy troubleshooting since you usually run "gpupdate/force" without specif ying user or machine processing separately. To reduce the chance of lost logging while troubleshooting, initiate machine and user policy processing separately:   |
|  | Gpupdate /force /target:computer   |
|  | Gpupdate /force /target:user   |
| history  | The semi-annual feature update releases of Office 365 ProPlus are supported for 18 months, starting from the initial release.  |
|  | https://docs.microsoft.com/en-us/officeupdates/update-history-office365-proplus-by-date https://docs.microsoft.com/en-us/DeployOffice/overview-of-update-channels-for-office-365-proplus   |
|  | https://docs.microsoft.com/en-us/office/client-developer/outlook/weather/extending-the-weather-bar-in-outlook https://docs.microsoft.com/en-us/previous-versions/office/office-2013-resource-kit/ff631135(v-office.15) https://support.microsoft.com/en-us/help/2975407/weather-bar-and-weather-settings-missing-in-outlook  |
| MDT ZTI GATHER   | cscript ZTIGather.wsf/Debug:True/inifile:\Control\CustomSettings.ini Ordering of the sections is important   |
| RoboCopy   |  |
|  | Robocopy sourcefolder destinationfolder filename robocopy C:\Lokesh\Downloads\P720 \\dent\dent\deftarmers\Drivers\Drivers\Drivers\Lore\delta\text{Pr20} \\delta\text{p720}\text{p920}_\w1064_20180612.exe \\Robocopy C:\Lokesh\TPUSA_X64 \\ulder\delta\text{Uslsascmp001.onetakeda.com\soe\Legacy_OfflineMedia_LiteTouchMedia_x64.iso}   |
|  | https://blogs.technet.microsoft.com/jchalfant/using-mdt-udi-as-osd-frontend-in-microsoft-sccm/   |
|  | .\Tools\x64\QSDSetupWizard.exe/xml:E:\SOE\DeploymentShare\Scripts\Takeda_01.xml .\Tools\x64\QSDSetupWizard.exe/xml:E:\SOE\Lokesh\UDI   |
|  | //Set DeployRoot cscript.exe E:\SOE\DeploymentShare\Scripts\ZTISetVariable.wsf/VariableName:DEPLOYROOT/VariableValue:E:\SOE\DeploymentShare cscript.exe E:\SOE\DeploymentShare\Scripts\ZTIGather.wsf/debug:true Cscript.exe E:\SOE\DeploymentShare\Scripts\UDIWizard.wsf/definition:E:\SOE\DeploymentShare\Scripts\Takeda_01.xml/debug:true  |
| MDT UDI Wizard   | E:\SOE\DeploymentShare\Tools\x86 ServiceUI.exe-process:explorer.exe E:\SOE\DeploymentShare\Tools\x86\OSDSetupWizard.exe /xml:"E:\SOE\DeploymentShare\Scripts\Takeda_01.xml"/stage:NEWCOMPUTER  |
|  | CD E:\SOE\DeploymentShare\Tools\x64 ServiceUI.exe-process:explorer.exe E:\SOE\DeploymentShare\Tools\x64\OSDSetupWizard.exe /xml:"E:\SOE\Lokesh\UDI\Takeda_01.xml"/stage:NEWCOMPUTER C:\Winodws\Temp\OSDSetupWizard.log   |
|  | http://www.zeda.nl/index.php/en/load-user-registry-hive-in-regedit https://devblogs.microsoft.com/oldnewthing/20070302-00/?p=27783   |
|  | Del C:\MININT/S/Q cscript.exe E:\SOE\DeploymentShare\Scripts\ZTISetVariable.wsf/VariableName:TAKCOUNTRY/VariableValue:Australia cscript.exe E:\SOE\DeploymentShare\Scripts\ZTISetVariable.wsf/VariableName:UlLanguage/VariableValue:en-US cscript.exe E:\SOE\DeploymentShare\Scripts\ZTISetVariable.wsf/VariableName:TAKBUILDTYPE/VariableValue:ReGULAr cscript ZTIGather.wsf/inifile:"C:\Users\Im6403adm\Desktop\CustomSettings-ADS\CustomSettings.ini" /debug:true   |
| XCOPY Logic  | xcopy C:\Windows\CCM\Logs\*.* "C:\Users\rpq9374\OneDrive - Takeda\Desktop\CopyLogs\Test" /S /E /I /H   |
| Unmount a wim file   | dism.exe /Get-MountedWimInfo DISM.exe /Unmount-Wim /MountDir:C:\Lokesh\ImageMounting /discard  |
| Install PXE/WDS  | boot images were already distributed uncheck PXE, DO NOT uninstall WDS Uninstall wds from server manager, reboot remove d:RemoteInstall and C: windows\system32\reminst, if exists - reboot install wds through server manager, reboot wds fails to start wdstill /initialize-server/reminst:D:\RemoteInstall enable PXE   |
|  | has been skipped because the condition is evaluated to be false  |
| Check file version using WMI                               | select * from cim_datafile where Name = "C:\\Program Files (x86)\\Microsoft Office\\root\\Office16\\WINWORD.EXE" and Version like "16.0.11328.%"   |
|  | select * from cim_datafile where (Name = "C:\\Program Files (x86)\\Microsoft Office\root\\Office16\\WINWORD.EXE") and NOT Version like "16.0.11328.%"  |
|  | select * from cim_datafile where (Name = "C:\\Program Files (x86)\\Microsoft Office\\root\\Office16\\WINWORD.EXE" or Name = "C:\\Program Files\\Microsoft Office\\root\\Office16\\WINWORD.EXE") and Version like "16.0.11328.%"  |
|  | https://win10.guru/usb-install-media-with-larger-than-4gb-wim-file/ Dism/Split-Image/ImageFile:C:\sources\install.swm/FileSize:4700  |
| Get Product Key from BIOS<br>Product Key is Stored in BIOS | wmic path softwarelicensingservice get OA3xOriginalProductKey  |