

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: Marry Lokeshwar

Date:

School: SCOPE

Reg. no.: 23BCE7214

1. Use MongoDB to implement the following DB operations

1. Create a database called 'vehicles' and *write* a MongoDB query to select database as "vehicles".

```
-----  
The server generated these statistics  
2026-03-11T19:20:43.753+05:30:  
-----  
  
test> use vehicles  
switched to db vehicles
```

2. Write a MongoDB query to display all the databases.

```
vehicles> show dbs  
admin      40.00 KiB  
config     108.00 KiB  
local      40.00 KiB  
vehicles>
```

3. Create a collection called 'two_wheelers'. (use capping) and Create a collection called 'four_wheelers'.

```
vehicles> db.createCollection("two_wheelers", {capped:true, size:100000})  
{ ok: 1 }  
vehicles> db.createCollection("four_wheelers")  
{ ok: 1 }  
vehicles>
```

4. Add 5 two-wheeler details to the collection named 'two_wheelers'. Each document consists of following fields as bike_name, model (gear or gearless), category (100cc, 125cc, 150cc, 200cc), colors_available (red, black, blue, sport red etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: Marry Lokeshwar

Date:
School: SCOPE
Reg. no.: 23BCE7214

```
vehicles> db.two_wheelers.insertMany([
  {
    bike_name: "Honda Shine",
    model: "gear",
    category: "110cc",
    colors_available: ["red", "black", "blue"],
    manufacturer: "Honda",
    performance: 8,
    timestamp: new Date("2022-05-01"),
    price: 90000
  },
  {
    bike_name: "TVS Jupiter",
    model: "gearless",
    category: "110cc",
    colors_available: ["silver", "blue", "black"],
    manufacturer: "TVS",
    performance: 7,
    timestamp: new Date("2021-04-15"),
    price: 85000
  },
  {
    bike_name: "Yamaha R15",
    model: "gear",
    category: "150cc",
    colors_available: ["sport red", "black"],
    manufacturer: "Yamaha",
    performance: 9,
    timestamp: new Date("2023-01-10"),
    price: 180000
  },
  {
    bike_name: "Bajaj Pulsar",
    model: "gear",
    category: "150cc",
    colors_available: ["black", "blue"],
    manufacturer: "Bajaj",
    performance: 8,
    timestamp: new Date("2020-08-20"),
    price: 130000
  },
  {
    bike_name: "Suzuki Access",
    model: "gearless",
    category: "125cc",
    colors_available: ["white", "red"],
    manufacturer: "Suzuki",
    performance: 7,
    timestamp: new Date("2022-02-05"),
    price: 95000
  }
])
vehicles>
```

5. Add 5 four-wheeler details to the collection named 'four_wheelers'. Each document consists of following fields as vehicle_name, model (commercial or own), category (car, lorry, bus, mini truck, heavy truck, containers), variants (vxi, zxi, petrol, diesel etc) as array, manufacturer, performance (out of 10), timestamp (date and year release) and price.

```
vehicles> db.four_wheelers.insertMany([
  {
    vehicle_name: "Maruti Swift",
    model: "own",
    category: "car",
    variants: ["vxi", "zxi", "petrol"],
    manufacturer: "Maruti",
    performance: 8,
    timestamp: new Date("2022-01-10"),
    price: 700000
  },
  {
    vehicle_name: "Tata Ace",
    model: "commercial",
    category: "mini truck",
    variants: ["diesel"],
    manufacturer: "Tata",
    performance: 7,
    timestamp: new Date("2021-06-15"),
    price: 500000
  },
  {
    vehicle_name: "Ashok Leyland Bus",
    model: "commercial",
    category: "bus",
    variants: ["diesel"],
    manufacturer: "Ashok Leyland",
    performance: 8,
    timestamp: new Date("2020-09-25"),
    price: 2500000
  },
  {
    vehicle_name: "Mahindra Bolero",
    model: "own",
    category: "car",
    variants: ["diesel", "zxi"],
    manufacturer: "Mahindra",
    performance: 7,
    timestamp: new Date("2023-02-11"),
    price: 350000
  },
  {
    vehicle_name: "Volvo Container Truck",
    model: "commercial",
    category: "containers",
    variants: ["diesel"],
    manufacturer: "Volvo",
    performance: 9,
    timestamp: new Date("2021-11-01"),
    price: 3500000
  }
])
vehicles>
```

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech
Faculty Name: Prof. S.Gopikrishnan
Student name: Marry Lokeshwar

Date:
School: SCOPE
Reg. no.: 23BCE7214

6. Write a MongoDB query to display all documents available in two_wheelers and four_wheelers.

Two Wheelers

```
vehicles> db.two_wheelers.find()
[
  {
    _id: ObjectId('69b1775d8b4d8a77307c2907'),
    bike_name: 'Honda Shine',
    model: 'gear',
    category: '125cc',
    colors_available: [ 'red', 'black', 'blue' ],
    manufacturer: 'Honda',
    performance: 8,
    timestamp: ISODate('2022-05-01T00:00:00.000Z'),
    price: 90000
  },
  {
    _id: ObjectId('69b1775d8b4d8a77307c2908'),
    bike_name: 'TVS Jupiter',
    model: 'gearless',
    category: '110cc',
    colors_available: [ 'silver', 'blue', 'black' ],
    manufacturer: 'TVS',
    performance: 7,
    timestamp: ISODate('2021-04-15T00:00:00.000Z'),
    price: 85000
  },
  {
    _id: ObjectId('69b1775d8b4d8a77307c2909'),
    bike_name: 'Yamaha R15',
    model: 'gear',
    category: '150cc',
    colors_available: [ 'sport red', 'black' ],
    manufacturer: 'Yamaha',
    performance: 9,
    timestamp: ISODate('2023-01-10T00:00:00.000Z'),
    price: 180000
  },
  {
    _id: ObjectId('69b1775d8b4d8a77307c290a'),
    bike_name: 'Bajaj Pulsar',
    model: 'gear',
    category: '150cc',
    colors_available: [ 'black', 'blue' ],
    manufacturer: 'Bajaj',
    performance: 8,
    timestamp: ISODate('2020-08-20T00:00:00.000Z'),
    price: 120000
  },
  {
    _id: ObjectId('69b1775d8b4d8a77307c290b'),
    bike_name: 'Suzuki Access',
    model: 'gearless',
    category: '125cc',
    colors_available: [ 'white', 'red' ],
    manufacturer: 'Suzuki',
    performance: 7,
    timestamp: ISODate('2022-02-05T00:00:00.000Z'),
    price: 95000
  }
]
vehicles>
```

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: Marry Lokeshwar

Date:

School: SCOPE

Reg. no.: 23BCE7214

Four Wheelers

```
vehicles> db.four_wheelers.find()
[
  {
    _id: ObjectId('69b178178b4d8a77307c290e'),
    vehicle_name: 'Maruti Swift',
    model: 'own',
    category: 'car',
    variants: [ 'vxi', 'zxi', 'petrol' ],
    manufacturer: 'Maruti',
    performance: 8,
    timestamp: ISODate('2022-01-10T00:00:00.000Z'),
    price: 700000
  },
  {
    _id: ObjectId('69b178178b4d8a77307c290d'),
    vehicle_name: 'Tata Ace',
    model: 'commercial',
    category: 'mini truck',
    variants: [ 'diesel' ],
    manufacturer: 'Tata',
    performance: 7,
    timestamp: ISODate('2021-06-15T00:00:00.000Z'),
    price: 500000
  },
  {
    _id: ObjectId('69b178178b4d8a77307c290c'),
    vehicle_name: 'Ashok Leyland Bus',
    model: 'commercial',
    category: 'bus',
    variants: [ 'diesel' ],
    manufacturer: 'Ashok Leyland',
    performance: 8,
    timestamp: ISODate('2020-09-25T00:00:00.000Z'),
    price: 2500000
  },
  {
    _id: ObjectId('69b178178b4d8a77307c290f'),
    vehicle_name: 'Mahindra Bolero',
    model: 'own',
    category: 'car',
    variants: [ 'diesel', 'zxi' ],
    manufacturer: 'Mahindra',
    performance: 7,
    timestamp: ISODate('2023-02-11T00:00:00.000Z'),
    price: 950000
  },
  {
    _id: ObjectId('69b178178b4d8a77307c2910'),
    vehicle_name: 'Volvo Container Truck',
    model: 'commercial',
    category: 'containers',
    variants: [ 'diesel' ],
    manufacturer: 'Volvo',
    performance: 9,
    timestamp: ISODate('2021-11-01T00:00:00.000Z'),
    price: 3500000
  }
]
vehicles>
```

7. Write a MongoDB query to display only vehicle name and price in all the collection of the database

```
vehicles> db.two_wheelers.find({}, {bike_name:1, price:1, _id:0})
[
  { bike_name: 'Honda Shine', price: 90000 },
  { bike_name: 'TVS Jupiter', price: 85000 },
  { bike_name: 'Yamaha R15', price: 180000 },
  { bike_name: 'Bajaj Pulsar', price: 120000 },
  { bike_name: 'Suzuki Access', price: 95000 }
]
vehicles>

vehicles> db.four_wheelers.find({}, {vehicle_name:1, price:1, _id:0})
[
  { vehicle_name: 'Maruti Swift', price: 700000 },
  { vehicle_name: 'Tata Ace', price: 500000 },
  { vehicle_name: 'Ashok Leyland Bus', price: 2500000 },
  { vehicle_name: 'Mahindra Bolero', price: 950000 },
  { vehicle_name: 'Volvo Container Truck', price: 3500000 }
]
vehicles>
```

8. Write a MongoDB query to display two_wheelers from a particular company

```
vehicles> db.two_wheelers.find({manufacturer:"Honda"})
[
  {
    _id: ObjectId('69b1775d8b4d8a77307c2907'),
    bike_name: 'Honda Shine',
    model: 'gear',
    category: '125cc',
    colors_available: [ 'red', 'black', 'blue' ],
    manufacturer: 'Honda',
    performance: 8,
    timestamp: ISODate('2022-05-01T00:00:00.000Z'),
    price: 90000
  }
]
vehicles>
```

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: Marry Lokeshwar

Date:

School: SCOPE

Reg. no.: 23BCE7214

9. Write a MongoDB query to display four_wheelers available in diesel variants

```
vehicles> db.four_wheelers.find({variants:"diesel"})
[
  {
    _id: ObjectId('69b178178b4d8a77307c290d'),
    vehicle_name: 'Tata Ace',
    model: 'commercial',
    category: 'mini truck',
    variants: [ 'diesel' ],
    manufacturer: 'Tata',
    performance: 7,
    timestamp: ISODate('2021-06-15T00:00:00.000Z'),
    price: 500000
  },
  {
    _id: ObjectId('69b178178b4d8a77307c290e'),
    vehicle_name: 'Ashok Leyland Bus',
    model: 'commercial',
    category: 'bus',
    variants: [ 'diesel' ],
    manufacturer: 'Ashok Leyland',
    performance: 8,
    timestamp: ISODate('2020-09-25T00:00:00.000Z'),
    price: 2500000
  },
  {
    _id: ObjectId('69b178178b4d8a77307c290f'),
    vehicle_name: 'Mahindra Bolero',
    model: 'suv',
    category: 'car',
    variants: [ 'diesel', 'zxi' ],
    manufacturer: 'Mahindra',
    performance: 7,
    timestamp: ISODate('2023-02-11T00:00:00.000Z'),
    price: 950000
  },
  {
    _id: ObjectId('69b178178b4d8a77307c2910'),
    vehicle_name: 'Volvo Container Truck',
    model: 'commercial',
    category: 'containers',
    variants: [ 'diesel' ],
    manufacturer: 'Volvo',
    performance: 9,
    timestamp: ISODate('2021-11-01T00:00:00.000Z'),
    price: 3500000
  }
]
```

10. Write a MongoDB query to display vehicles name, category and manufacturer details whose rating is more than 5.

```
vehicles> db.two_wheelers.find(
  {performance:{>5}},
  {bike_name:1, category:1, manufacturer:1, _id:0}
)
[
  {
    bike_name: 'Honda Shine', category: '125cc', manufacturer: 'Honda' },
    { bike_name: 'TVS Jupiter', category: '110cc', manufacturer: 'TVS' },
    { bike_name: 'Yamaha R15', category: '150cc', manufacturer: 'Yamaha' },
    { bike_name: 'Bajaj Pulsar', category: '150cc', manufacturer: 'Bajaj' },
    {
      bike_name: 'Suzuki Access',
      category: '125cc',
      manufacturer: 'Suzuki'
    }
  ]
vehicles> db.four_wheelers.find(
  {performance:{>5}},
  {vehicle_name:1, category:1, manufacturer:1, _id:0}
)
[
  {
    vehicle_name: 'Maruti Swift',
    category: 'car',
    manufacturer: 'Maruti'
  },
  {
    vehicle_name: 'Tata Ace',
    category: 'mini truck',
    manufacturer: 'Tata'
  },
  {
    vehicle_name: 'Ashok Leyland Bus',
    category: 'bus',
    manufacturer: 'Ashok Leyland'
  },
  {
    vehicle_name: 'Mahindra Bolero',
    category: 'car',
    manufacturer: 'Mahindra'
  },
  {
    vehicle_name: 'Volvo Container Truck',
    category: 'containers',
    manufacturer: 'Volvo'
  }
]
vehicles>
```

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: Marry Lokeshwar

Date:

School: SCOPE

Reg. no.: 23BCE7214

2. Use MongoDB to implement the following DB operations for a Zoo

1. Create a database called 'animal' and *write* a MongoDB query to select database as 'animal'.

```
admin> use animal
switched to db animal
animal>
```

2. Write a MongoDB query to display all the databases.

```
animal> show dbs
admin      40.00 KiB
config     96.00 KiB
local      40.00 KiB
vehicles   80.00 KiB
animal>
```

3. Create a collection called 'wild_animals'.(use capping) and Create a collection called 'domestic_animals'.

```
animal> db.createCollection("wild_animals", {capped:true, size:100000})
{ ok: 1 }
animal> db.createCollection("domestic_animals")
{ ok: 1 }
animal>
```

4. Add 5 wild_animal details to the collection named 'wild_animals'. Each document consists of following fields as animal_name, nature (harm or harmless), favorite_foods (meat, rabbits, deer etc) as array, care_taker_name, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

```
animal> db.wild_animals.insertMany([
  {
    animal_name: "Lion",
    nature: "harm",
    favorite_foods: ["meat", "deer"],
    care_taker_name: "Ravi",
    life_span: 15,
    timestamp: new Date(),
    expenses: 50000
  },
  {
    animal_name: "Tiger",
    nature: "harm",
    favorite_foods: ["meat", "rabbit"],
    care_taker_name: "Suresh",
    life_span: 18,
    timestamp: new Date(),
    expenses: 60000
  },
  {
    animal_name: "Elephant",
    nature: "harmless",
    favorite_foods: ["grass", "Fruits"],
    care_taker_name: "Rani",
    life_span: 60,
    timestamp: new Date(),
    expenses: 80000
  },
  {
    animal_name: "Leopard",
    nature: "harm",
    favorite_foods: ["meat"],
    care_taker_name: "Ravi",
    life_span: 20,
    timestamp: new Date(),
    expenses: 55000
  },
  {
    animal_name: "Giraffe",
    nature: "harmless",
    favorite_foods: ["leaves"],
    care_taker_name: "Hiran",
    life_span: 25,
    timestamp: new Date(),
    expenses: 45000
  }
])
{
  acknowledged: true,
  insertedIds: {
    0: ObjectId('60b17c3d8b6d8a77307c2911'),
    1: ObjectId('60b17c3d8b6d8a77307c2912'),
    2: ObjectId('60b17c3d8b6d8a77307c2913'),
    3: ObjectId('60b17c3d8b6d8a77307c2914'),
    4: ObjectId('60b17c3d8b6d8a77307c2915')
  }
}
animal>
```

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: Marry Lokeshwar

Date:

School: SCOPE

Reg. no.: 23BCE7214

5. Add 5 domestic-animal details to the collection named 'domestic_animals'. Each document consists of following fields as animal_name, gender (male or female), favorite_foods (meat, rabbits, deer etc) as array, animal_petname, life span (in years), timestamp (when the animal registered at the Zoo) and expenses.

```
animal> db.domestic_animals.insertMany([
  {
    animal_name: "Dog",
    gender: "male",
    favorite_foods: ["meat", "bones"],
    animal_petname: "Tommy",
    life_span: 12,
    timestamp: new Date(),
    expenses: 5000
  },
  {
    animal_name: "Cat",
    gender: "female",
    favorite_foods: ["fish", "milk"],
    animal_petname: "Mitts",
    life_span: 18,
    timestamp: new Date(),
    expenses: 4000
  },
  {
    animal_name: "Cow",
    gender: "female",
    favorite_foods: ["grass"],
    animal_petname: "Abdul",
    life_span: 20,
    timestamp: new Date(),
    expenses: 7000
  },
  {
    animal_name: "Goat",
    gender: "male",
    favorite_foods: ["grass", "leaves"],
    animal_petname: "Bunny",
    life_span: 16,
    timestamp: new Date(),
    expenses: 3000
  },
  {
    animal_name: "Rabbit",
    gender: "female",
    favorite_foods: ["carrot", "grass"],
    animal_petname: "Sam",
    life_span: 8,
    timestamp: new Date(),
    expenses: 2000
  }
])
acknowledged: true,
insertedIds: {
  0: ObjectId('60b17c958b4d8a77397c291e'),
  1: ObjectId('60b17c958b4d8a77397c291f'),
  2: ObjectId('60b17c958b4d8a77397c2920'),
  3: ObjectId('60b17c958b4d8a77397c2921'),
  4: ObjectId('60b17c958b4d8a77397c2922')
}
animal>
```

6. Write a MongoDB query to display all documents available in wild_animals and domestic_animals.

Wild Animals:

```
animal> db.wild_animals.find()
{
  _id: ObjectId('60b17c348b4d8a77397c2911'),
  animal_name: "lion",
  nature: "harm",
  favorite_foods: ["meat", "deer"],
  care_taker_name: "Ravi",
  life_span: 15,
  timestamp: ISODate('2026-03-11T14:29:17.688Z'),
  expenses: 60000
},
{
  _id: ObjectId('60b17c348b4d8a77397c2912'),
  animal_name: "tiger",
  nature: "harm",
  favorite_foods: ["meat", "rabbit"],
  care_taker_name: "Suresh",
  life_span: 18,
  timestamp: ISODate('2026-03-11T14:29:17.688Z'),
  expenses: 60000
},
{
  _id: ObjectId('60b17c348b4d8a77397c2913'),
  animal_name: "leopard",
  nature: "harmless",
  favorite_foods: ["grass", "fruits"],
  care_taker_name: "Ravi",
  life_span: 20,
  timestamp: ISODate('2026-03-11T14:29:17.688Z'),
  expenses: 80000
},
{
  _id: ObjectId('60b17c348b4d8a77397c2914'),
  animal_name: "lioness",
  nature: "harm",
  favorite_foods: ["meat"],
  care_taker_name: "Ravi",
  life_span: 20,
  timestamp: ISODate('2026-03-11T14:29:17.688Z'),
  expenses: 55000
},
{
  _id: ObjectId('60b17c348b4d8a77397c2915'),
  animal_name: "giraffe",
  nature: "harmless",
  favorite_foods: ["leaves"],
  care_taker_name: "Ravi",
  life_span: 25,
  timestamp: ISODate('2026-03-11T14:29:17.688Z'),
  expenses: 45000
}
}
animal>
```

Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: Marry Lokeshwar

Date:

School: SCOPE

Reg. no.: 23BCE7214

Domestic Animals:

```
animal> db.domestic_animals.find()
[
  {
    _id: ObjectId('69b17c958b4d8a77307c2916'),
    animal_name: 'Dog',
    gender: 'male',
    favorite_foods: [ 'meat', 'bones' ],
    animal_petname: 'Tommy',
    life_span: 12,
    timestamp: ISODate('2026-03-11T14:30:45.457Z'),
    expenses: 5000
  },
  {
    _id: ObjectId('69b17c958b4d8a77307c2917'),
    animal_name: 'Cat',
    gender: 'female',
    favorite_foods: [ 'fish', 'milk' ],
    animal_petname: 'Kitty',
    life_span: 10,
    timestamp: ISODate('2026-03-11T14:30:45.457Z'),
    expenses: 4000
  },
  {
    _id: ObjectId('69b17c958b4d8a77307c2918'),
    animal_name: 'Cow',
    gender: 'female',
    favorite_foods: [ 'grass' ],
    animal_petname: 'Lakshmi',
    life_span: 20,
    timestamp: ISODate('2026-03-11T14:30:45.457Z'),
    expenses: 7000
  },
  {
    _id: ObjectId('69b17c958b4d8a77307c2919'),
    animal_name: 'Goat',
    gender: 'male',
    favorite_foods: [ 'grass', 'leaves' ],
    animal_petname: 'Bunny',
    life_span: 15,
    timestamp: ISODate('2026-03-11T14:30:45.457Z'),
    expenses: 3500
  },
  {
    _id: ObjectId('69b17c958b4d8a77307c291a'),
    animal_name: 'Rabbit',
    gender: 'female',
    favorite_foods: [ 'carrot', 'grass' ],
    animal_petname: 'Snow',
    life_span: 8,
    timestamp: ISODate('2026-03-11T14:30:45.457Z'),
    expenses: 2000
  }
]
animal>
```

7. Write a MongoDB query to display only animal name and expenses in all the collection of the database

```
animal> db.wild_animals.find({}, {animal_name:1, expenses:1, _id:0})
[
  { animal_name: 'Lion', expenses: 50000 },
  { animal_name: 'Tiger', expenses: 60000 },
  { animal_name: 'Elephant', expenses: 80000 },
  { animal_name: 'Leopard', expenses: 55000 },
  { animal_name: 'Giraffe', expenses: 45000 }
]
animal> db.domestic_animals.find({}, {animal_name:1, expenses:1, _id:0})
[
  { animal_name: 'Dog', expenses: 5000 },
  { animal_name: 'Cat', expenses: 4000 },
  { animal_name: 'Cow', expenses: 7000 },
  { animal_name: 'Goat', expenses: 3500 },
  { animal_name: 'Rabbit', expenses: 2000 }
]
```

8. Write a MongoDB query to display domestic_animals whose life is a particular year

```
animal> db.domestic_animals.find({life_span:10})
[
  {
    _id: ObjectId('69b17c958b4d8a77307c2917'),
    animal_name: 'Cat',
    gender: 'female',
    favorite_foods: [ 'fish', 'milk' ],
    animal_petname: 'Kitty',
    life_span: 10,
    timestamp: ISODate('2026-03-11T14:30:45.457Z'),
    expenses: 4000
  }
]
animal>
```


Lab Sheet 6: MongoDB Basic commands

Branch/ Class: B.Tech/M.Tech

Faculty Name: Prof. S.Gopikrishnan

Student name: Marry Lokeshwar

Date:

School: SCOPE

Reg. no.: 23BCE7214

9. Write a MongoDB query to display wild_animals available under a particular care_taker

```
animal> db.wild_animals.find({care_taker_name:"Kiran"})
[
  {
    _id: ObjectId('69b17c3d8b4d8a77307c2915'),
    animal_name: 'Giraffe',
    nature: 'harmless',
    favorite_foods: [ 'leaves' ],
    care_taker_name: 'Kiran',
    life_span: 25,
    timestamp: ISODate('2026-03-11T14:29:17.608Z'),
    expenses: 45000
  }
]
```

10. Write a MongoDB query to display animal name, favorite_foods and expenses details whose lifespan is more than 5 years.

```
animal> db.wild_animals.find(
  {life_span:{gt:5}},
  {animal_name:1, favorite_foods:1, expenses:1, _id:0}
)
[
  {
    animal_name: 'Lion',
    favorite_foods: [ 'meat', 'deer' ],
    expenses: 50000
  },
  {
    animal_name: 'Tiger',
    favorite_foods: [ 'meat', 'rabbit' ],
    expenses: 60000
  },
  {
    animal_name: 'Elephant',
    favorite_foods: [ 'grass', 'fruits' ],
    expenses: 80000
  },
  {
    animal_name: 'Leopard', favorite_foods: [ 'meat' ], expenses: 55000 },
  {
    animal_name: 'Giraffe',
    favorite_foods: [ 'leaves' ],
    expenses: 45000
  }
]
animal>
animal> db.domestic_animals.find(
  {life_span:{gt:5}},
  {animal_name:1, favorite_foods:1, expenses:1, _id:0}
)
[
  {
    animal_name: 'Dog',
    favorite_foods: [ 'meat', 'bones' ],
    expenses: 5000
  },
  {
    animal_name: 'Cat',
    favorite_foods: [ 'fish', 'milk' ],
    expenses: 4000
  },
  {
    animal_name: 'Cow', favorite_foods: [ 'grass' ], expenses: 7000 },
  {
    animal_name: 'Goat',
    favorite_foods: [ 'grass', 'leaves' ],
    expenses: 3500
  },
  {
    animal_name: 'Rabbit',
    favorite_foods: [ 'carrot', 'grass' ],
    expenses: 2000
  }
]
animal> db.wild_animals.find({care_taker_name:'Kiran'})
```