Status	Finished
Started	Monday, 5 October 2026, 9:15 AM
Completed	Monday, 5 October 2026, 9:35 AM
Duration	20 mins 40 secs
Grade	**10.00** out of 15.00 (**66.67**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What does the following code print?

```
names = {'Janice': 5, 'Emily': 3, 'John': 7, 'Eleanor': 2}
list_o_names = []
names['Emily'] += 10
names['Erik'] = 22

for name in names:
    if names[name] > 5:
        list_o_names.append(name)
print(list_o_names)
```

a. ['Emily', 'John', 'Erik'] ✓

b. ['Janice', 'Emily', 'John']

c. ['Janice', 'John', 'Erik']

d. ['Janice', 'Emily', 'John', 'Eleanor']

Question **2**

Correct

Mark 1.00 out of 1.00

1,2,3 are the _____ in the following dictionary. D = {1 : "One", 2 : "Two", 3 : "Three"}

a. Items

b. None of the mentioned

c. Values

d. Keys ✓

Question **3**

Correct

Mark 1.00 out of 1.00

Choose the correct statement, in reference to the following code: D1.update(D2) #D1 and D2 are dictionaries

a. None of the mentioned
b. It will merge all the elements of dictionary 'D2' in dictionary 'D1'. ✓
c. It will create a new dictionary.
d. It will merge all the elements of dictionary 'D1' in dictionary 'D2'.

Question **4**

Incorrect

Mark 0.00 out of 1.00

What is the value of counter after the code is run?

```
phrase = "Cheese!!!! Cheese!!!! Python is a programming Language.Python!!"
counter = 0
letters = {}
for word in phrase.split():
    for letter in word:
        letter = letter.lower()
        if letter not in letters.keys():
            letters[letter] = 0
        letters[letter] += 1
for key in letters.keys():
    if letters[key] > 2:
        counter += 1
print(counter)
```

Answer: 14 ✗

Question **5**

Correct

Mark 1.00 out of 1.00

The key-value pair in dictionary is called _____.

a. pair item
b. value
c. item ✓
d. paired value

Question **6**

Correct

Mark 1.00 out of 1.00

Which statement is used to create an empty dictionary?

- a. d1 = { } ✓
- b. d1 =
- c. d1 = [ ]
- d. d1 = dict{ }

Question **7**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={}
a['a']=1
a['b']=[2,3,4]
print(a)
```

- a. Error
- b. {'b': [2], 'a': [3]}
- c. {'b': [2], 'a': 1}
- d. ✓
  {'b': [2, 3, 4], 'a': 1}

Question **8**

Incorrect

Mark 0.00 out of 1.00

Only values (without keys) can be printed in dictionary?

- a. False ✗
- b. True

Question **9**

Correct

Mark 1.00 out of 1.00

Write a statement to retrieve the value corresponding to the key 7 in dictionary 'D1'.

- a. D1.get(7) ✓
- b. D1.values(7)
- c. D1.pop(7)
- d. D1.disp(7)

Question **10**

Correct

Mark 1.00 out of 1.00

To obtain the number of entries in dictionary which command is used?

- a. d.len()
- b. size(d)
- c. d.size()
- d. len(d) ✓

Question **11**

Correct

Mark 1.00 out of 1.00

What will be the output of the following Python code snippet?

```
a={1:"A",2:"B",3:"C"}
print(a.get(5,4))
```

- a. 4 ✓
- b. A
- c. Invalid Synatx,Error
- d. 5

Question **12**

Correct

Mark 1.00 out of 1.00

Traversing a dictionary can be done using _____.

a. None of the mentioned
b. loop ✓
c. jump statement
d. if statement

Question **13**

Incorrect

Mark 0.00 out of 1.00

There is no index value in dictionary like we have in List.(T/F)

a. False ✗
b. True

Question **14**

Incorrect

Mark 0.00 out of 1.00

Keys of dictionary must be _____.

a. integers
b. unique
c. antique
d. mutable ✗

Question **15**

Incorrect

Mark 0.00 out of 1.00

Which function/statement delete all the items of the dictionary?

a. clear( )
b. delete( )
c. pop( ) ✗
d. del