

Appcomponent.html

```
<div class="fluidcontainer">
  <nav class="navbar navbar-expand-lg">
    
    <a class="btn" routerLink="/">myPortFolio</a>
    <ul
      class="nav navbar-nav"
      style="margin-left: 55%"
      routerLinkActive="active"
    >
      <li class="nav-item border m-1">
        <a class="btn" routerLink="/aboutus">About</a>
      </li>
      <li class="nav-item border m-1">
        <a class="btn" routerLink="/contactus">Contact</a>
      </li>
      <li class="nav-item border m-1">
        <a class="btn" routerLink="/signin">Sign In</a>
      </li>
      <li class="nav-item border m-1">
        <a class="btn" routerLink="/signup">Sign Up</a>
      </li>
    </ul>
  </nav>
  <div class="container">
    <router-outlet></router-outlet>
  </div>
</div>
<footer>&copy; 2022 All rights reserved. Lokesvaran.</footer>
```

Appcomponent.css

```
.fill {
```

```
height: 75% !important;
width: 100%;
position: absolute;
top: 0;
left: 0;
overflow: hidden;
background-size: cover;
background-position: center center;
}

.fluidcontainer{
margin: 0px 20px 0px 20px;
}

.ima{
height: 25px;
width: 25px;
}

.navbar{
background-color: #1382EC;
}

.nav-item{
border-radius: 10px;
}

.nav-item:hover{
background-color: rgb(218, 158, 7);
}

footer {
position: fixed;
bottom: 0;
width: 100%;
height: 40px;
padding: 10px;
text-align: center;
```

```
color: white;
background: #6cf;
}
```

Homepagecomponent.html

```
<div class="container" style="padding: 10px; align-self: center">
  <div
    class="jumbotron"
    style="
      background-image:
url(https://images.unsplash.com/photo-1518655048521-f130df041f66?ixlib=rb-
1.2.1&ixid=MnwzMjA3fDB8MHxzZWFyY2h8MXx8d29yayUyMGRlc2t8ZW58MHx8MHx8&w=1000
&q=80);
      margin-top: 30px;
      padding: 150px;
      height: 500px;
    "
  >
    <h5 class="homepage-h5">Hello !</h5>
    <h2 class="nametag-h2">I'm <span class="name">Lokesvaran</span></h2>
    <h3 class="homepage-h3">Full stack web developer</h3>
    <button class="btn btn-primary btn-sm" (click)="gotoAbout()">
      Check My Profile
    </button>
  </div>
</div>
```

Homepagecomponent.css

```
.jumbotron {
  background-size: 100%;
}

.homepage-h5{
  font-size: 15px;
}
```

```

.nametag-h2 .name{
    color: rgb(218, 158, 7);
}

.nametag-h2{
    font-family: Impact, Haettenschweiler, 'Arial Narrow Bold',
sans-serif;
    font-size: 100px;
}

.homepage-h3{
    padding-left: 150px;
    text-transform: uppercase;
    font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS',
sans-serif;
    font-size: 20px;
}

.btn{
    margin-left: 220px;
    margin-top: 10px;
    border-radius: 10px;
}

.btn:hover{
    background-color: rgb(218, 158, 7);
}

```

Homepagecomponent.ts

```

import { Component, OnInit } from '@angular/core';
import { Router } from '@angular/router';

@Component({
    selector: 'app-homepage',
    templateUrl: './homepage.component.html',

```

```

    styleUrls: ['./homepage.component.css']
  })
  export class HomepageComponent implements OnInit {

    constructor(private router: Router) { }

    ngOnInit() {
    }

    gotoAbout() {
      this.router.navigate(['/aboutus']);
    }

  }

```

About.html

```

<div class="container">
  <h4 class="what-i-do-h4">What i do</h4>
  <hr />
  <div class="row">
    <div class="col border">
      <h5>Copywrite</h5>
      <p>
        Lorem ipsum dolor sit amet consectetur adipisicing elit.
        Exercitationem
        eveniet, nobis consequatur, voluptates possimus quasi ex obcaecati
        provident voluptate sequi veritatis? Odio sequi porro mollitia
        facere
        unde dolorem recusandae? At.
      </p>
    </div>
    <div class="col border">
      <h5>Ecommerce</h5>
      <p>
        Lorem ipsum dolor sit amet consectetur adipisicing elit.
        Exercitationem
        eveniet, nobis consequatur, voluptates possimus quasi ex obcaecati

```

```

        provident voluptate sequi veritatis? Odio sequi porro mollitia
facere
        unde dolorem recusandae? At.
    </p>
</div>
</div>
<div class="row">
    <div class="col border">
        <h5>Web Design</h5>
        <p>
            Lorem ipsum dolor sit amet consectetur adipisicing elit.
Exercitationem
            eveniet, nobis consequatur, voluptates possimus quasi ex obcaecati
            provident voluptate sequi veritatis? Odio sequi porro mollitia
facere
            unde dolorem recusandae? At.
        </p>
    </div>
    <div class="col border">
        <h5>Marketing</h5>
        <p>
            Lorem ipsum dolor sit amet consectetur adipisicing elit.
Exercitationem
            eveniet, nobis consequatur, voluptates possimus quasi ex obcaecati
            provident voluptate sequi veritatis? Odio sequi porro mollitia
facere
            unde dolorem recusandae? At.
        </p>
    </div>
</div>
<hr />
<h4 class="what-i-do-h4">Resume</h4>
<hr />
<div class="row">
    <div class="col">
        <div class="row">
            <div class="col">
                
  Dedicated and efficient full stack developer with 6+ years
experience in
  application layers, presentation layers, and databases. Certified in
both
  F/E and B/E technologies. Spearheaded successful transition from
LAMP
  stack to MEAN which cut latency by 40% and increased effectiveness
of
  database administrators by 20%. Seeking to further improve HTML5 and
CSS3
  skills as the future full stack developer.
</div>
</div>
<hr />

<div class="row">
  <div class="col">
    <h4 class="what-i-do-h4">Skills</h4>
    <ul>
      <li>Google Compute Engine</li>
      <li>Android and iOS App Development</li>
      <li>HTML, CSS, JavaScript, PHP</li>
      <li>Bootstrap & Angular JS</li>
      <li>jQuery</li>
      <li>SQL Databases</li>
    </ul>
  </div>
  <div class="col">
    <h4 class="what-i-do-h4">Certifications</h4>
    <ul>
      <li>Full-Stack Web Development with React Certification</li>

```



```

    <li>Front End Web Development Certificate</li>
    <li>Back End Web Development Certificate</li>
    <li>AWS Certified DevOps Engineer – Professional</li>
    <li>Free Code Camp Full Stack Development Certification</li>
  </ul>
</div>
</div>

<br /><br /><br />
</div>

```

About.css

```

.what-i-do-h4{
  margin-top: 30px;
  text-transform: capitalize;
  font-family: Cambria, Cochin, Georgia, Times, 'Times New Roman',
serif;
  text-decoration: underline;
  margin-bottom: 30px;
}

.col{

  border-radius: 10px;
  margin: 15px;
}

.col h5{
  margin: 10px;
  border-bottom: 1px solid rgb(221, 215, 215);
  font-family: 'Franklin Gothic Medium', 'Arial Narrow', Arial,
sans-serif;
}

.col p{
  padding-top: 10px;
  text-align: justify;
}

```

```

.col:hover{
    background-color: rgb(221, 215, 215);
}

img{
    width: 200px;
    height: 200px;
}

.col .col-details{
    margin-left: 0px;
    font-family: 'Gill Sans', 'Gill Sans MT', Calibri, 'Trebuchet MS',
sans-serif;
}

.row .col-description{
    padding-top: 40px;
    text-align: justify;
}

.progress{
    width: 1000px;
}

```

Contact.html

```

<div class="container">
  <h2 style="margin-top: 50px">Contact</h2>
  <hr />
  <div class="row">
    <div class="col border">
      <div class="boxcontainer">
        <h5>
          <span>
            
          </span>

```

```
+91 9999999999
</h5>
<p>
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Ipsam,
ut.

</p>
<br />
<h5>
    <span>
        
    </span>
    San Francisco
</h5>
<p>
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Ipsam,
ut.

</p>
<br />
<h5>
    <span>
        
    </span>
    xyz@example.com
</h5>
<p>
    Lorem ipsum dolor sit amet consectetur adipisicing elit. Ipsam,
ut.

</p>
<br />
</div>
</div>
<div class="col border">
```

```
<form>
  <div class="form-group">
    <label for="exampleFormControlInput1">Name</label>
    <input
      type="text"
      class="form-control"
      id="exampleFormControlInput1"
      placeholder="name"
    />
    <label for="exampleFormControlInput1">Email address</label>
    <input
      type="email"
      class="form-control"
      id="exampleFormControlInput1"
      placeholder="name@example.com"
    />
    <label for="exampleFormControlInput1">Subject</label>
    <input
      type="text"
      class="form-control"
      id="exampleFormControlInput1"
      placeholder="subject"
    />
  </div>
  <div class="form-group">
    <label for="exampleFormControlTextarea1">Message</label>
    <textarea
      class="form-control"
      id="exampleFormControlTextarea1"
      rows="3"
    ></textarea>
  </div>
  <button class="btn btn-primary">Send Message</button>
</form>
</div>
</div>
</div>
```

Contact.css

```

img{
    width: 20px;
    height: 20px;
}

.boxcontainer{
    padding: 50px;
}

.col{
    border-radius: 7px;
    margin: 4px;
}

.col ,p{
    text-align: justify;
}

label{
    font-family: 'Lucida Sans', 'Lucida Sans Regular', 'Lucida Grande',
'Lucida Sans Unicode', Geneva, Verdana, sans-serif;
}

```

Signin.html

```

<div>
    <div class="jumbotron" style="margin: 45px">
        <h2 style="text-align: center;padding-top: 5%">Login</h2>
        <p style="text-align: center">Enter the registered E-mail address
and the password!</p>
        <form action="">
            <div class="container">
                <p style="text-align: center;padding-bottom: 20px">
                    E-mail <input type="text" name="email" placeholder="Confirm
email address" email required style="padding-right: 60px;margin-left:
35px" ></p>
                </div>
            <div class="container">

```

```

        <p style="text-align: center">
            Password <input type="text" name="email" placeholder="Password"
required style="padding-right: 60px;margin-left: 15px"> <br>
            <button class="btn btn-primary" style="margin-top: 20px">
Login</button></p>
        </div>

    </form>

</div>

</div>

```

Signup.html

```

<div>
    <div class="jumbotron" style="margin: 25px">
        <h2 style="text-align: center;padding-top: 5%">Register</h2>
        <p style="text-align: center">Enter the valid E-mail address and the
password!</p>
        <form action="">
            <div class="container">
                <p style="text-align: center;padding: 20px">
                    E-mail <input type="text" name="email" placeholder="Email
address" email required style="padding-right: 60px;margin-left: 80px"></p>
                <p style="text-align: center;padding-bottom: 20px">
                    Reconfirm E-mail <input type="text" name="email"
placeholder="Confirm email address" email required style="padding-right:
60px;margin-left: 5px" ></p>
            </div>
            <div class="container">
                <p style="text-align: center">

```

```
        Password <input type="text" name="email" placeholder="Password"
required style="padding-right: 60px;margin-left: 55px;margin-bottom:
20px"> <br>
        <button class="btn btn-primary" style="margin-top: 20px">
Register</button></p>
    </div>
</form>
</div>
</div>
```

Signup.css

```
.ima{

height: 40px;
width: 40px;

}
```