Home.html

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0"
/>

    <link rel="stylesheet" href="style.css" />

    <link
      rel="stylesheet"

href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min
.css"

integrity="sha384-MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8E
RdknLPMO"
      crossorigin="anonymous"
    />
    <!-- jquery -->
    <script
      src="https://code.jquery.com/jquery-3.3.1.slim.min.js"

integrity="sha384-q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE
1Pi6jizo"
      crossorigin="anonymous"
    ></script>
    <!-- popper Bootstrap dropdown require Popper. js
(https://popper.js.org) -->
    <script

src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.mi
n.js"

integrity="sha384-ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8Wv
CWPIPm49"
      crossorigin="anonymous"
```

```html
    ></script>
    <!-- bootstrap -->
    <script

src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.1/js/bootstrap.min.j
s"

integrity="sha384-smHYKdLADwkXOn1EmN1qk/HfnUcbVRZyYmZ4qpPea6sjB/pTJ0euyQp0
Mk8ck+5T"
      crossorigin="anonymous"
    ></script>

    <title>Ming's Dinner</title>
  </head>
  <body>
    <nav>
      <div class="navbar navbar-dark bg-dark navbar-expand-sm">
        <div class="container">
          <a href="#" class="navbar-brand">Ming's Dinner</a>
          <button
            class="navbar-toggler"
            data-toggle="collapse"
            data-target="#navbars"
          >
            <span class="navbar-toggler-icon"></span>
          </button>
          <div
            class="collapse navbar-collapse justify-content-end"
            id="#navbars"
          >
            <ul class="navbar-nav">
              <li class="navbar-item">
                <a href="#" class="nav-link">Home</a>
              </li>
              <li class="navbar-item">
                <a href="about.html" class="nav-link">About</a>
              </li>
              <li class="navbar-item">
                <a href="foods.html" class="nav-link">Foods</a>
              </li>
```

```html
              <li class="navbar-item">
                <a href="contact.html" class="nav-link">Contact Us</a>
              </li>
            </ul>
          </div>
        </div>
      </nav>

      <ol class="breadcrumb">
        <li class="breadcrumb-item active">Home</li>
      </ol>

      <section id="homepage">
        <h1>Welcome to Ming's Dinner</h1>
        <div class="input-group">
          <input
            type="text"
            class="form-control"
            placeholder="Search For Your Favourite Food"
          />
          <button type="submit" class="btn btn-primary">Search</button>
        </div>
      </section>

      <footer style="text-align: center; background-color: darkgray">
        <div class="container">
          <em>
            Copyright &copy; 2022 Ming's Dinner | <br />
            &copy; Designed by Lokesvaran
          </em>
        </div>
      </footer>
  </body>
</html>
```

About.html

```html
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0"
/>

    <link rel="stylesheet" href="style.css" />

    <link
      rel="stylesheet"

href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min
.css"

integrity="sha384-MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8E
RdknLPMO"
      crossorigin="anonymous"
    />
    <!-- jquery -->
    <script
      src="https://code.jquery.com/jquery-3.3.1.slim.min.js"

integrity="sha384-q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE
1Pi6jizo"
      crossorigin="anonymous"
    ></script>
    <!-- popper Bootstrap dropdown require Popper. js
(https://popper.js.org) -->
    <script

src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.mi
n.js"

integrity="sha384-ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8Wv
CWPIPm49"
      crossorigin="anonymous"
    ></script>
    <!-- bootstrap -->
```

```html
    <script
src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.1/js/bootstrap.min.j
s"
integrity="sha384-smHYKdLADwkXOn1EmN1qk/HfnUcbVRZyYmZ4qpPea6sjB/pTJ0euyQp0
Mk8ck+5T"
      crossorigin="anonymous"
    ></script>

    <title>Ming's Dinner</title>
  </head>
  <body>
    <nav>
      <div class="navbar navbar-dark bg-dark navbar-expand-sm">
        <div class="container">
          <a href="#" class="navbar-brand">Ming's Dinner</a>
          <button
            class="navbar-toggler"
            data-toggle="collapse"
            data-target="#navbars"
          >
            <span class="navbar-toggler-icon"></span>
          </button>
          <div
            class="collapse navbar-collapse justify-content-end"
            id="#navbars"
          >
            <ul class="navbar-nav">
              <li class="navbar-item">
                <a href="home.html" class="nav-link">Home</a>
              </li>
              <li class="navbar-item">
                <a href="about.html" class="nav-link">About</a>
              </li>
              <li class="navbar-item">
                <a href="foods.html" class="nav-link">Foods</a>
              </li>
              <li class="navbar-item">
                <a href="contact.html" class="nav-link">Contact Us</a>
```

```html
          </li>
        </ul>
      </div>
    </div>
  </div>
</nav>

<ol class="breadcrumb">
  <li class="breadcrumb-item">Home</li>
  <li class="breadcrumb-item active">About</li>
</ol>

<section id="aboutpage">
  <div class="container">
    <span>Our Story</span>
  </div>

  <div class="aboutphoto">
    <p>
      <img src="images/pic5.jpg" alt="pic5" width="35%" height="350px"
/>
      Named after an antique door acquired from Pondicherry, we as a
      restaurant are committed to serving cuisine that is delectable
yet
      warm. We are technique-driven and maintain the tradition of
using
      freshest of ingredients and impeccable guest service. Leading
her chef
      brigade is Chef Shreeya Adka who graduated at the Culinary
Institute
      of America, New York and has also gathered much of her expertise
from
      working at a world famous three Michelin star restaurant at New
York.
      Dining at The French Door is more than a meal. It is a story to
be
      told, an experience to be shared. The epicurean roller coaster
is all
      set to take off.
    </p>
```

```html
          </div>

          <div class="aboutphoto1">
            <p>
              <img src="images/pic6.png" alt="pic6" width="35%" height="350px"
/>

              We are a micro team of chefs who are constantly engaging with
each
              other to surpass our own personal best. We are improvising
constantly.
              Our ultimate goal is for a guest to feel welcome into our
family. We
              focus on growing our team from the roots, developing a young
              generation of chefs and service executives who can explore the
world
              of fine cuisine by providing them space to grow and contribute
their
              ideas.
            </p>
          </div>
        </section>

        <br /><br /><br /><br /><br /><br /><br /><br /><br /><br />
        <footer style="text-align: center; background-color: darkgray">
          <div class="container">
            <em>
              Copyright &copy; 2022 Ming's Dinner | <br />
              &copy; Designed by Lokesvaran
            </em>
          </div>
        </footer>
  </body>
</html>
```

Foods.html

```html
<!DOCTYPE html>
<html lang="en">
  <head>
```

```html
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0"
/>

    <link rel="stylesheet" href="style.css" />

    <link
      rel="stylesheet"

href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min
.css"

integrity="sha384-MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8E
RdknLPMO"
      crossorigin="anonymous"
    />
    <!-- jquery -->
    <script
      src="https://code.jquery.com/jquery-3.3.1.slim.min.js"

integrity="sha384-q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE
1Pi6jizo"
      crossorigin="anonymous"
    ></script>
    <!-- popper Bootstrap dropdown require Popper. js
(https://popper.js.org) -->
    <script

src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.mi
n.js"

integrity="sha384-ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8Wv
CWPIPm49"
      crossorigin="anonymous"
    ></script>
    <!-- bootstrap -->
    <script
```

```html
    src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.1/js/bootstrap.min.j
s"

integrity="sha384-smHYKdLADwkXOn1EmN1qk/HfnUcbVRZyYmZ4qpPea6sjB/pTJ0euyQp0
Mk8ck+5T"
      crossorigin="anonymous"
    ></script>

    <title>Ming's Dinner</title>
  </head>
  <body>
    <nav>
      <div class="navbar navbar-dark bg-dark navbar-expand-sm">
        <div class="container">
          <a href="#" class="navbar-brand">Ming's Dinner</a>
          <button
            class="navbar-toggler"
            data-toggle="collapse"
            data-target="#navbars"
          >
            <span class="navbar-toggler-icon"></span>
          </button>
          <div
            class="collapse navbar-collapse justify-content-end"
            id="#navbars"
          >
            <ul class="navbar-nav">
              <li class="navbar-item">
                <a href="home.html" class="nav-link">Home</a>
              </li>
              <li class="navbar-item">
                <a href="about.html" class="nav-link">About</a>
              </li>
              <li class="navbar-item">
                <a href="foods.html" class="nav-link">Foods</a>
              </li>
              <li class="navbar-item">
                <a href="contact.html" class="nav-link">Contact Us</a>
              </li>
```

```html
        </ul>
      </div>
    </div>
  </div>
</nav>

<ol class="breadcrumb">
  <li class="breadcrumb-item">Home</li>
  <li class="breadcrumb-item active">Foods</li>
</ol>

<section id="foodspage">
  <div class="container1">
    <div class="row">
      <div class="col-lg-6">
        <img
          src="images/pic4.jpg"
          alt="pic4"
          width="100%"
          style="padding-left: 60px"
        />
      </div>
      <div class="col-lg-6">
        <h1>Order Your Food</h1>
      </div>
    </div>
  </div>

  <div class="container">
    <h2 class="text-center">Today's Special</h2>
    <div class="row">
      <div class="col-lg-4">
        <div class="card text-center">
          <img src="images/food/1.jpg" alt="1" />
          <div class="card-body">
            <h5 class="card-title">Indian chicken biryani</h5>
            <p class="card-title">Rs. 190</p>
          </div>
        </div>
      </div>
```

```html
<div class="col-lg-4">
  <div class="card text-center">
    <img src="images/food/2.jpg" alt="2" />
    <div class="card-body">
      <h5 class="card-title">Aloo paratha</h5>
      <p class="card-title">Rs. 100</p>
    </div>
  </div>
</div>

<div class="col-lg-4">
  <div class="card text-center">
    <img src="images/food/3.jpg" alt="3" />
    <div class="card-body">
      <h5 class="card-title">Dahi puri chat</h5>
      <p class="card-title">Rs. 50</p>
    </div>
  </div>
</div>

<div class="col-lg-4">
  <div class="card text-center">
    <img src="images/food/4.jpg" alt="4" />
    <div class="card-body">
      <h5 class="card-title">Misal pav</h5>
      <p class="card-title">Rs. 60</p>
    </div>
  </div>
</div>

<div class="col-lg-4">
  <div class="card text-center">
    <img src="images/food/5.jpg" alt="5" />
    <div class="card-body">
      <h5 class="card-title">Lamb biriyani</h5>
      <p class="card-title">Rs. 280</p>
    </div>
  </div>
</div>
```

```html
        <div class="col-lg-4">
          <div class="card text-center">
            <img src="images/food/6.jpg" alt="6" />
            <div class="card-body">
              <h5 class="card-title">Schezwan noodles</h5>
              <p class="card-title">Rs. 90</p>
            </div>
          </div>
        </div>

        <div class="col-lg-4">
          <div class="card text-center">
            <img src="images/food/7.jpg" alt="7" />
            <div class="card-body">
              <h5 class="card-title">Pancake</h5>
              <p class="card-title">Rs. 150</p>
            </div>
          </div>
        </div>

        <div class="col-lg-4">
          <div class="card text-center">
            <img src="images/food/8.jpg" alt="8" />
            <div class="card-body">
              <h5 class="card-title">Double cheese burger</h5>
              <p class="card-title">Rs. 450</p>
            </div>
          </div>
        </div>
      </div>
    </div>
</section>

<footer style="text-align: center; background-color: darkgray">
  <div class="container">
    <em>
      Copyright &copy; 2022 Ming's Dinner | <br />
      &copy; Designed by Lokesvaran
    </em>
```

```
        </div>
    </footer>
  </body>
</html>
```

Contact.html

```
<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0"
/>

    <link rel="stylesheet" href="style.css" />

    <link
      rel="stylesheet"

href="https://stackpath.bootstrapcdn.com/bootstrap/4.1.3/css/bootstrap.min
.css"

integrity="sha384-MCw98/SFnGE8fJT3GXwEOngsV7Zt27NXFoaoApmYm81iuXoPkFOJwJ8E
RdknLPMO"
      crossorigin="anonymous"
    />
    <!-- jquery -->
    <script
      src="https://code.jquery.com/jquery-3.3.1.slim.min.js"

integrity="sha384-q8i/X+965DzO0rT7abK41JStQIAqVgRVzpbzo5smXKp4YfRvH+8abtTE
1Pi6jizo"
      crossorigin="anonymous"
    ></script>
    <!-- popper Bootstrap dropdown require Popper. js
(https://popper.js.org) -->
    <script
```

```html
    src="https://cdnjs.cloudflare.com/ajax/libs/popper.js/1.14.3/umd/popper.mi
n.js"

    integrity="sha384-ZMP7rVo3mIykV+2+9J3UJ46jBk0WLaUAdn689aCwoqbBJiSnjAK/l8Wv
CWPIPm49"
        crossorigin="anonymous"
    ></script>
    <!-- bootstrap -->
    <script

    src="https://stackpath.bootstrapcdn.com/bootstrap/4.1.1/js/bootstrap.min.j
s"

    integrity="sha384-smHYKdLADwkXOn1EmN1qk/HfnUcbVRZyYmZ4qpPea6sjB/pTJ0euyQp0
Mk8ck+5T"
        crossorigin="anonymous"
    ></script>

    <title>Ming's Dinner</title>
  </head>
  <body>
    <nav>
      <div class="navbar navbar-dark bg-dark navbar-expand-sm">
        <div class="container">
          <a href="#" class="navbar-brand">Ming's Dinner</a>
          <button
            class="navbar-toggler"
            data-toggle="collapse"
            data-target="#navbars"
          >
            <span class="navbar-toggler-icon"></span>
          </button>
          <div
            class="collapse navbar-collapse justify-content-end"
            id="#navbars"
          >
            <ul class="navbar-nav">
              <li class="navbar-item">
                <a href="home.html" class="nav-link">Home</a>
```

```html
          </li>
          <li class="navbar-item">
            <a href="about.html" class="nav-link">About</a>
          </li>
          <li class="navbar-item">
            <a href="foods.html" class="nav-link">Foods</a>
          </li>
          <li class="navbar-item">
            <a href="contact.html" class="nav-link">Contact Us</a>
          </li>
        </ul>
      </div>
    </div>
  </div>
</nav>

<ol class="breadcrumb">
  <li class="breadcrumb-item">Home</li>
  <li class="breadcrumb-item active">Contact Us</li>
</ol>

<section id="contactpage">
  <div class="details">
    <h1
      style="
        text-align: center;
        font-family: 'Courier New', Courier, monospace;
      "
    >
      Hours of Operation
    </h1>
    <table class="contacttable">
      <tr>
        <th>Sunday</th>
        <td>Closed</td>
      </tr>
      <tr>
        <th>Monday</th>
        <td>9am - 5pm</td>
      </tr>
```

```html
      <tr>
        <th>Tuesday</th>
        <td>9am - 5pm</td>
      </tr>
      <tr>
        <th>Wednesday</th>
        <td>9am - 5pm</td>
      </tr>
      <tr>
        <th>Thursday</th>
        <td>9am - 5pm</td>
      </tr>
      <tr>
        <th>Friday</th>
        <td>9am - 5pm</td>
      </tr>
      <tr>
        <th>Saturday</th>
        <td>9am - 5pm</td>
      </tr>
    </table>
  </div>

  <br /><br /><br />
  <div class="container w-50 border border-dark">
    <h3
      style="
        text-align: center;
        font-family: 'Courier New', Courier, monospace;
      "
    >
      Write Your Query
    </h3>
    <form>
      <div class="form-row my-1">
        <div class="col">
          <input
            class="form-control"
            type="text"
            id="name"
```

```html
            placeholder="Enter Your Name"
          />
        </div>
      </div>
      <div class="form-row my-1">
        <div class="col">
          <input
            class="form-control"
            type="text"
            id="email"
            placeholder="Enter Your Email"
          />
        </div>
      </div>
      <div class="form-row my-1">
        <div class="col">
          <textarea
            name="Query"
            id="query"
            cols="84"
            rows="5"
            placeholder="Write Your Query Here"
          ></textarea>
        </div>
      </div>
      <button class="btn btn-primary" type="submit">Submit</button>
      <br />
    </form>
  </div>
  <br />

  <div
    class="container"
    style="
      background-color: rgb(0, 0, 0);
      text-align: justify;
      color: aliceblue;
      font-family: 'Courier New', Courier, monospace;
    "
  >
```

```html
        <div class="row">
          <div class="col-sm">
            <h3 st>Address</h3>
            <p>
              102, West Bashyagaralu Road, R.S. Puram, Coimbatore-641002.
Tamil
              Nadu, India.
            </p>
          </div>
          <div class="col-sm">
            <h3>Contact Us</h3>
            <p>
              mingsdinnerindia@gmail.com <br />
              +91 70904 50044
            </p>
          </div>
        </div>
      </div>
    </section>

    <footer style="text-align: center; background-color: darkgray">
      <div class="container">
        <em>
          Copyright &copy; 2022 Ming's Dinner | <br />
          &copy; Designed by Lokesvaran
        </em>
      </div>
    </footer>
  </body>
</html>
```

Style.css

```css
section{
    width: 100%;
    min-height: 100vh;
    display: flex;
    justify-content: center;
    align-items: center;
```

```css
}

#homepage{
    background:linear-gradient(rgba(0,0,0,.3),rgba(0,0,0,.4)),
url(images/pic2.jpg);
    background-size: cover;
    background-position: center;
    flex-direction: column;
}

#homepage h1{
    font-family: 'Courier New', Courier, monospace;
    color: aqua;
    font-weight: 500;
    text-align: center;
    padding-top: 300px;
}

#homepage .input-group{
    width: 50%;
    margin: auto;
}

#aboutpage span{
    text-align: center;
    font-size: 1.5cm;
    font-style: oblique;
    font-weight: bold;
    font-family: 'Courier New', Courier, monospace;
    color: brown;


}

.aboutphoto img{
    float: right;
    width: 40%;
    padding-right: 100px;
    padding-left: 100px;
    padding-bottom: 100px;
}
```

```css
.aboutphoto p{
    font-style: oblique;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
    text-align: justify;
    padding-left: 100px;
    padding-right: 20px;
    padding-top: 50px;
}

.aboutphoto1 img{
    float: left;
    width: 40%;
    padding-right: 100px;
    padding-left: 100px;
    padding-bottom: 50px;
}

.aboutphoto1 p{
    font-style: oblique;
    font-family: Verdana, Geneva, Tahoma, sans-serif;
    text-align: justify;
    padding-left: 100px;
    padding-right: 150px;
    padding-top: 150px;
}


#foodspage h1{
    padding-left: 70px;
    padding-right: 50px;
    padding-top: 110px;
    font-size: 1cm;
    font-style: oblique;
    font-weight: bold;
    font-family: 'Courier New', Courier, monospace;
    color: brown;
}

#foodspage h2{
```

```css
    padding-top: 50px;
    padding-bottom: 20px;
    font-size: 1cm;
    font-style: oblique;
    font-weight: bold;
    font-family: 'Courier New', Courier, monospace;
    color: brown;
}

.card{
    width: 250px;
    height: 300px;
    background:#413839 !important;
    border: 2px solid black;
    border-radius: 10px;
    overflow: hidden;
    justify-content: center ;
    align-items: center;
    margin:20px 60px;

}

.container img{
    width: 250px;
    height: 200px;
    border-radius: 50px;
}

.card:hover{
    box-shadow: inset 5px 5px 10px rgba(255, 255, 255, 0.3),
                inset -4px -4px 10px rgb(255, 255, 255);
    transition: .2s;
}

.card-body h5{
    font-style: oblique;
    font-weight: bold;
    font-family: 'Courier New', Courier, monospace;
    color: rgb(0, 0, 0);
}
```

```css
.card-body p{
    font-style: oblique;
    font-size: 1cm;
    font-weight: bold;
    font-family: 'Courier New', Courier, monospace;
    color: rgb(255, 255, 255);
}

.contacttable{
    border: 1px solid black;
    margin: auto;
}

.details th{
    text-align: right;
}
```