

users
<u>id</u> [bigint, not null]
user_name [varchar(50), not null, uniq]
password_hashed [varchar(255), not null, uniq]
full_name [varchar(100), null]
phone_number [varchar(255), null, uniq]
email [varchar(255), not null, uniq]
location [varchar(255), null]
website_url [varchar(255), null]
birth_date [date, null]
profile_image_url [varchar(255), null, uniq]
avatar_image_url [varchar(255), null, uniq]
introduction_message [varchar(200), null]
created_at [datetime, not null]
updated_at [datetime, not null]
deactivated_at [datetime, null]

tweets
<u>id</u> [bigint, not null]
from_user_id [bigint, not null, FK(users)]
to_user_id [bigint, null, FK(users)]
reply_to_id [bigint, null, FK(tweets)]
content [varchar(140), not null]
created_at [datetime, not null]
updated_at [datetime, not null]
deleted_at [datetime, null]

follows
<u>id</u> [bigint, not null]
user_id [bigint, not null, FK(users)]
followed_user_id [bigint, not null, FK(users)]
created_at [datetime, not null]
updated_at [datetime, not null]
deleted_at [datetime, null]

blocks
<u>id</u> [bigint, not null]
user_id [bigint, not null, FK(users)]
blocked_user_id [bigint, not null, FK(users)]
created_at [datetime, not null]
updated_at [datetime, not null]
deleted_at [datetime, null]

likes
<u>id</u> [bigint, not null]
tweet_id [bigint, not null, FK(tweets)]
user_id [bigint, not null, FK(users)]
created_at [datetime, not null]
updated_at [datetime, not null]
deleted_at [datetime, null]

retweets
<u>id</u> [bigint, not null]
tweet_id [bigint, not null, FK(tweets)]
user_id [bigint, not null, FK(users)]
created_at [datetime, not null]
updated_at [datetime, not null]
deleted_at [datetime, null]

bookmarks
<u>id</u> [bigint, not null]
tweet_id [bigint, not null, FK(tweets)]
user_id [bigint, not null, FK(users)]
created_at [datetime, not null]
updated_at [datetime, not null]
deleted_at [datetime, null]

