```
Usuario@Usuario-PC MINGW64 /
$ cd c: Users/Usuario/Documents/DAW/Programacion/Ejercicios
bash: cd: too many arguments

Usuario@Usuario-PC MINGW64 /
$ cd c

Usuario@Usuario-PC MINGW64 /c
$ cd  Users/Usuario/Documents/DAW/Programacion/Ejercicios

Usuario@Usuario-PC MINGW64 ~/Documents/DAW/Programacion/Ejercicios (master)
$ git remote add origin https://github.com/lolin169/tareagitcampus
fatal: remote origin already exists.

Usuario@Usuario-PC MINGW64 ~/Documents/DAW/Programacion/Ejercicios (master)
$ git push -u --all origin
Enumerating objects: 33, done.
Counting objects: 100% (33/33), done.
Delta compression using up to 4 threads
Compressing objects: 100% (24/24), done.
Writing objects: 100% (33/33), 2.90 KiB | 741.00 KiB/s, done.
Total 33 (delta 2), reused 0 (delta 0)
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/lolin169/tareagitcampus.git
 * [new branch]      develop -> develop
 * [new branch]      hotfixes -> hotfixes
 * [new branch]      master -> master
Branch 'develop' set up to track remote branch 'develop' from 'origin'.
Branch 'hotfixes' set up to track remote branch 'hotfixes' from 'origin'.
Branch 'master' set up to track remote branch 'master' from 'origin'.

Usuario@Usuario-PC MINGW64 ~/Documents/DAW/Programacion/Ejercicios (master)
$ git push tags
fatal: 'tags' does not appear to be a git repository
fatal: Could not read from remote repository.

Please make sure you have the correct access rights
and the repository exists.

Usuario@Usuario-PC MINGW64 ~/Documents/DAW/Programacion/Ejercicios (master)
$ git push --tags
Total 0 (delta 0), reused 0 (delta 0)
To https://github.com/lolin169/tareagitcampus.git
 * [new tag]         v0.1 -> v0.1
 * [new tag]         v1.0 -> v1.0

Usuario@Usuario-PC MINGW64 ~/Documents/DAW/Programacion/Ejercicios (master)
$
```