

ES 1:

```
MINGW64/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo
../../SRI/
../../TPI/
"../../eredit\303\240.zip"
../../esercitazione-git/
../../gpi/
../../lavoro_seconda/
../../mongod
../../punto/
../../tombolino/

nothing added to commit but untracked files present (use "git add" to track)

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/GaronziLorenzo (master)
$ pwd
/j/Garonzi_Lorenzo_verifica-gpi/GaronziLorenzo

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/GaronziLorenzo (master)
$ cd ..

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi (master)
$ cd ..

202738@W11STAT-7-206 MINGW64 /j (master)
$ cd Garonzi_Lorenzo_verifica-gpi

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi (master)
$ ls
GaronziLorenzo/  gpi-verifica-SDI-2526/

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi (master)
$ cd gpi-verifica-SDI-2526

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526 (main)
$ mkdir GaronziLorenzo

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526 (main)
$ cd GaronziLorenzo

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$
```

ES 2:

```
MINGW64/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/GaronziLorenzo (master)
$ pwd
/j/Garonzi_Lorenzo_verifica-gpi/GaronziLorenzo

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/GaronziLorenzo (master)
$ cd ..

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi (master)
$ cd ..

202738@W11STAT-7-206 MINGW64 /j (master)
$ cd Garonzi_Lorenzo_verifica-gpi

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi (master)
$ ls
GaronziLorenzo/  gpi-verifica-SDI-2526/

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi (master)
$ cd gpi-verifica-SDI-2526

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526 (main)
$ mkdir GaronziLorenzo

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526 (main)
$ cd GaronziLorenzo

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ touch index.html

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ nano index.html

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ cat index.html
<!DOCTYPE html> <html lang="it"> <head> <meta charset="UTF-8"> <title>Verifica Git</title> </head> <body> <h1>Verifica Git e GitHub</h1> <p>Questo file serve per testare i comandi Git.</p> </body> </html>

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ |
```

ES 3:

```
MINGW64~/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo
$ nano index.html

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ cat index.html
<!DOCTYPE html> <html lang="it"> <head> <meta charset="UTF-8"> <title>Verifica Git</title> </head> <body> <h1>Verifica Git e GitHub</h1> <p>Questo file serve
per testare i comandi git.</p> </body> </html>

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git add index.html
warning: in the working copy of 'GaronziLorenzo/index.html', LF will be replaced by CRLF the next time Git touches it

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git commit -m 'Creato file HTML iniziale-by Garonzi Lorenzo'
[main a7291e5] Creato file HTML iniziale-by Garonzi Lorenzo
  Committer: GARONZI LORENZO <20273@EDU.MARCONI>
  Your name and email address were configured automatically based
  on your username and hostname. Please check that they are accurate.
  You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)
create mode 100644 GaronziLorenzo/index.html

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git config --global user.name "lollie7274"

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git config --global user.email 20273@studenti.marconiverona.edu.it

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git commit -m 'Creato file HTML iniziale-by Garonzi Lorenzo'
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$
```

ES 4:

```
MINGW64~/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo
$ git add index.html
warning: in the working copy of 'GaronziLorenzo/index.html', LF will be replaced by CRLF the next time Git touches it

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git commit -m 'Creato file HTML iniziale-by Garonzi Lorenzo'
[main a7291e5] Creato file HTML iniziale-by Garonzi Lorenzo
  Committer: GARONZI LORENZO <20273@EDU.MARCONI>
  Your name and email address were configured automatically based
  on your username and hostname. Please check that they are accurate.
  You can suppress this message by setting them explicitly:

    git config --global user.name "Your Name"
    git config --global user.email you@example.com

After doing this, you may fix the identity used for this commit with:

    git commit --amend --reset-author

1 file changed, 1 insertion(+)
create mode 100644 GaronziLorenzo/index.html

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git config --global user.name "lollie7274"

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git config --global user.email 20273@studenti.marconiverona.edu.it

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git commit -m 'Creato file HTML iniziale-by Garonzi Lorenzo'
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
  (use "git push" to publish your local commits)

nothing to commit, working tree clean

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git branch branch-Garonzi

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git checkout branch-Garonzi
Switched to branch 'branch-Garonzi'

20273@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$
```

ES 5.1

```
MINGW64/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo
After doing this, you may fix the identity used for this commit with:

git commit --amend --reset-author

1 file changed, 1 insertion(+)
create mode 100644 GaronziLorenzo/index.html

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git config --global user.name "loll1e7274"
$ git config --global user.email 20273@studenti.marconiverona.edu.it

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git commit -m 'Creato file HTML iniziale-by Garonzi Lorenzo'
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

nothing to commit, working tree clean

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git branch branch-Garonzi

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git checkout branch-Garonzi
Switched to branch 'branch-Garonzi'

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ nano index.html

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ cat index.html
<!DOCTYPE html> <html lang="it"> <head> <meta charset="UTF-8"> <title>Verifica Git</title> </head> <body> <h1>Verifica Git e GitHub</h1> <ul> <li>Git</li> <li>Branch</li> <li>Merge</li> </ul><p>Studente: Rossi Mario</p> </body> </html>

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git add index.html
warning: in the working copy of 'GaronziLorenzo/index.html', LF will be replaced by CRLF the next time Git touches it

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git diff index.html

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ |
```

5.2

```
MINGW64/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo
create mode 100644 GaronziLorenzo/index.html

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git config --global user.name "loll1e7274"
$ git config --global user.email 20273@studenti.marconiverona.edu.it

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git commit -m 'Creato file HTML iniziale-by Garonzi Lorenzo'
On branch main
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

nothing to commit, working tree clean

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git branch branch-Garonzi

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git checkout branch-Garonzi
Switched to branch 'branch-Garonzi'

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ nano index.html

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ cat index.html
<!DOCTYPE html> <html lang="it"> <head> <meta charset="UTF-8"> <title>Verifica Git e GitHub</h1> <ul> <li>Git</li> <li>Branch</li> <li>Merge</li> </ul><p>Studente: Rossi Mario</p> </body> </html>

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git add index.html
warning: in the working copy of 'GaronziLorenzo/index.html', LF will be replaced by CRLF the next time Git touches it

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git diff index.html

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git commit -m 'Modifiche HTML su branch personale by Garonzi Lorenzo'
[branch-Garonzi 8e7c55e] Modifiche HTML su branch personale by Garonzi Lorenzo
1 file changed, 1 insertion(+), 1 deletion(-)

202738@W11STAT-7-206 MINGW64 /j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ |
```

ES 6:

```
MINGW64~/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo
$ git branch branch-Garonzi

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git checkout branch-Garonzi
Switched to branch 'branch-Garonzi'

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ nano index.html

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ cat index.html
<!DOCTYPE html> <html lang="it"> <head> <meta charset="UTF-8"> <title>Verifica Git</title> </head> <body> <h1>Verifica Git e GitHub</h1> <ul> <li>Git</li> <li>Branch</li> <li>Merge</li> </ul><p>Studente: Rossi Mario</p> </body> </html>

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git add index.html
warning: in the working copy of 'GaronziLorenzo/index.html', LF will be replaced by CRLF the next time Git touches it

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git diff index.html

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git commit -m 'Modifiche HTML su branch personale by Garonzi Lorenzo'
[branch-Garonzi 8e7c55e] Modifiche HTML su branch personale by Garonzi Lorenzo
1 file changed, 1 insertion(+), 1 deletion(-)

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git merge branch-Garonzi --no-ff
error: did you mean '--no-ff' (with two dashes)?

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git merge branch-Garonzi --no-ff
Merge made by the 'ort' strategy.
GaronziLorenzo/index.html | 2 ++
1 file changed, 1 insertion(+), 1 deletion(-)

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$
```

ES 7:

```
MINGW64~/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo
$ git branch branch-Garonzi

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git checkout branch-Garonzi
Switched to branch 'branch-Garonzi'

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ nano index.html

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ cat index.html
<!DOCTYPE html> <html lang="it"> <head> <meta charset="UTF-8"> <title>Verifica Git</title> </head> <body> <h1>Verifica Git e GitHub</h1> <ul> <li>Git</li> <li>Branch</li> <li>Merge</li> </ul><p>Studente: Rossi Mario</p> </body> </html>

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git add index.html
warning: in the working copy of 'GaronziLorenzo/index.html', LF will be replaced by CRLF the next time Git touches it

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git diff index.html

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git commit -m 'Modifiche HTML su branch personale by Garonzi Lorenzo'
[branch-Garonzi 8e7c55e] Modifiche HTML su branch personale by Garonzi Lorenzo
1 file changed, 1 insertion(+), 1 deletion(-)

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (branch-Garonzi)
$ git checkout main
Switched to branch 'main'
Your branch is ahead of 'origin/main' by 1 commit.
(use "git push" to publish your local commits)

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git merge branch-Garonzi --no-ff
error: did you mean '--no-ff' (with two dashes)?

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git merge branch-Garonzi --no-ff
Merge made by the 'ort' strategy.
GaronziLorenzo/index.html | 2 ++
1 file changed, 1 insertion(+), 1 deletion(-)

20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git tag v1.0-Garonzi -m 'effettuato merge tra branch main e personale'
```

ES 8:

```
20273@W11STAT-7-206 MINGW64 ~/j/Garonzi_Lorenzo_verifica-gpi/gpi-verifica-SDI-2526/GaronziLorenzo (main)
$ git push
Enumerating objects: 10, done.
Counting objects: 100% (10/10), done.
Delta compression using up to 8 threads
Compressing objects: 100% (7/7), done.
Writing objects: 100% (9/9), 1.02 KiB | 41.00 KiB/s, done.
Total 9 (delta 2), reused 0 (delta 0), pack-reused 0
remote: Resolving deltas: 100% (2/2), done.
To https://github.com/loiller7274/gpi-verifica-SDI-2526
bee8aea..3ef0817 main -> main
```