TUGAS LAB

Nama: Lovita Amanda.S

Nim: 261401147

Lab: 4

16:22 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#

Run | Debug | Stop | Share | Saved | { } Beautify

main.pas | soal1_147_lovi.pas

```pascal
{Nama: Lovita Amanda.S
 Nim: 261401147}


program Soal1_TokoBuku;
var
  N, i: integer;
  harga: array[1..100] of real;
  total, persen, diskon, bayar: real;
begin
  write('Masukkan jumlah barang (N, maks 100): ');
  readln(N);
  total := 0;
  for i := 1 to N do
  begin
    write('Harga barang ke-', i, ' : Rp');
    readln(harga[i]);
    total := total + harga[i];
  end;

  if total < 100000 then
    persen := 0
  else if total < 500000 then
    persen := 10
  else
    persen := 20;

```

input

```
Free Pascal Compiler version 3.2.2+dfsg-32 [2024/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling main.pas
Linking a.out
35 lines compiled, 0.0 sec
Masukkan jumlah barang (N, maks 100): 7
Harga barang ke-1 : Rp70000
Harga barang ke-2 : Rp60000
Harga barang ke-3 : Rp50000
Harga barang ke-4 : Rp40000
Harga barang ke-5 : Rp30000
Harga barang ke-6 : Rp20000
Harga barang ke-7 : Rp10000

=== RINCIAN BELANJA ===
Barang 1 : Rp70000
Barang 2 : Rp60000
Barang 3 : Rp50000
Barang 4 : Rp40000
Barang 5 : Rp30000
Barang 6 : Rp20000
Barang 7 : Rp10000
-----------------------
Total Sebelum Diskon : Rp280000
Besar Diskon (10%) : Rp28000
Total Bayar Akhir    : Rp252000
```

16:22 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#

```
  writeln('Masukkan jumlah barang (N, maks 100): ');
  readln(N);
  total := 0;
  for i := 1 to N do
  begin
    write('Harga barang ke-', i, ' : Rp');
    readln(harga[i]);
    total := total + harga[i];
  end;

  if total < 100000 then
    persen := 0
  else if total < 500000 then
    persen := 10
  else
    persen := 20;

  diskon := total * persen / 100;
  bayar := total - diskon;


  writeln;
  writeln('=== RINCIAN BELANJA ===');
  for i := 1 to N do
    writeln('Barang ', i, ' : Rp', harga[i]:0:0);
  writeln('----------------------');
  writeln('Total Sebelum Diskon : Rp', total:0:0);
  writeln('Besar Diskon (', persen:0:0, '%) : Rp', diskon:0:0);
  writeln('Total Bayar Akhir    : Rp', bayar:0:0);
  readln;
end.
```

```
Target OS: Linux for x86-64
Compiling main.pas
Linking a.out
35 lines compiled, 0.0 sec
Masukkan jumlah barang (N, maks 100): 7
Harga barang ke-1 : Rp70000
Harga barang ke-2 : Rp60000
Harga barang ke-3 : Rp50000
Harga barang ke-4 : Rp40000
Harga barang ke-5 : Rp30000
Harga barang ke-6 : Rp20000
Harga barang ke-7 : Rp10000

=== RINCIAN BELANJA ===
Barang 1 : Rp70000
Barang 2 : Rp60000
Barang 3 : Rp50000
Barang 4 : Rp40000
Barang 5 : Rp30000
Barang 6 : Rp20000
Barang 7 : Rp10000
----------------------
Total Sebelum Diskon : Rp280000
Besar Diskon (10%) : Rp28000
Total Bayar Akhir    : Rp252000



...Program finished with exit code 0
Press ENTER to exit console.
```


16:34 Jum, 9 Okt
tugas - GDB online Debugg
onlinegdb.com/edit/X-S_xyfix#
Run
Debug
Stop
Share
Saved
{} Beautify
main.pas
soal2_147_lovi.pas
1 program Soal2_Login;
2 const
3 PASSWORD = 'pascal123';
4 var
5 input: string;
6 percobaan: integer;
7 berhasil: boolean;
8 begin
9 percobaan := 0;
10 berhasil := false;
11 repeat
12 inc(percobaan);
13 write('Masukkan kata sandi (percobaan ', percobaan, '/3): ');
14 readln(input);
15 if input = PASSWORD then
16 begin
17 writeln('Login Berhasil! Selamat Datang');
18 berhasil := true;
19 break;
20 end
21 else
22 writeln('Kata sandi salah.');
23 until percobaan = 3;
24
25 if not berhasil then
26 writeln('Akses Ditolak! Akun Terkunci.');
27 readln;
input
Warning: Only one source file supported, changing source file to compile from "main.pas" into "soal2_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [2024/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling soal2_147_lovi.pas
Linking a.out
31 lines compiled, 0.0 sec
1 warning(s) issued
Masukkan kata sandi (percobaan 1/3): Kata sandi salah.
Masukkan kata sandi (percobaan 2/3): Kata sandi salah.
Masukkan kata sandi (percobaan 3/3): Kata sandi salah.
Akses Ditolak! Akun Terkunci.
...Program finished with exit code 0
Press ENTER to exit console.

16:36 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#


main.pas | soal2_147_lovi.pas

```pascal
program Soal2_Login;
const
  PASSWORD = 'pascal123';
var
  input: string;
  percobaan: integer;
  berhasil: boolean;
begin
  percobaan := 0;
  berhasil := false;
  repeat
    inc(percobaan);
    write('Masukkan kata sandi (percobaan ', percobaan, '/3): ');
    readln(input);
    if input = PASSWORD then
    begin
      writeln('Login Berhasil! Selamat Datang');
      berhasil := true;
      break;
    end
    else
      writeln('Kata sandi salah.');
  until percobaan = 3;

  if not berhasil then
    writeln('Akses Ditolak! Akun Terkunci.');
  readln;
end.
```

```
Warning: Only one source file supported, changing source file to compile from "main.pas" into "soal2_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [2024/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling soal2_147_lovi.pas
Linking a.out
27 lines compiled, 0.0 sec
1 warning(s) issued
Masukkan kata sandi (percobaan 1/3): Kata sandi salah.
Masukkan kata sandi (percobaan 2/3): Kata sandi salah.
Masukkan kata sandi (percobaan 3/3): Login Berhasil! Selamat Datang


...Program finished with exit code 0
Press ENTER to exit console.
```


16:59 Jum, 9 Okt
tugas - GDB online Debugg
onlinegdb.com/edit/X-S_xyfix#
Run
Debug
Stop
Share
Saved
{} Beautify
main.pas
soal3_147_lovi.pas
1 program Soal3_DeretAngka;
2 var
3 N, pilihan, i: integer;
4 begin
5 write('Masukkan nilai N: ');
6 readln(N);
7 write('Pilih kategori deret (1: Ganjil, 2: Genap): ');
8 readln(pilihan);
9
10 writeln('Hasil deret:');
11 i := 0;
12 while i < N do
13 begin
14 inc(i);
15 // lewati jika tidak sesuai kategori
16 if (pilihan = 1) and (i mod 2 = 0) then continue;
17 if (pilihan = 2) and (i mod 2 <> 0) then continue;
18 // lewati kelipatan 5
19 if i mod 5 = 0 then continue;
20 write(i, ' ');
21 end;
22 writeln;
23 readln;
24 end.
input
Warning: Only one source file supported, changing source file to compile from "main.pas" into "soal3_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [2024/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling soal3_147_lovi.pas
Linking a.out
23 lines compiled, 0.0 sec
1 warning(s) issued
Masukkan nilai N: 18
Pilih kategori deret (1: Ganjil, 2: Genap): 1 3 7 9 11 13 17
Hasil deret:
1 3 7 9 11 13 17
2 4 6 8 12 14 16 18
...Program finished with exit code 0
Press ENTER to exit console.

17:06 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#

Run | Debug | Stop | Share | Saved | { } Beautify

main.pas | soal4_147_lovi.pas

```
1  program Soal4_Kalkulator;
2  var
3    pilih: integer;
4    a, b: real;
5    x, y: integer;
6    lagi: char;
7  begin
8    repeat
9      writeln('=== KALKULATOR SEDERHANA ===');
10     writeln('1. Penjumlahan');
11     writeln('2. Pengurangan');
12     writeln('3. Perkalian');
13     writeln('4. Pembagian Real');
14     writeln('5. DIV & MOD');
15     write('Pilih operasi (1-5): ');
16     readln(pilih);
17
18     case pilih of
19       1, 2, 3, 4:
20         begin
21           write('Masukkan angka pertama : ');
22           readln(a);
23           write('Masukkan angka kedua   : ');
24           readln(b);
25           case pilih of
26             1: writeln('Hasil: ', a:0:2, ' + ', b:0:2, ' = ',
27             2: writeln('Hasil: ', a:0:2, ' - ', b:0:2, ' = ',
```

input

```
Warning: Only one source file supported, changi
ng source file to compile from "main.pas" into
"soal4_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [202
4/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and
 others
Target OS: Linux for x86-64
Compiling soal4_147_lovi.pas
Linking a.out
57 lines compiled, 0.0 sec
1 warning(s) issued
=== KALKULATOR SEDERHANA ===
1. Penjumlahan
2. Pengurangan
3. Perkalian
4. Pembagian Real
5. DIV & MOD
Pilih operasi (1-5): 4
Masukkan angka pertama : 10
Masukkan angka kedua   : 4
Hasil: 10.00 / 4.00 = 2.50

Apakah ingin melakukan perhitungan lagi? (Y/T):
 Y

=== KALKULATOR SEDERHANA ===
1. Penjumlahan
2. Pengurangan
3. Perkalian
4. Pembagian Real
```

17:07 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#

Run | Debug | Stop | Share | Saved | { } Beautify

main.pas | soal4_147_lovi.pas

```
26              1: writeln('Hasil: ', a:0:2, ' + ', b:0:2, ' = ',
27              2: writeln('Hasil: ', a:0:2, ' - ', b:0:2, ' = ',
28              3: writeln('Hasil: ', a:0:2, ' * ', b:0:2, ' = ',
29              4: if b = 0 then
30                   writeln('Error: pembagian dengan nol!')
31                 else
32                   writeln('Hasil: ', a:0:2, ' / ', b:0:2, ' = '
33            end;
34          end;
35        5:
36          begin
37            write('Masukkan bilangan bulat pertama : ');
38            readln(x);
39            write('Masukkan bilangan bulat kedua   : ');
40            readln(y);
41            if y = 0 then
42              writeln('Error: pembagian dengan nol!')
43            else
44            begin
45              writeln('Hasil: ', x, ' DIV ', y, ' = ', x div y);
46              writeln('Hasil: ', x, ' MOD ', y, ' = ', x mod y);
47            end;
48          end;
49      else
50        writeln('Pilihan tidak valid!');
51      end;
52
```

input

```
Compiling soal4_147_lovi.pas
Linking a.out
57 lines compiled, 0.0 sec
1 warning(s) issued
=== KALKULATOR SEDERHANA ===
1. Penjumlahan
2. Pengurangan
3. Perkalian
4. Pembagian Real
5. DIV & MOD
Pilih operasi (1-5): 4
Masukkan angka pertama : 10
Masukkan angka kedua   : 4
Hasil: 10.00 / 4.00 = 2.50

Apakah ingin melakukan perhitungan lagi? (Y/T):
 Y

=== KALKULATOR SEDERHANA ===
1. Penjumlahan
2. Pengurangan
3. Perkalian
4. Pembagian Real
5. DIV & MOD
Pilih operasi (1-5): 5
Masukkan bilangan bulat pertama : 17
Masukkan bilangan bulat kedua   : 5
Hasil: 17 DIV 5 = 3
Hasil: 17 MOD 5 = 2

Apakah ingin melakukan perhitungan lagi? (Y/T):
```

17:07 Jum, 9 Okt


```
30                writeln('Error: pembagian dengan nol!')
31              else
32                writeln('Hasil: ', a:0:2, ' / ', b:0:2, ' = '
33            end;
34          end;
35        5:
36          begin
37            write('Masukkan bilangan bulat pertama : ');
38            readln(x);
39            write('Masukkan bilangan bulat kedua   : ');
40            readln(y);
41            if y = 0 then
42              writeln('Error: pembagian dengan nol!')
43            else
44            begin
45              writeln('Hasil: ', x, ' DIV ', y, ' = ', x div y);
46              writeln('Hasil: ', x, ' MOD ', y, ' = ', x mod y);
47            end;
48          end;
49      else
50        writeln('Pilihan tidak valid!');
51      end;
52
53      writeln;
54      write('Apakah ingin melakukan perhitungan lagi? (Y/T): ');
55      readln(lagi);
56      writeln;
57    until (lagi = 'T') or (lagi = 't');
58  end.
```

```
1. Penjumlahan
2. Pengurangan
3. Perkalian
4. Pembagian Real
5. DIV & MOD
Pilih operasi (1-5): 4
Masukkan angka pertama : 10
Masukkan angka kedua   : 4
Hasil: 10.00 / 4.00 = 2.50

Apakah ingin melakukan perhitungan lagi? (Y/T):
 Y

=== KALKULATOR SEDERHANA ===
1. Penjumlahan
2. Pengurangan
3. Perkalian
4. Pembagian Real
5. DIV & MOD
Pilih operasi (1-5): 5
Masukkan bilangan bulat pertama : 17
Masukkan bilangan bulat kedua   : 5
Hasil: 17 DIV 5 = 3
Hasil: 17 MOD 5 = 2

Apakah ingin melakukan perhitungan lagi? (Y/T):
 T



...Program finished with exit code 0
Press ENTER to exit console.
```

17:21 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#

Run | Debug | Stop | Share | Saved | { } Beautify

main.pas | soal5_147_lovi.pas

```pascal
program Soal5_RekapNilai;
var
  M, N, i, j, lulus, tidakLulus: integer;
  nilai, jumlah: real;
  rata: array[1..100] of real;
begin
  write('Jumlah mahasiswa (M, maks 100): ');
  readln(M);
  write('Jumlah nilai tugas (N): ');
  readln(N);

  for i := 1 to M do
  begin
    writeln('--- Mahasiswa ke-', i, ' ---');
    jumlah := 0;
    for j := 1 to N do
    begin
      write('Nilai tugas ke-', j, ': ');
      readln(nilai);
      jumlah := jumlah + nilai;
    end;
    if N > 0 then
      rata[i] := jumlah / N
    else
      rata[i] := 0;
  end;
```

input

```
Warning: Only one source file supported, changi
ng source file to compile from "main.pas" into
"soal5_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [202
4/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and
 others
Target OS: Linux for x86-64
Compiling soal5_147_lovi.pas
Linking a.out
49 lines compiled, 0.0 sec
1 warning(s) issued
Jumlah mahasiswa (M, maks 100): 3
Jumlah nilai tugas (N): 2
--- Mahasiswa ke-1 ---
Nilai tugas ke-1: 85
Nilai tugas ke-2: 90
--- Mahasiswa ke-2 ---
Nilai tugas ke-1: 60
Nilai tugas ke-2: 45
--- Mahasiswa ke-3 ---
Nilai tugas ke-1: 90
Nilai tugas ke-2: 95

=== REKAP NILAI ===
Mahasiswa 1 : rata-rata 87.50 -> LULUS
Mahasiswa 2 : rata-rata 52.50 -> TIDAK LULUS
Mahasiswa 3 : rata-rata 92.50 -> LULUS
------------------
Total LULUS       : 2
Total TIDAK LULUS : 1
```

17:20 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#

```
    if N > 0 then
      rata[i] := jumlah / N
    else
      rata[i] := 0;
  end;

  lulus := 0;
  tidakLulus := 0;
  writeln;
  writeln('=== REKAP NILAI ===');
  for i := 1 to M do
  begin
    write('Mahasiswa ', i, ' : rata-rata ', rata[i]:0:2, ' ->
    if rata[i] >= 65 then
    begin
      writeln('LULUS');
      inc(lulus);
    end
    else
    begin
      writeln('TIDAK LULUS');
      inc(tidakLulus);
    end;
  end;
  writeln('------------------');
  writeln('Total LULUS       : ', lulus);
  writeln('Total TIDAK LULUS : ', tidakLulus);
  readln;
end.
```

```
4/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and
 others
Target OS: Linux for x86-64
Compiling soal5_147_lovi.pas
Linking a.out
49 lines compiled, 0.0 sec
1 warning(s) issued
Jumlah mahasiswa (M, maks 100): 3
Jumlah nilai tugas (N): 2
--- Mahasiswa ke-1 ---
Nilai tugas ke-1: 85
Nilai tugas ke-2: 90
--- Mahasiswa ke-2 ---
Nilai tugas ke-1: 60
Nilai tugas ke-2: 45
--- Mahasiswa ke-3 ---
Nilai tugas ke-1: 90
Nilai tugas ke-2: 95

=== REKAP NILAI ===
Mahasiswa 1 : rata-rata 87.50 -> LULUS
Mahasiswa 2 : rata-rata 52.50 -> TIDAK LULUS
Mahasiswa 3 : rata-rata 92.50 -> LULUS
------------------
Total LULUS       : 2
Total TIDAK LULUS : 1



...Program finished with exit code 0
Press ENTER to exit console.
```

17:25 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#

Run | Debug | Stop | Share | Saved | { } Beautify

main.pas | soal6_147_lovi.pas

```
1  program Soal6_NilaiAkhir;
2  var
3    tugas, uts, uas, hadir, akhir: real;
4    indeks: char;
5  begin
6    write('Nilai Tugas        : ');
7    readln(tugas);
8    write('Nilai UTS          : ');
9    readln(uts);
10   write('Nilai UAS          : ');
11   readln(uas);
12   write('Kehadiran (%)      : ');
13   readln(hadir);
14
15   akhir := 0.3 * tugas + 0.3 * uts + 0.4 * uas;
16
17   if akhir >= 85 then
18     indeks := 'A'
19   else if akhir >= 75 then
20     indeks := 'B'
21   else if akhir >= 60 then
22     indeks := 'C'
23   else if akhir >= 50 then
24     indeks := 'D'
25   else
26     indeks := 'E';
27
```

input

```
Warning: Only one source file supported, changi
ng source file to compile from "main.pas" into
"soal6_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [202
4/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and
 others
Target OS: Linux for x86-64
Compiling soal6_147_lovi.pas
Linking a.out
35 lines compiled, 0.0 sec
1 warning(s) issued
Nilai Tugas        : 80
Nilai UTS          : 90
Nilai UAS          : 95
Kehadiran (%)      : 100

Nilai Akhir   : 89.00
Indeks Huruf : A
Status        : LULUS



...Program finished with exit code 0
Press ENTER to exit console.
```

17:25 Jum, 9 Okt


```
  readln(tugas);
  write('Nilai UTS          : ');
  readln(uts);
  write('Nilai UAS          : ');
  readln(uas);
  write('Kehadiran (%)      : ');
  readln(hadir);

  akhir := 0.3 * tugas + 0.3 * uts + 0.4 * uas;

  if akhir >= 85 then
    indeks := 'A'
  else if akhir >= 75 then
    indeks := 'B'
  else if akhir >= 60 then
    indeks := 'C'
  else if akhir >= 50 then
    indeks := 'D'
  else
    indeks := 'E';


  writeln;
  writeln('Nilai Akhir  : ', akhir:0:2);
  writeln('Indeks Huruf : ', indeks);
  if (akhir >= 60) and (hadir >= 80) then
    writeln('Status       : LULUS')
  else
    writeln('Status       : TIDAK LULUS');
  readln;
end.
```

```
4/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and
 others
Target OS: Linux for x86-64
Compiling soal6_147_lovi.pas
Linking a.out
35 lines compiled, 0.0 sec
1 warning(s) issued
Nilai Tugas          : 80
Nilai UTS            : 90
Nilai UAS            : 95
Kehadiran (%)        : 100

Nilai Akhir  : 89.00
Indeks Huruf : A
Status       : LULUS



...Program finished with exit code 0
Press ENTER to exit console.
```


17:33 Jum, 9 Okt
tugas - GDB online Debugg
onlinegdb.com/edit/X-S_xyfix#
Run
Debug
Stop
Share
Saved
{} Beautify
main.pas
soal7_147_lovi.pas
1 program Soal7_TarifParkir;
2 var
3 kode: char;
4 lama: integer;
5 tarif: longint;
6 begin
7 write('Kode kendaraan (M=Mobil, K=Motor, B=Bus): ');
8 readln(kode);
9 kode := upcase(kode);
10 write('Lama parkir (jam): ');
11 readln(lama);
12
13 if lama < 1 then lama := 1;
14 tarif := 0;
15
16 case kode of
17 'M': if lama > 10 then tarif := 30000
18 else tarif := 5000 + 3000 * (lama - 1);
19 'K': if lama > 10 then tarif := 10000
20 else tarif := 2000 + 1000 * (lama - 1);
21 'B': if lama > 10 then tarif := 50000
22 else tarif := 10000 + 5000 * (lama - 1);
23 else
24 begin
25 writeln('Kode kendaraan tidak valid!');
26 readln;
27 halt;
input
Warning: Only one source file supported, changing source file to compile from "main.pas" into "soal7_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [2024/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling soal7_147_lovi.pas
Linking a.out
35 lines compiled, 0.0 sec
1 warning(s) issued
Kode kendaraan (M=Mobil, K=Motor, B=Bus): M
Lama parkir (jam): 2
Lama parkir : 2 jam
Total tarif : Rp8000
...Program finished with exit code 0
Press ENTER to exit console.

17:33 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#

```
  readln(kode);
  kode := upcase(kode);
  write('Lama parkir (jam): ');
  readln(lama);

  if lama < 1 then lama := 1;
  tarif := 0;


  case kode of
    'M': if lama > 10 then tarif := 30000
         else tarif := 5000 + 3000 * (lama - 1);
    'K': if lama > 10 then tarif := 10000
         else tarif := 2000 + 1000 * (lama - 1);
    'B': if lama > 10 then tarif := 50000
         else tarif := 10000 + 5000 * (lama - 1);
  else
    begin
      writeln('Kode kendaraan tidak valid!');
      readln;
      halt;
    end;
  end;


  writeln('Lama parkir : ', lama, ' jam');
  if lama > 10 then
    writeln('(Berlaku Tarif Maksimal Flat)');
  writeln('Total tarif : Rp', tarif);
  readln;
end.
```


```
4/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and
 others
Target OS: Linux for x86-64
Compiling soal7_147_lovi.pas
Linking a.out
35 lines compiled, 0.0 sec
1 warning(s) issued
Kode kendaraan (M=Mobil, K=Motor, B=Bus): M
Lama parkir (jam): 2
Lama parkir : 2 jam
Total tarif : Rp8000




...Program finished with exit code 0
Press ENTER to exit console.
```



17:35 Jum, 9 Okt
tugas - GDB online Debugg
onlinegdb.com/edit/X-S_xyfix#
Run
Debug
Stop
Share
Saved
{} Beautify
main.pas
soal7_147_lovi.pas
1 program Soal7_TarifParkir;
2 var
3 kode: char;
4 lama: integer;
5 tarif: longint;
6 begin
7 write('Kode kendaraan (M=Mobil, K=Motor, B=Bus): ');
8 readln(kode);
9 kode := upcase(kode);
10 write('Lama parkir (jam): ');
11 readln(lama);
12
13 if lama < 1 then lama := 1;
14 tarif := 0;
15
16 case kode of
17 'M': if lama > 10 then tarif := 30000
18 else tarif := 5000 + 3000 * (lama - 1);
19 'K': if lama > 10 then tarif := 10000
20 else tarif := 2000 + 1000 * (lama - 1);
21 'B': if lama > 10 then tarif := 50000
22 else tarif := 10000 + 5000 * (lama - 1);
23 else
24 begin
25 writeln('Kode kendaraan tidak valid!');
26 readln;
27 halt;
input
Warning: Only one source file supported, changing source file to compile from "main.pas" into "soal7_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [2024/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling soal7_147_lovi.pas
Linking a.out
35 lines compiled, 0.0 sec
1 warning(s) issued
Kode kendaraan (M=Mobil, K=Motor, B=Bus): B
Lama parkir (jam): 6
Lama parkir : 6 jam
Total tarif : Rp35000
...Program finished with exit code 0
Press ENTER to exit console.


17:34 Jum, 9 Okt
tugas - GDB online Debugg
onlinegdb.com/edit/X-S_xyfix#
Run
Debug
Stop
Share
Saved
{} Beautify
main.pas
soal7_147_lovi.pas
1 program Soal7_TarifParkir;
2 var
3 kode: char;
4 lama: integer;
5 tarif: longint;
6 begin
7 write('Kode kendaraan (M=Mobil, K=Motor, B=Bus): ');
8 readln(kode);
9 kode := upcase(kode);
10 write('Lama parkir (jam): ');
11 readln(lama);
12
13 if lama < 1 then lama := 1;
14 tarif := 0;
15
16 case kode of
17 'M': if lama > 10 then tarif := 30000
18 else tarif := 5000 + 3000 * (lama - 1);
19 'K': if lama > 10 then tarif := 10000
20 else tarif := 2000 + 1000 * (lama - 1);
21 'B': if lama > 10 then tarif := 50000
22 else tarif := 10000 + 5000 * (lama - 1);
23 else
24 begin
25 writeln('Kode kendaraan tidak valid!');
26 readln;
27 halt;
input
Warning: Only one source file supported, changing source file to compile from "main.pas" into "soal7_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [2024/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling soal7_147_lovi.pas
Linking a.out
35 lines compiled, 0.0 sec
1 warning(s) issued
Kode kendaraan (M=Mobil, K=Motor, B=Bus): K
Lama parkir (jam): 3
Lama parkir : 3 jam
Total tarif : Rp4000
...Program finished with exit code 0
Press ENTER to exit console.


18:11 Jum, 9 Okt
tugas - GDB online Debugg
onlinegdb.com/edit/X-S_xyfix#
Run
Debug
Stop
Share
Saved
{} Beautify
main.pas
soal8_147_lovi.pas
1 program Soal8_GajiKaryawan;
2 var
3 gol: char;
4 jam: real;
5 pokok, lembur, bonus, total: longint;
6 begin
7 write('Golongan (A/B/C) : ');
8 readln(gol);
9 gol := upcase(gol);
10 write('Total jam kerja/minggu: ');
11 readln(jam);
12
13 case gol of
14 'A': pokok := 1500000;
15 'B': pokok := 2000000;
16 'C': pokok := 2500000;
17 else
18 begin
19 writeln('Golongan tidak valid!');
20 readln;
21 halt;
22 end;
23 end;
24
25 if jam > 40 then
26 lembur := round((jam - 40) * 20000)
27 else
input
Warning: Only one source file supported, changing source file to compile from "main.pas" into "soal8_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [2024/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling soal8_147_lovi.pas
Linking a.out
43 lines compiled, 0.0 sec
1 warning(s) issued
Golongan (A/B/C) : A
Total jam kerja/minggu: 55
=== RINCIAN GAJI ===
Gaji Pokok : Rp1500000
Lembur : Rp300000
Bonus : Rp0
Total Gaji Akhir : Rp1800000
...Program finished with exit code 0
Press ENTER to exit console.


18:11 Jum, 9 Okt
tugas - GDB online Debugg
onlinegdb.com/edit/X-S_xyfix#
'C': pokok := 2500000;
else
begin
writeln('Golongan tidak valid!');
readln;
halt;
end;
end;
if jam > 40 then
lembur := round((jam - 40) * 20000)
else
lembur := 0;
bonus := 0;
if (gol = 'C') and (jam > 50) then
bonus := 100000;
total := pokok + lembur + bonus;
writeln;
writeln('=== RINCIAN GAJI ===');
writeln('Gaji Pokok : Rp', pokok);
writeln('Lembur : Rp', lembur);
writeln('Bonus : Rp', bonus);
writeln('--------------------');
writeln('Total Gaji Akhir : Rp', total);
readln;
end.
4/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling soal8_147_lovi.pas
Linking a.out
43 lines compiled, 0.0 sec
1 warning(s) issued
Golongan (A/B/C) : A
Total jam kerja/minggu: 55
=== RINCIAN GAJI ===
Gaji Pokok : Rp1500000
Lembur : Rp300000
Bonus : Rp0

Total Gaji Akhir : Rp1800000
...Program finished with exit code 0
Press ENTER to exit console.


18:12 Jum, 9 Okt
tugas - GDB online Debugg
onlinegdb.com/edit/X-S_xyfix#
Run
Debug
Stop
Share
Saved
{} Beautify
main.pas
soal8_147_lovi.pas
1 program Soal8_GajiKaryawan;
2 var
3 gol: char;
4 jam: real;
5 pokok, lembur, bonus, total: longint;
6 begin
7 write('Golongan (A/B/C) : ');
8 readln(gol);
9 gol := upcase(gol);
10 write('Total jam kerja/minggu: ');
11 readln(jam);
12
13 case gol of
14 'A': pokok := 1500000;
15 'B': pokok := 2000000;
16 'C': pokok := 2500000;
17 else
18 begin
19 writeln('Golongan tidak valid!');
20 readln;
21 halt;
22 end;
23 end;
24
25 if jam > 40 then
26 lembur := round((jam - 40) * 20000)
27 else
input
Warning: Only one source file supported, changing source file to compile from "main.pas" into "soal8_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [2024/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling soal8_147_lovi.pas
Linking a.out
43 lines compiled, 0.0 sec
1 warning(s) issued
Golongan (A/B/C) : B
Total jam kerja/minggu: 45
=== RINCIAN GAJI ===
Gaji Pokok : Rp2000000
Lembur : Rp100000
Bonus : Rp0
Total Gaji Akhir : Rp2100000
...Program finished with exit code 0
Press ENTER to exit console.

18:12 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#

Run | Debug | Stop | Share | Saved | { } Beautify

main.pas | soal8_147_lovi.pas

```
1  program Soal8_GajiKaryawan;
2  var
3    gol: char;
4    jam: real;
5    pokok, lembur, bonus, total: longint;
6  begin
7    write('Golongan (A/B/C)      : ');
8    readln(gol);
9    gol := upcase(gol);
10   write('Total jam kerja/minggu: ');
11   readln(jam);
12
13   case gol of
14     'A': pokok := 1500000;
15     'B': pokok := 2000000;
16     'C': pokok := 2500000;
17   else
18     begin
19       writeln('Golongan tidak valid!');
20       readln;
21       halt;
22     end;
23   end;
24
25   if jam > 40 then
26     lembur := round((jam - 40) * 20000)
27   else
```

input

```
Warning: Only one source file supported, changi
ng source file to compile from "main.pas" into
"soal8_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [202
4/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and
 others
Target OS: Linux for x86-64
Compiling soal8_147_lovi.pas
Linking a.out
43 lines compiled, 0.0 sec
1 warning(s) issued
Golongan (A/B/C)      : C
Total jam kerja/minggu: 50

=== RINCIAN GAJI ===
Gaji Pokok : Rp2500000
Lembur     : Rp200000
Bonus      : Rp0
--------------------
Total Gaji Akhir : Rp2700000
```

17:47 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#

Run | Debug | Stop | Share | Saved | { } Beautify | Language Pascal

main.pas | soal9_147_lovi.pas

```
1  program Soal9_JumlahHari;
2  var
3    tahun, bulan, hari: integer;
4    kabisat: boolean;
5  begin
6    write('Masukkan tahun       : ');
7    readln(tahun);
8    write('Masukkan bulan (1-12): ');
9    readln(bulan);
10
11   kabisat := (tahun mod 400 = 0) or ((tahun mod 4 = 0) and (tahun mod 100 <> 0));
12
13   case bulan of
14     1, 3, 5, 7, 8, 10, 12: hari := 31;
15     4, 6, 9, 11: hari := 30;
16     2: if kabisat then hari := 29 else hari := 28;
17   else
18     hari := 0;
19   end;
20
21   if hari = 0 then
22     writeln('Nomor bulan tidak valid!')
23   else
24   begin
25     if kabisat then
26       writeln('Tahun ', tahun, ' adalah Tahun Kabisat')
27     else
```

input

```
Warning: Only one source file supported, changing source file to compile from "main.pas" into "soal9_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [2024/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling soal9_147_lovi.pas
Linking a.out
31 lines compiled, 0.0 sec
1 warning(s) issued
Masukkan tahun       : 2023
Masukkan bulan (1-12): 2
Tahun 2023 bukan Tahun Kabisat
Jumlah hari pada bulan 2 tahun 2023 = 28 hari


...Program finished with exit code 0
Press ENTER to exit consol
```

17:47 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#

```
  kabisat: boolean;
begin
  write('Masukkan tahun       : ');
  readln(tahun);
  write('Masukkan bulan (1-12): ');
  readln(bulan);

  kabisat := (tahun mod 400 = 0) or ((tahun mod 4 = 0) and (tahun mod 100 <> 0));

  case bulan of
    1, 3, 5, 7, 8, 10, 12: hari := 31;
    4, 6, 9, 11: hari := 30;
    2: if kabisat then hari := 29 else hari := 28;
  else
    hari := 0;
  end;

  if hari = 0 then
    writeln('Nomor bulan tidak valid!')
  else
  begin
    if kabisat then
      writeln('Tahun ', tahun, ' adalah Tahun Kabisat')
    else
      writeln('Tahun ', tahun, ' bukan Tahun Kabisat');
    writeln('Jumlah hari pada bulan ', bulan, ' tahun ', tahun, ' = ', hari, ' har
  end;
  readln;
end.
```

```
_lovi.pas"
Free Pascal Compiler versi
on 3.2.2+dfsg-32 [2024/01/
05] for x86_64
Copyright (c) 1993-2021 by
 Florian Klaempfl and othe
rs
Target OS: Linux for x86-6
4
Compiling soal9_147_lovi.p
as
Linking a.out
31 lines compiled, 0.0 sec
1 warning(s) issued
Masukkan tahun       : 202
3
Masukkan bulan (1-12): 2
Tahun 2023 bukan Tahun Kab
isat
Jumlah hari pada bulan 2 t
ahun 2023 = 28 hari



...Program finished with e
xit code 0
Press ENTER to exit consol
e.
```

17:49 Jum, 9 Okt

tugas - GDB online Debugg

onlinegdb.com/edit/X-S_xyfix#

Run | Debug | Stop | Share | Saved | { } Beautify | Language Pascal


main.pas | soal9_147_lovi.pas

```
1  program Soal9_JumlahHari;
2  var
3    tahun, bulan, hari: integer;
4    kabisat: boolean;
5  begin
6    write('Masukkan tahun       : ');
7    readln(tahun);
8    write('Masukkan bulan (1-12): ');
9    readln(bulan);
10
11   kabisat := (tahun mod 400 = 0) or ((tahun mod 4 = 0) and (tahun mod 100 <> 0));
12
13   case bulan of
14     1, 3, 5, 7, 8, 10, 12: hari := 31;
15     4, 6, 9, 11: hari := 30;
16     2: if kabisat then hari := 29 else hari := 28;
17   else
18     hari := 0;
19   end;
20
21   if hari = 0 then
22     writeln('Nomor bulan tidak valid!')
23   else
24   begin
25     if kabisat then
26       writeln('Tahun ', tahun, ' adalah Tahun Kabisat')
27     else
```

input

```
Warning: Only one source file supported, changing source file to compile from "main.pas" into "soal9_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [2024/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling soal9_147_lovi.pas
Linking a.out
31 lines compiled, 0.0 sec
1 warning(s) issued
Masukkan tahun       : 2024
Masukkan bulan (1-12): 2
Tahun 2024 adalah Tahun Kabisat
Jumlah hari pada bulan 2 tahun 2024 = 29 hari


...Program finished with exit code 0
Press ENTER to exit consol
```


17:53 Jum, 9 Okt
tugas - GDB online Debugg
onlinegdb.com/edit/X-S_xyfix#
Run
Debug
Stop
Share
Saved
{} Beautify
input
main.pas
soal10_147_lovi.pas
1 program Soal10_NamaHari;
2 var
3 n: integer;
4 begin
5 write('Input (1-7): ');
6 readln(n);
7 case n of
8 1: writeln('Hari Senin');
9 2: writeln('Hari Selasa');
10 3: writeln('Hari Rabu');
11 4: writeln('Hari Kamis');
12 5: writeln('Hari Jumat');
13 6: writeln('Hari Sabtu');
14 7: writeln('Hari Minggu');
15 else
16 writeln('Input tidak valid! Masukkan angka 1
17 end;
18 readln;
19 end.
Warning: Only one source file supported, changing source file to compile from "main.pas" into "soal10_147_lovi.pas"
Free Pascal Compiler version 3.2.2+dfsg-32 [2024/01/05] for x86_64
Copyright (c) 1993-2021 by Florian Klaempfl and others
Target OS: Linux for x86-64
Compiling soal10_147_lovi.pas
Linking a.out
18 lines compiled, 0.1 sec
1 warning(s) issued
Input (1-7): 4
Hari Kamis
...Program finished with exit code 0
Press ENTER to exit console.