

Quantum Secure DevOps (QSecOps): Integrating Quantum-Based Security Checks into CI/CD Pipelines: Next-Generation Software Security

Muhammad Azeem Akbar
Department of Software Engineering, LUT University
Finland
azeem.akbar@lut.fi

Arif Ali Khan
M3S Empirical Software Engineering Research Unit,
University of Oulu, 90014 Oulu, Finland
Finland
Arif.Khan@oulu.fi

Saima Rafi
School of Computing, Engineering & The Built
Environment, Edinburgh Napier University,
Edinburgh, UK
s.rafi@napier.ac.uk

Boshuai Ye
M3S Empirical Software Engineering Research Unit,
University of Oulu, 90014 Oulu, Finland
Finland
Boshuai.Ye@oulu.fi

Abstract

Quantum computing presents both opportunities and risks for modern software security, particularly in DevOps and CI/CD pipelines, which rely on traditional cryptographic mechanisms. As quantum threats become imminent, Quantum Secure DevOps (QSecOps) aims to integrate quantum-resistant security measures into software deployment workflows. However, its adoption remains challenging due to various technical and operational constraints. This study identifies and analyzes the key challenges in implementing QSecOps and develops a theoretical framework to assess their impact on DevOps security and performance. To conduct this study, we use literature survey approach to explore the challenge of QSecOps reported by the existing literature. By conducting the literature survey, we have identified 13 core challenges that could negatively impact the QSecOps. Addressing these challenges is essential for ensuring quantum-secure CI/CD pipelines. Further, a theoretical framework was developed based on the impact of identified challenging factors. The proposed framework provides practical insights for software engineers, security professionals, and DevOps teams to enhance quantum security integration and future-proof software deployment.

CCS Concepts

• **Software and its engineering** → **Software development methods; Software organization and properties.**

Keywords

DevOps, ISO/IEC 25010:2023, Software Product QualityQuantum Software, DevOps, CI/CD pipelines, Security, Challenges

ACM Reference Format:

Muhammad Azeem Akbar, Saima Rafi, Arif Ali Khan, and Boshuai Ye. 2025. Quantum Secure DevOps (QSecOps): Integrating Quantum-Based Security Checks into CI/CD Pipelines: Next-Generation Software Security. In *33rd ACM International Conference on the Foundations of Software Engineering (FSE Companion '25)*, June 23–28, 2025, Trondheim, Norway. ACM, New York, NY, USA, 10 pages. <https://doi.org/10.1145/3696630.3731624>

1 Introduction

Quantum computing (QC) has emerged as a transformative technology with the potential to redefine modern computing paradigms, including cryptography, artificial intelligence, and software security. Leading technology companies such as IBM, Google, and Microsoft are actively investing in quantum computing research, with a focus on harnessing its capabilities for solving complex computational problems [15, 20]. However, the advancement of quantum computing introduces new security threats, particularly in the realm of software development and deployment. Classical cryptographic methods, which form the backbone of current security mechanisms in DevOps pipelines, are vulnerable to quantum attacks, necessitating a quantum-secure approach to software engineering [31]. Without proper security integration, CI/CD workflows may become highly susceptible to post-quantum cyber threats, potentially compromising software integrity, confidentiality, and authentication mechanisms [23, 29, 54]. The concept of securing Quantum with a DevOps pipeline is gaining traction as a critical approach to safeguarding CI/CD pipelines against quantum-based security risks. DevOps has revolutionized modern software engineering by integrating continuous integration (CI) and continuous deployment (CD) to enable rapid software development, testing, and deployment [16]. However, the incorporation of quantum security measures into DevOps workflows remains an underexplored domain. Current DevSecOps practices rely on traditional encryption techniques that may soon become obsolete in the face of quantum computing advancements [22, 23, 41, 42]. Consequently, securing DevOps pipelines necessitates a shift towards post-quantum cryptography (PQC), quantum-resistant code signing, and quantum-enhanced



This work is licensed under a Creative Commons Attribution 4.0 International License.
FSE Companion '25, Trondheim, Norway
© 2025 Copyright held by the owner/author(s).
ACM ISBN 979-8-4007-1276-0/2025/06
<https://doi.org/10.1145/3696630.3731624>

threat detection [38]. Recent studies have explored various quantum security challenges in software development. For instance, Bonneau et al. [14] highlight the threat of quantum adversaries in software authentication and key management. Similarly, Joshi et al. [27] discuss the limitations of current cryptographic algorithms in securing DevOps environments, emphasizing the need for quantum-resistant solutions. Furthermore, Kumar et al. [45] propose the integration of quantum key distribution (QKD) as a means to secure software deployments. These studies demonstrate the growing interest in quantum-enhanced cybersecurity, yet they lack a comprehensive exploration of DevOps-specific challenges in implementing quantum security [49]. Despite these advancements, to the best of our knowledge, no empirical study has systematically identified the key challenges in integrating quantum security mechanisms into CI/CD pipelines. This research aims to fill this gap by investigating the core challenges of Quantum Secure DevOps (QSecOps) and providing insights into how organizations can enhance their DevOps security in the quantum era. This study has the following objectives:

- (1) To identify key challenges in integrating quantum security measures within CI/CD pipelines based on a systematic literature review.
- (2) To analyze the impact of these challenges on DevOps workflows, software security, and organizational adoption.
- (3) To propose a structured framework for overcoming the identified challenges and enhancing QSecOps implementation in real-world software engineering.

The findings of this study will provide valuable insights for software developers, DevOps engineers, and security practitioners seeking to future-proof their CI/CD environments against emerging quantum threats. Additionally, our research contributes to the broader field of post-quantum software security by outlining the critical barriers and practical solutions for implementing Quantum Secure DevOps (QSecOps).

2 Background and Motivation

Quantum computing has emerged as a groundbreaking field that applies the principles of quantum mechanics to perform computations far beyond the capabilities of classical computing. Quantum technologies leverage properties such as superposition, entanglement, and quantum parallelism to revolutionize industries including cryptography, artificial intelligence, and cybersecurity [20, 40]. One of the most significant implications of quantum computing is its ability to break classical encryption algorithms through techniques such as Shor's algorithm, which can efficiently factor large numbers and compromise widely used cryptographic systems [13, 52]. As a result, governments, research institutions, and technology companies are heavily investing in quantum-resistant security mechanisms to mitigate emerging quantum threats [46]. As the adoption of DevOps and CI/CD pipelines continues to accelerate in modern software development, the need for QSecOps is becoming increasingly important. DevOps integrates continuous integration (CI) and continuous deployment (CD) to automate software development lifecycles, improving software reliability and reducing deployment time [4, 23, 55]. However, DevOps relies on classical cryptographic

security measures, including code signing, encryption, authentication, and access control, which are vulnerable to quantum computing advancements [47]. QSecOps aims to future-proof DevOps security by integrating quantum-resistant cryptographic techniques, post-quantum encryption, and quantum-enhanced security monitoring into CI/CD pipelines [22]. Several studies have contributed to the growing body of research on post-quantum cryptography (PQC) and secure software development. For example, Alagic et al. [6] proposed a cryptographic framework to replace classical encryption schemes with quantum-resistant alternatives, focusing on lattice-based and hash-based cryptography. Similarly, Aguado et al. [1] explored the feasibility of integrating quantum key distribution (QKD) into software security infrastructures to enable secure communication between DevOps environments. Another study by Bekmagambetova et al. [11] highlighted the trends, models, and future cases to develop quantum and post-quantum authentication systems by integrating DevSecOps. In addition to cryptographic research, various tools and programming frameworks have been developed to support quantum-secure software development. For example, Saxena et al. [44] introduced a hybrid DevOps model that integrates classical and quantum security mechanisms, allowing organizations to gradually transition toward full post-quantum security compliance. Another study by Nagpal et al. [37] proposed a quantum-resistant DevSecOps pipeline that automates compliance verification in CI/CD pipelines. These research efforts demonstrate the increasing demand for quantum-aware security practices in software engineering. Despite these advancements, there are still major challenges in adopting QSecOps in real-world DevOps environments. The lack of standardized quantum security frameworks, the computational overhead of post-quantum cryptographic algorithms, and the integration complexity with existing CI/CD tools pose significant obstacles [32, 33]. Additionally, limited expertise in quantum computing among software engineers further hinders the widespread adoption of Quantum secure DevOps [17, 35]. Addressing these challenges requires a systematic approach that combines secure software engineering practices, quantum-safe cryptographic techniques, and automated security validation in CI/CD workflows. Hence, QSecOps is a crucial advancement in post-quantum cybersecurity, enabling organizations to protect their software development pipelines from future quantum threats. Research in this area has introduced promising quantum-secure cryptographic algorithms, authentication mechanisms, and DevSecOps strategies. However, the adoption of QSecOps remains in its early stages, and significant challenges must be addressed to ensure its practical implementation. This study aims to explore these challenges in-depth and provide a comprehensive framework for integrating quantum security into modern DevOps workflows.

3 Literature Survey

To explore the integration of quantum security mechanisms into Continuous Integration and Continuous Deployment (CI/CD) pipelines, we conducted a literature survey by examining journal articles, conference proceedings, and other relevant literature sources [2, 3, 5, 30, 36]. We used Google Scholar as the primary search engine to access scholarly articles from various digital libraries, including IEEE Xplore, ACM Digital Library, Springer Link, and Elsevier.

This broad search strategy ensured comprehensive coverage of relevant publications on quantum cryptography, DevSecOps, and software security in the quantum era. To identify the most relevant studies, we applied targeted keyword searches, using terms such as "Quantum Security in DevOps," "Quantum Cryptography in CI/CD," "Post-Quantum Cryptography (PQC) in Software Engineering," "Quantum Key Distribution (QKD) in Software Deployment," and "Quantum-Secure Code Signing." To refine the search, we implemented snowballing data sampling, where we examined reference lists of key studies (backward snowballing) and tracked subsequent citations of selected literature (forward snowballing) [21]. This approach expanded our sample size by identifying additional relevant publications discussing quantum security measures in DevOps environments. Our literature review included studies on secure software development, quantum-based cryptographic protocols, and DevOps security challenges. Additionally, we considered studies that did not explicitly focus on CI/CD pipelines but provided insights into quantum-secure software engineering practices. Extracting relevant security mechanisms from these studies required a thorough review of their methodologies, experimental results, and key findings. To ensure rigor in study selection, the first and second authors independently screened the literature, with disagreements resolved through collaborative discussion among all authors. Ultimately, 29 studies were shortlisted using forward and backward snowballing techniques [5]. These studies were instrumental in structuring this paper and addressing the primary research objectives on the feasibility and implementation of quantum security measures within CI/CD pipelines to enhance QSecOps implementation (see Section 1). The first and second authors analyzed the selected studies to extract key quantum security mechanisms, cryptographic techniques, and CI/CD security challenges. The third author subsequently conducted a secondary review to refine the extracted data and validate any missing information. Following Kitchenham and Charters' systematic literature review guidelines [5], we employed quantitative methods to analyze the extracted security challenges relevant to DevOps security. We used a coding scheme to classify the extracted data into hierarchical categories, using the following steps:

- (1) Code Assignment – Assigning preliminary security labels to extracted quantum security techniques.
- (2) Sub-Categories Formation – Grouping identified techniques based on application areas (e.g., post-quantum cryptography, quantum key distribution, quantum threat detection).
- (3) Core Categories Development – Refining sub-categories to create a structured classification of Quantum Secure DevOps (QSecOps) mechanisms.
- (4) Theory Mapping – Mapping extracted concepts to key CI/CD security challenges Figure 1

Upon completing data extraction, we identified a set of 13 QSecOps-related challenges. These were subsequently mapped to their corresponding security-related core categories. Authors 1, 2, and 3 carried out the mapping process, with potential bias mitigated by involving author 3 in random validation checks. To further validate our results, we engaged three external experts in quantum, cybersecurity, and DevOps research to independently review the data extraction process [52–55]. These experts selected 5 studies, reviewed them, and extracted the data (i.e., QSecOps challenges). To




Figure 1: Roadmap of Literature Survey

```
“library(QSecOpsTools)

IoT <- data.frame

(external_ex=c(3,2,3,5,3,4,3,3,2,3),

external_ex=(4,3,3,3,3,4,2,3,3,2),

external_ex3=(4,3,2,2,3,2,2,3,4,4)

authors_abc=(3,3,3,3,2,3,2,3,3,2)

)
```

assess the reliability of the mapping results, we conducted an inter-rater reliability test using Kendall's coefficient of concordance (W) [52], where $W = 1$ indicates perfect agreement and $W = 0$ indicates no agreement. The analysis of 18 randomly selected security techniques yielded a W value of 0.89 ($p=0.003$), indicating a high level of agreement between the expert reviewers and study authors. This confirms that our literature review and classification process were methodologically rigorous, unbiased, and consistent. The detailed results of Kendall's coefficient of concordance analysis is given in Table 1.

Data Set	Kendall Chi-Squared	df	Subjects	Raters	p value	W
QSecOps	31.74	5	5	4	0.003	0.887753

Table 1: Statistical Results for QSecOps

4 Findings

In this study, we used the literature review approach to explore the challenges for QSecOps: Integrating Quantum-Based Security Checks into CI/CD Pipelines, reported by the existing literature. The integration of quantum-based security mechanisms into CI/CD pipelines presents several unique challenges. We identified 13 core

challenges that could negatively impact QSecOps, the list of identified challenges is presented below.

(1) C1 (Lack of Standardization in Post-Quantum Cryptography):

The lack of a universal standard for Post-Quantum Cryptography (PQC) creates uncertainty for organizations trying to integrate quantum security into their DevOps workflows. While researchers are actively developing quantum-resistant algorithms, there's still no clear consensus on which ones will be widely adopted or how they should be implemented in CI/CD pipelines [12, 26]. This leaves security teams without concrete guidelines on key management, encryption protocols, and secure communication, making it difficult to future-proof their DevSecOps strategies [22]. The challenge isn't just about choosing the right cryptographic method—it's also about ensuring compatibility across existing DevOps tools and infrastructure. Without standardized frameworks, organizations risk investing in security solutions that may require costly updates or become obsolete as the field evolves.

Hypothesis (H1): Hence, without standardization, organizations struggle to ensure compatibility, efficiency, and security across DevOps workflows.

(2) C2 (Computational Overhead of Quantum Security Mechanisms):

The integration of post-quantum cryptographic algorithms, such as lattice-based, hash-based, and code-based cryptography, demands significantly higher computational power compared to traditional encryption methods [50]. These algorithms involve larger key sizes, more complex mathematical operations, and increased memory usage, all of which can slow down key processes in CI/CD pipelines, including code signing, encryption, and security validation [8]. As a result, DevOps teams face performance trade-offs, where enhanced security measures may introduce latency in software builds, testing, and deployment cycles [10]. This computational burden is particularly concerning for cloud-native and containerized environments, where efficiency and speed are critical for maintaining agile development workflows. Without optimized implementations or hardware acceleration, the adoption of quantum-secure mechanisms in DevSecOps could lead to bottlenecks that disrupt software release schedules and increase operational costs.

Hypothesis (H2): Increased latency in code signing, security scans, and deployment verification, slowing down the release cycle.

(3) C3 (Scalability Challenges in Quantum Security Deployment)

Implementing quantum-secure DevOps (QSecOps) solutions at scale presents significant challenges, particularly for large software repositories, microservices architectures, and cloud-based CI/CD environments. Unlike traditional security mechanisms, post-quantum cryptographic (PQC) solutions require greater computational resources and more complex key management, making seamless deployment across distributed DevOps workflows difficult [8, 23]. Many current PQC implementations are still in experimental stages, lacking the performance optimization and automation capabilities needed

for large-scale enterprise adoption. Additionally, orchestrating quantum-secure encryption across containerized workloads, edge computing, and multi-cloud environments remains an unresolved challenge [25]. Without efficient integration strategies and scalable quantum security frameworks, organizations risk facing latency issues, inconsistent security enforcement, and increased operational overhead when deploying QSecOps in production environments.

Hypothesis (H3): Organizations may struggle with adopting quantum security measures without impacting DevOps agility.

(4) C4 (Quantum-Resistant Code Signing Issues):

Code signing is a critical security measure in DevOps pipelines, ensuring the integrity and authenticity of software releases. However, traditional digital signatures (e.g., RSA, ECDSA) are vulnerable to quantum attacks, making them ineffective in a post-quantum era [7]. Transitioning to quantum-secure digital signatures, such as SPHINCS+, Falcon, and Dilithium, introduces significant implementation challenges for DevOps teams [35]. These algorithms often come with larger signature sizes, slower verification times, and increased processing requirements, impacting CI/CD performance and software distribution efficiency [7, 53]. Additionally, reconfiguring DevOps workflows, build environments, and artifact repositories to accommodate post-quantum cryptographic (PQC) standards requires toolchain modifications and compatibility testing [28]. Without a standardized migration path, organizations may face deployment delays, increased operational complexity, and risks of improperly implemented cryptographic measures in their software supply chains.

Hypothesis (H4): The longer key sizes and slower verification speeds of PQC-based signatures create deployment inefficiencies.

(5) C5 (Integration Complexity with Existing DevSecOps Tools):

DevSecOps tools (e.g., Jenkins, GitHub Actions, GitLab CI/CD) are built around traditional cryptographic standards, making them incompatible with emerging post-quantum cryptographic (PQC) algorithms [47]. Implementing quantum-secure encryption, authentication, and key exchange within existing CI/CD workflows requires custom modifications, additional security plugins, or even entirely new tool integrations [39]. This transition introduces significant technical challenges, as DevSecOps teams must ensure compatibility between legacy security mechanisms and quantum-resistant protocols. Furthermore, many automated security testing and code-signing tools do not yet support quantum-proof signatures, leading to potential workflow disruptions and security gaps. Without seamless integration, organizations may face deployment failures, increased system complexity, and difficulties in maintaining DevOps automation efficiency while transitioning to quantum-secure software development [33].

Hypothesis (H5): CI/CD pipeline workflows may require significant redesigns, increasing operational costs and complexity.

(6) C6 (Key Management Challenges for Quantum-Secure Authentication):

Quantum-resistant cryptographic algorithms introduce longer key sizes and more complex key rotation policies, creating significant challenges for secure key management in CI/CD pipelines [9]. Unlike traditional cryptographic keys, post-quantum cryptographic (PQC) keys require greater storage capacity, increased processing power for key exchanges, and robust lifecycle management to prevent security vulnerabilities [10]. Additionally, ensuring backward compatibility with existing legacy authentication systems, APIs, and DevSecOps tools adds another layer of complexity. Without well-defined quantum-secure key management frameworks, organizations risk misconfigurations, increased security vulnerabilities, and operational inefficiencies when transitioning to quantum-proof authentication in DevOps environments [24]. Furthermore, the lack of industry-wide standards for post-quantum key distribution complicates CI/CD automation, making it difficult to implement scalable and efficient key management solutions across distributed software development workflows.

Hypothesis (H6): Organizations need new key distribution protocols, leading to potential security risks if keys are not managed properly.

- (7) C7 (Security Risks from Hybrid Cryptographic Approaches): As organizations transition toward quantum security, many adopt hybrid cryptographic models that combine classical encryption (e.g., RSA, ECC) with quantum-resistant algorithms (e.g., lattice-based or hash-based cryptography) [51]. While this approach aims to provide backward compatibility and gradual adoption, it also introduces new security risks. Misconfigurations, inconsistent implementations, and interoperability issues between classical and post-quantum cryptographic methods can create vulnerabilities in CI/CD pipelines, leading to data exposure, weakened authentication, or system failures [18]. Additionally, hybrid cryptographic models require dual verification processes, which can introduce performance overhead and complex key management challenges [25]. Without clear security best practices and automation tools for hybrid implementations, organizations may inadvertently weaken their security posture while attempting to enhance it. Ensuring proper hybrid cryptography deployment requires continuous monitoring, automated validation, and robust integration strategies to mitigate risks in DevSecOps environments.

Hypothesis (H7): Attackers could exploit weaker classical encryption in hybrid implementations, leading to security breaches.

- (8) C8 (Limited Quantum-Ready Security Testing Frameworks): DevSecOps practices depend heavily on automated security testing tools such as Static Application Security Testing (SAST), Dynamic Application Security Testing (DAST), and Interactive Application Security Testing (IAST) to identify vulnerabilities in software development pipelines [48]. However, current security testing frameworks are not designed to detect quantum-specific threats or validate quantum-safe cryptographic implementations [24]. This gap creates a blind spot in CI/CD pipelines, where applications may be deployed with cryptographic weaknesses that could be exploited by

quantum-enabled attacks. Additionally, post-quantum cryptographic (PQC) algorithms introduce new complexities, such as larger key sizes, increased computation time, and unique attack vectors, which traditional testing tools cannot evaluate effectively [44]. Without dedicated quantum-aware security testing frameworks, organizations risk false security assurances, delayed detection of vulnerabilities, and insecure deployments in quantum-secure DevOps (QSecOps) environments. Developing quantum-ready security testing solutions is essential to ensure resilient and future-proof DevOps workflows against emerging quantum threats.

Hypothesis (H8): Without quantum-aware security testing, organizations may unknowingly deploy vulnerable software.

- (9) C9 (Lack of Quantum-Secure Continuous Monitoring in CI/CD)

As organizations move toward containerized environments using Docker, Kubernetes, and microservices architectures, securing these environments against quantum threats becomes a significant challenge [19]. Quantum security mechanisms, such as post-quantum cryptographic (PQC) encryption, authentication, and secure communication, must be seamlessly integrated across containerized workloads and orchestration platforms to protect software deployments. However, existing container security solutions are designed for classical cryptographic models and are not optimized for handling the computational overhead and key management complexities of PQC [24, 51]. Additionally, securing containerized workloads requires ensuring compatibility between quantum-resistant security protocols and existing container networking models, service meshes, and API gateways. Without proper integration strategies, organizations risk introducing latency in microservices communication, encryption bottlenecks, and configuration vulnerabilities that could compromise security in Quantum Secure DevOps (QSecOps) environments. To mitigate these risks, container security frameworks must evolve to support quantum-ready encryption and authentication mechanisms, ensuring seamless deployment and orchestration of quantum-secure applications.

Hypothesis (H9): Organizations lack real-time quantum risk assessment, leading to undetected vulnerabilities.

- (10) C10 (Challenges in Quantum-Secure Containerization and Orchestration):

As organizations move toward containerized environments using Docker, Kubernetes, and microservices architectures, securing these environments against quantum threats becomes a significant challenge. Quantum security mechanisms, such as post-quantum cryptographic (PQC) encryption, authentication, and secure communication, must be seamlessly integrated across containerized workloads and orchestration platforms to protect software deployments [19, 25]. However, existing container security solutions are designed for classical cryptographic models and are not optimized for handling the computational overhead and key management complexities of PQC. Additionally, securing

containerized workloads requires ensuring compatibility between quantum-resistant security protocols and existing container networking models, service meshes, and API gateways [42]. Without proper integration strategies, organizations risk introducing latency in microservices communication, encryption bottlenecks, and configuration vulnerabilities that could compromise security in Quantum Secure DevOps (QSecOps) environments. To mitigate these risks, container security frameworks must evolve to support quantum-ready encryption and authentication mechanisms, ensuring seamless deployment and orchestration of quantum-secure applications.

Hypothesis (H10): Organizations face compatibility issues and increased attack surfaces in containerized CI/CD pipelines.

- (11) C11 (Regulatory and Compliance Gaps in Quantum-Secure DevOps):

The rapid advancement of quantum computing has outpaced the development of regulatory and compliance frameworks for post-quantum security, leaving organizations uncertain about the best practices for adopting Quantum Secure DevOps (QSecOps). Governments and industry bodies, such as NIST, ETSI, and ISO, are still in the process of standardizing post-quantum cryptographic (PQC) algorithms and defining guidelines for their integration into DevOps security protocols [48]. However, the absence of clear regulations, compliance requirements, and enforcement mechanisms makes it difficult for organizations to ensure that their quantum-security implementations align with future cybersecurity policies [25]. This lack of regulatory clarity increases the risk of non-compliance, security misconfigurations, and potential legal liabilities for companies transitioning to quantum-safe CI/CD pipelines. Furthermore, without globally accepted standards, organizations may adopt inconsistent or premature quantum security solutions, leading to fragmented security implementations across industries. Establishing robust regulatory frameworks is essential to streamline the adoption of QSecOps, ensuring that organizations can securely transition to quantum-resistant software development and deployment without regulatory uncertainty.

Hypothesis (H11): Enterprises may struggle with compliance mandates, delaying quantum security adoption.

- (12) C12 (Increased Attack Surface Due to Quantum AI-Powered Threats):

The convergence of quantum computing and artificial intelligence (AI) introduces a new breed of cyber threats capable of accelerating attacks on DevOps pipelines. Quantum-enhanced AI models can rapidly analyze vast datasets, identify security weaknesses, and exploit vulnerabilities in CI/CD workflows at unprecedented speeds [40]. Unlike traditional hacking methods, which rely on brute-force or heuristic-based techniques, quantum AI can break weak encryption algorithms, manipulate access controls, and bypass anomaly detection systems far more efficiently [34]. This expanded attack surface poses a significant risk to software integrity, automated deployment processes, and secret management within Quantum Secure DevOps (QSecOps) environments. Additionally, malicious actors leveraging quantum AI could

automate zero-day vulnerability detection, making it increasingly difficult for security teams to patch and defend against emerging threats in real time. Without quantum-aware intrusion detection, real-time threat monitoring, and AI-driven countermeasures, organizations may struggle to defend their CI/CD pipelines against sophisticated, quantum-powered cyberattacks.

Hypothesis (H12): DevOps teams must implement AI-driven quantum threat detection to mitigate risks.

- (13) C13 (Skill Gap and Training Needs for Quantum Secure DevOps):

The successful implementation of Quantum Secure DevOps (QSecOps) requires specialized knowledge of quantum computing, post-quantum cryptographic (PQC) algorithms, and quantum security frameworks [6, 25]. However, most DevOps engineers and security teams lack expertise in these emerging fields, making the transition to quantum-secure CI/CD pipelines a significant challenge. Unlike traditional cryptographic methods, quantum-resistant security mechanisms involve complex mathematical foundations, new key management techniques, and unique attack vectors, requiring specialized training to integrate them effectively [43]. Additionally, the absence of standardized quantum security certifications, practical training programs, and hands-on development tools further hinders the adoption of QSecOps in real-world environments. Without structured education initiatives and industry-driven training efforts, organizations risk misconfiguring post-quantum security implementations, creating vulnerabilities in CI/CD workflows, and facing delays in quantum-readiness adoption. Bridging the skill gap through upskilling programs, industry collaborations, and academic research partnerships is essential to prepare security teams for the quantum era and ensure a seamless transition to QSecOps.

Hypothesis (H13): The shortage of skilled professionals may delay adoption and increase security risks in organizations transitioning to quantum-secure DevOps (Figure 2).

5 Proposed Theoretical Framework

The theoretical framework in this study is designed to analyze and understand the impact of the 13 identified challenges affecting the adoption and implementation of Quantum Secure DevOps (QSecOps) within CI/CD pipelines. These challenges introduce technical, operational, and strategic barriers that influence how organizations transition to quantum-secure software development practices. The framework highlights the interdependencies between challenges and their effects on efficiency, scalability, security, and regulatory compliance in DevSecOps environments (Figure 3).

5.1 Framework Explanation

Standardization and Regulatory Barriers: Lack of Standardization in Post-Quantum Cryptography (C1): Without widely accepted post-quantum cryptographic (PQC) standards, organizations face uncertainty in security implementations, leading to inconsistencies across CI/CD pipelines and DevOps workflows. Regulatory and Compliance Gaps in Quantum-Secure DevOps (C11): The absence



Figure 2: Hypothetical Framework




Figure 3: Conceptual Mapping of QSecOps challenges

of clear regulatory frameworks complicates compliance efforts, causing delays in enterprise adoption and increasing the risk of legal and security misconfigurations. These challenges create a lack of direction in QSecOps implementation, making it difficult for organizations to align with future quantum-security requirements.

Performance and Scalability Challenges: Computational Overhead of Quantum Security Mechanisms (C2): The high processing power and memory requirements of PQC algorithms create latency issues in software builds, security scans, and deployment verification. Scalability Challenges in Quantum Security Deployment (C3): Large-scale CI/CD environments, cloud-native architectures, and containerized applications require optimized post-quantum security that does not hinder DevOps agility. Integration Complexity with Existing DevSecOps Tools (C5): Current DevSecOps tools (e.g., Jenkins, GitHub Actions, GitLab CI/CD) are not designed for quantum-resistant cryptography, making implementation complex and resource-intensive. Without performance-optimized solutions, organizations may face bottlenecks that slow down DevOps automation and impact software release schedules.

Security and Cryptographic Risks: Quantum-Resistant Code Signing Issues (C4): Transitioning from classical to quantum-secure digital signatures introduces deployment inefficiencies due to larger key sizes and slower verification speeds. Key Management Challenges for Quantum-Secure Authentication (C6): Post-quantum cryptographic keys require longer storage, frequent key rotations, and robust management, increasing operational complexity. Security Risks from Hybrid Cryptographic Approaches (C7): The adoption of hybrid encryption models (classical + quantum-resistant cryptography) introduces misconfiguration risks and interoperability challenges in CI/CD pipelines. Limited Quantum-Ready Security Testing Frameworks (C8): Existing DevSecOps security testing tools (e.g., SAST, DAST, IAST) do not support quantum-specific vulnerabilities, creating security blind spots in automated testing. Challenges in Quantum-Secure Containerization and Orchestration

(C10): Current container security frameworks (Docker, Kubernetes, service meshes) are not optimized for PQC, increasing attack surfaces and integration challenges. These cryptographic challenges expose CI/CD pipelines to potential security risks, making software authenticity, data integrity, and authentication mechanisms vulnerable in the quantum era.

Emerging Quantum Threats and Organizational Readiness: Lack of Quantum-Secure Continuous Monitoring in CI/CD (C9): DevOps teams lack real-time quantum risk assessment, making it difficult to detect post-quantum security threats before deployment. Increased Attack Surface Due to Quantum AI-Powered Threats (C12): Quantum-enhanced AI-driven cyberattacks can rapidly exploit vulnerabilities in CI/CD pipelines, making it imperative to implement real-time anomaly detection and AI-based defenses. Skill Gap and Training Needs for Quantum Secure DevOps (C13): The shortage of skilled professionals in quantum security, post-quantum cryptography, and quantum-secure DevOps creates a knowledge gap, delaying adoption and increasing security misconfigurations. Without continuous security monitoring, workforce training, and AI-driven threat detection, organizations may struggle to safeguard their DevOps environments from quantum-era cyber risks.

5.2 Framework Contribution

The proposed framework provides a structured understanding of how these 13 challenges impact Quantum Secure DevOps (QSecOps) implementation. It contributes to: Identifying the most influential barriers in adopting post-quantum security in CI/CD pipelines. Mapping interdependencies between challenges, helping organizations understand the cascading effects of different security risks. Providing a roadmap for integrating quantum security measures without disrupting DevOps agility and software deployment and supporting security professionals and researchers in developing

optimized post-quantum security solutions that align with regulatory, performance, and security requirements. By addressing these challenges through strategic planning, infrastructure modifications, and workforce training, organizations can successfully transition to a quantum-secure software development ecosystem that is resilient against emerging quantum threats.

6 Discussion

The findings of this study highlight the 13 core challenges associated with integrating quantum security mechanisms into CI/CD pipelines, emphasizing the technical, operational, and strategic barriers that hinder the adoption of Quantum Secure DevOps (QSecOps). The identified challenges, including computational overhead, lack of standardization, key management complexities, and integration issues with existing DevSecOps tools, demonstrate the need for a structured and systematic approach to implementing post-quantum cryptographic solutions. Moreover, the study underscores the importance of regulatory frameworks, quantum-aware security testing, and skill development to ensure the successful deployment of quantum-secure software development workflows. Addressing these challenges requires interdisciplinary collaboration between software engineers, cybersecurity researchers, and industry regulators to establish standardized quantum security practices that enhance CI/CD security without compromising DevOps agility. Future research should focus on optimizing quantum-resistant algorithms for performance efficiency, developing automated quantum security validation frameworks, and fostering industry-wide adoption of QSecOps through comprehensive training and best-practice guidelines.

7 Threat to Validity

This study employs a literature survey approach to systematically identify and analyze the challenges of Quantum Secure DevOps (QSecOps) in CI/CD pipelines. While rigorous methods were used to ensure comprehensive coverage, certain validity threats must be considered. Selection Bias: The reliance on specific digital databases, such as IEEE Xplore, ACM Digital Library, Springer Link, and Elsevier, may have inadvertently excluded relevant studies available in other repositories, unpublished works, or grey literature. As database-specific filtering can limit the diversity of perspectives included in security research, this study mitigated this risk by using forward and backward snowballing techniques to expand the scope of the literature review. Interpretation Bias: The identification and classification of challenges were based on thematic analysis of existing studies, making the results susceptible to researcher interpretation bias. Since qualitative analysis inherently involves subjective judgment, triangulation across multiple sources and independent validation by co-authors and external experts were implemented to ensure consistency and minimize errors. Contextual Generalizability: The findings of this study are based on a literature-driven assessment of QSecOps challenges, which may not fully capture real-world implementation issues faced by organizations transitioning to post-quantum security. While the results provide valuable insights, empirical validation through industry case studies or experimental testing is required to enhance generalizability across different DevOps environments. By recognizing these threats, this

study ensures transparency and lays the groundwork for future research to empirically validate and refine the identified QSecOps challenges in practical software engineering settings.

8 Implications

This research has significant implications, contributing both to academic discourse and providing practical guidance for industry professionals and policymakers navigating the integration of Quantum Secure DevOps (QSecOps) in CI/CD pipelines.

Academia: This study extends the theoretical discussion on quantum security in software engineering by systematically identifying challenges and proposing a structured framework for QSecOps adoption. By bridging the gap between post-quantum cryptography and DevSecOps, this research lays the foundation for future studies exploring quantum security frameworks, automation strategies, and empirical validations of QSecOps implementations. Additionally, researchers can expand this framework by incorporating other emerging quantum technologies and their impact on software security.

Industry: The findings provide software engineers, DevOps teams, and cybersecurity professionals with a practical roadmap for transitioning to quantum-resistant security measures in DevOps workflows. By addressing integration complexities, computational overhead, and standardization gaps, organizations can enhance CI/CD security while maintaining operational efficiency. Furthermore, cross-industry collaboration will be crucial in developing scalable quantum-ready security solutions, ensuring organizations stay ahead of quantum threats while future-proofing software deployment strategies.

Policymakers: The identified challenges highlight the urgent need for regulatory frameworks that support post-quantum cryptographic adoption while ensuring compliance with security, privacy, and ethical considerations. Governments and regulatory bodies should develop guidelines for the standardization of quantum-secure DevOps practices, ensuring alignment between technological innovation, security policies, and industry needs. The proposed framework serves as a systematic approach for organizations to integrate quantum security without compromising DevOps agility, offering structured pathways for policymakers to establish clear security governance mechanisms.

9 Conclusion

Quantum Secure DevOps (QSecOps) presents a transformative opportunity to enhance software security in the era of quantum computing. As quantum threats continue to evolve, integrating quantum-resistant security measures into CI/CD pipelines is essential to safeguarding software integrity, confidentiality, and authentication mechanisms. This study systematically identifies 13 key challenges that hinder the adoption of QSecOps and develops a theoretical framework to guide organizations in overcoming these barriers. Addressing issues such as standardization gaps, computational overhead, key management complexities, and integration challenges will enable organizations to future-proof their software deployment strategies. The proposed framework provides practical insights for software engineers, security professionals, and DevOps teams, ensuring seamless and efficient adoption of quantum-secure

practices. Ultimately, QSecOps is more than a security enhancement—it represents a critical shift towards resilient, scalable, and quantum-ready software development ecosystems that can withstand the cybersecurity challenges of the quantum era.

10 Future Work

In the future, we aimed to focus on empirically validating the proposed framework across diverse software development environments to enhance its practical applicability. Additionally, exploring how QSecOps interacts with emerging technologies such as Artificial Intelligence, Blockchain, and Zero Trust Architectures could offer deeper insights into its impact on DevOps security and automation strategies. Further studies should also examine quantum-aware security testing frameworks and real-time monitoring solutions to address the current gaps in security validation within CI/CD pipelines. As quantum computing advances, organizations must continuously innovate and adapt their security models, ensuring a secure, agile, and quantum-resilient software engineering ecosystem that aligns with both industry best practices and evolving regulatory standards.

References

- [1] Alejandro Aguado, Victor Lopez, Diego Lopez, Momtchil Peev, Andreas Poppe, Antonio Pastor, Jesus Folgueira, and Vicente Martin. 2019. The engineering of software-defined quantum key distribution networks. *IEEE Communications Magazine* 57, 7 (2019), 20–26.
- [2] Muhammad Azeem Akbar, Arif Ali Khan, Sami Hyrynsalmi, and Javed Ali Khan. 2024. 6G secure quantum communication: a success probability prediction model. *Automated Software Engineering* 31, 1 (2024), 31.
- [3] Muhammad Azeem Akbar, Arif Ali Khan, Sajjad Mahmood, Ahmed Alsanad, and Abdu Gumaei. 2021. A robust framework for cloud-based software development outsourcing factors using analytical hierarchy process. *Journal of Software: Evolution and Process* 33, 2 (2021), e2275.
- [4] Muhammad Azeem Akbar, Arif Ali Khan, Sajjad Mahmood, and Saima Rafi. 2024. Quantum software engineering: a new genre of computing. In *Proceedings of the 1st ACM International Workshop on Quantum Software Engineering: The Next Evolution*. 1–6.
- [5] Muhammad Azeem Akbar, Wishal Naveed, Abeer Abdulaziz Alsanad, Lulwah Alsuwaidan, Ahmed Alsanad, Abdu Gumaei, Muhammad Shafiq, and Muhammad Tanveer Riaz. 2020. Requirements change management challenges of global software development: An empirical investigation. *IEEE Access* 8 (2020), 203070–203085.
- [6] Gorjan Alagic, Anne Broadbent, Bill Fefferman, Tommaso Gagliardoni, Christian Schaffner, and Michael St. Jules. 2016. Computational security of quantum encryption. In *Information Theoretic Security: 9th International Conference, ICITS 2016, Tacoma, WA, USA, August 9–12, 2016, Revised Selected Papers* 9. Springer, 47–71.
- [7] Sarah Alghamdi and Sultan Almuhammadi. 2021. The future of cryptocurrency blockchains in the quantum era. In *2021 IEEE International Conference on Blockchain (Blockchain)*. IEEE, 544–551.
- [8] Rameez Asif. 2021. Post-quantum cryptosystems for Internet-of-Things: A survey on lattice-based algorithms. *IoT* 2, 1 (2021), 71–91.
- [9] Ponnuru Raveendra Babu, Sathish AP Kumar, Alavalapati Goutham Reddy, and Ashok Kumar Das. 2024. Quantum secure authentication and key agreement protocols for IoT-enabled applications: A comprehensive survey and open challenges. *Computer Science Review* 54 (2024), 100676.
- [10] Chithralekha Balamurugan, Kalpana Singh, Ganeshvani Ganesan, and Muttukrishnan Rajarajan. 2021. Post-quantum and code-based cryptography—some prospective research directions. *Cryptography* 5, 4 (2021), 38.
- [11] Gulmira Bekmagambetova, Anton Polukhin, Volodymyr Evdokimov, Denys Kasmin, and Oksana Dmytriienko. 2023. Algorithmic means of ensuring network security and websites: trends, models, future cases. *Amazonia Investiga* 12, 65 (2023), 149–163.
- [12] Daniel J Bernstein and Tanja Lange. 2017. Post-quantum cryptography. *Nature* 549, 7671 (2017), 188–194.
- [13] Vaishali Bhatia and KR Ramkumar. 2020. An efficient quantum computing technique for cracking RSA using Shor's algorithm. In *2020 IEEE 5th international conference on computing communication and automation (ICCCA)*. IEEE, 89–94.
- [14] Joseph Bonneau, Jeremy Clark, and Steven Goldfeder. 2015. On bitcoin as a public randomness source. *Cryptology ePrint Archive* (2015).
- [15] David Brin. 2022. *Convergence: Artificial Intelligence and Quantum Computing: Social, Economic, and Policy Impacts*. John Wiley & Sons.
- [16] A Devipriya, R Anto Arockia Rosaline, M Ramkumar Prabhu, P Nancy, V Karthick, and Vijayakumar Kadumbadi. 2024. Algorithmic Approaches to Securing Cloud Environments in the Realm of Cybersecurity. In *2024 10th International Conference on Communication and Signal Processing (ICCSP)*. IEEE, 697–702.
- [17] Ilie-Daniel Gheorghe-Pop, Nikolay Tcholtchev, Tom Ritter, and Manfred Hauswirth. 2020. Quantum devops: Towards reliable and applicable nisq quantum computing. In *2020 IEEE Globecom Workshops (GC Wkshps)*. IEEE, 1–6.
- [18] Ankeet Giri, Ramandeep Sandhu, Manik Rakhra, and Gagandeep Singh Cheema. 2024. Blockchain Framework for Secure Patient Data Management. In *2024 4th International Conference on Technological Advancements in Computational Sciences (ICTACS)*. IEEE, 1012–1018.
- [19] Samridhi Gulati, Ayushi Tyagi, and Pawan Kumar Goel. 2024. Security Automation and Orchestration in the Cloud. In *Analyzing and Mitigating Security Risks in Cloud Computing*. IGI Global Scientific Publishing, 24–47.
- [20] Meng-Leong How and Sin-Mei Cheah. 2023. Business Renaissance: Opportunities and challenges at the dawn of the Quantum Computing Era. *Businesses* 3, 4 (2023), 585–605.
- [21] Hsiu-Fang Hsieh and Sarah E Shannon. 2005. Three approaches to qualitative content analysis. *Qualitative health research* 15, 9 (2005), 1277–1288.
- [22] Fan Hu. 2025. Rethinking DevOps for the Quantum Era. <https://community.ibm.com/community/user/wasdevops/blogs/fan-hu/2025/02/26/quantum-computing-and-devops-rethinking-devops-for>
- [23] Bhavesh Jadhav. 2024. Quantum Computing in DevOps, The Future of Agile Technology. https://medium.com/%40bhavesh_jadhav/quantum-computing-in-devops-the-future-of-agile-technology-5ff1815eb4d
- [24] Paul James, Stephan Laschet, Sebastian Ramacher, and Luca Torresetti. 2023. Key management systems for large-scale quantum key distribution networks. In *Proceedings of the 18th International Conference on Availability, Reliability and Security*. 1–9.
- [25] Amir Javadpour, Forough Ja'fari, Tarik Taleb, Yue Zhao, Bin Yang, and Chafika Benzaïd. 2023. Encryption as a service for IoT: Opportunities, challenges, and solutions. *IEEE Internet of Things Journal* 11, 5 (2023), 7525–7558.
- [26] David Joseph, Rafael Misoczki, Marc Manzano, Joe Tricot, Fernando Dominguez Pinuaga, Olivier Lacombe, Stefan Leichenauer, Jack Hidary, Phil Venables, and Royal Hansen. 2022. Transitioning organizations to post-quantum cryptography. *Nature* 605, 7909 (2022), 237–243.
- [27] Hrishikesh Joshi. 2024. A Secure Software Development Methodology for Enterprise Business Applications. In *2024 IEEE International Conference on Data and Software Engineering (ICoDSE)*. IEEE, 7–12.
- [28] Matthias J Kannwischer, Peter Schwabe, Douglas Stebila, and Thom Wiggers. 2022. Improving software quality in cryptography standardization projects. In *2022 IEEE European Symposium on Security and Privacy Workshops (EuroS&PW)*. IEEE, 19–30.
- [29] S Karthikeyan and N Thenmozhi. 2024. Fortifying the Cloud: Navigating Data Security Challenges and Pioneering Future-Ready Solutions. *International Research Journal on Advanced Science Hub* 6, 10 (2024), 277–301.
- [30] Arif Ali Khan, Muhammad Azeem Akbar, Mahdi Fahmideh, Peng Liang, Muhammad Waseem, Aakash Ahmad, Mahmood Niazi, and Pekka Abrahamsson. 2023. AI ethics: an empirical study on the views of practitioners and lawmakers. *IEEE Transactions on Computational Social Systems* 10, 6 (2023), 2971–2984.
- [31] Vladimir L Kurochkin and Igor G Neizvestny. 2009. Quantum cryptography. In *2009 International Conference and Seminar on Micro/Nanotechnologies and Electron Devices*. IEEE, 166–170.
- [32] Silong Li, Yuxiang Chen, Lin Chen, Jing Liao, Chanchan Kuang, Kuanching Li, Wei Liang, and Naixue Xiong. 2023. Post-quantum security: Opportunities and challenges. *Sensors* 23, 21 (2023), 8744.
- [33] Cherry Mangla, Shalli Rani, Nawab Muhammad Faseeh Qureshi, and Aman Singh. 2023. Mitigating 5G security challenges for next-gen industry using quantum computing. *Journal of King Saud University-Computer and Information Sciences* 35, 6 (2023), 101334.
- [34] Ashok Manoharan and Mithun Sarker. 2023. Revolutionizing Cybersecurity: Unleashing the Power of Artificial Intelligence and Machine Learning for Next-Generation Threat Detection. DOI: <https://www.doi.org/10.56726/IRJMET/32644> 1 (2023).
- [35] Saptarshi Mitra, Bappaditya Jana, Supratim Bhattacharya, Prashnatita Pal, and Jayanta Poray. 2017. Quantum cryptography: Overview, security issues and future challenges. In *2017 4th international conference on opto-electronics and applied optics (optronix)*. IEEE, 1–7.
- [36] Juan M Murillo, Jose Garcia-Alonso, Enrique Moguel, Johanna Barzen, Frank Leymann, Shaikat Ali, Tao Yue, Paolo Arcaini, Ricardo Pérez Castillo, Ignacio Garcia Rodríguez de Guzmán, et al. 2024. Quantum Software Engineering: Roadmap and Challenges Ahead. *arXiv preprint arXiv:2404.06825* (2024).
- [37] Akshay Nagpal, Balakrishna Pothineni, Ashok Gadi Parthi, Durgaraman Maruthavanan, Amey Ram Banarse, Prema kumar Veerapaneni, Srivenkateswara Reddy

- Sankiti, and Vivekananda Jayaram. 2024. Framework for automating compliance verification in CI/CD pipelines. *Journal ID* 9471 (2024), 1297.
- [38] Chukwujekwu Charles Nwoye. 2024. Next-generation protection protocols and procedures for securing critical infrastructure. *International Journal of Research Publication and Reviews* 5, 11 (2024), 4830–4845.
- [39] Carlos Paternina-Arboleda, Alexander Nestler, Nicholas Kascak, and Morteza Safaei Pour. 2023. Cybersecurity Considerations for the Design of an AI-Driven Distributed Optimization of Container Carbon Emissions Reduction for Freight Operations. In *International Conference on Computational Logistics*. Springer, 56–84.
- [40] Shyamalendu Paul, Nobhonil Roy Choudhury, Bipradash Pandit, and Avrodeep Dawn. 2025. Integration of AI and Quantum Computing in Cybersecurity: A Comprehensive Review. *Integration of AI, Quantum Computing, and Semiconductor Technology* (2025), 287–308.
- [41] Saima Rafi, Wu Yu, Muhammad Azeem Akbar, Ahmed Alsanad, and Abdu Gumaiei. 2020. Prioritization based taxonomy of DevOps security challenges using PROMETHEE. *IEEE Access* 8 (2020), 105426–105446.
- [42] Roshan N Rajapakse, Mansoor Zahedi, M Ali Babar, and Haifeng Shen. 2022. Challenges and solutions when adopting DevSecOps: A systematic review. *Information and software technology* 141 (2022), 106700.
- [43] Javier Romero-Alvarez, Jaime Alvarado-Valiente, Enrique Moguel, Jose García-Alonso, and Juan M Murillo. 2023. Enabling continuous deployment techniques for quantum services. *Authorea Preprints* (2023).
- [44] Mohit Chandra Saxena, Abhishek Tamrakar, and Ulises Arranz. 2024. Automated Testing and Deployment Strategies for Quantum Algorithms. In *2024 7th International Conference on Contemporary Computing and Informatics (IC3I)*, Vol. 7. IEEE, 771–779.
- [45] Abhishek Sharma and Amit Kumar. 2019. A survey on quantum key distribution. In *2019 International Conference on Issues and Challenges in Intelligent Computing Techniques (ICICT)*, Vol. 1. IEEE, 1–4.
- [46] Moolchand Sharma, Vikas Choudhary, RS Bhatia, Sahil Malik, Anshuman Raina, and Harshit Khandelwal. 2021. Leveraging the power of quantum computing for breaking RSA encryption. *Cyber-Physical Systems* 7, 2 (2021), 73–92.
- [47] Manish Shukla, Harshal Tupsamudre, and Sachin Lodha. 2020. Enterprise Security: Modern Challenges and Emerging Measures. In *Advanced Digital Architectures for Model-Driven Adaptive Enterprises*. IGI Global, 158–187.
- [48] Yevheniy Sierhieiev, Vadym Paiuk, Andrii Nicheporuk, Andrzej Kwiecien, and Oleksandr Huralnyk. 2024. Detection and prediction of the vulnerabilities in software systems based on behavioral analysis with machine learning. In *CEUR Workshop Proc*, Vol. 3736. 239–254.
- [49] FSN IT solutions. 2025. Secure DevOps in the Age of Quantum Computing – Risks and Resolutions. <https://fsnitsolution.com/quantum-computing-risks-and-resolutions-for-secure-devops/>
- [50] Neerav Sood. 2024. Cryptography in post Quantum computing era. *Available at SSRN 4705470* (2024).
- [51] Swapnali N Tambe-Jagtap. 2023. A Survey of Cryptographic Algorithms in Cybersecurity: From Classical Methods to Quantum-Resistant Solutions. *SHIFRA* 2023 (2023), 43–52.
- [52] CH Ugwuishiwu, UE Orji, CI Ugwu, and CN Asogwa. 2020. An overview of quantum cryptography and shor's algorithm. *Int. J. Adv. Trends Comput. Sci. Eng* 9, 5 (2020).
- [53] Marin Vidaković and Krno Miličević. 2023. Performance and applicability of post-quantum digital signature algorithms in resource-constrained environments. *Algorithms* 16, 11 (2023), 518.
- [54] Faguo Wu, Bo Zhou, Jiale Song, and Lijia Xie. 2025. Quantum-resistant blockchain and performance analysis. *The Journal of Supercomputing* 81, 3 (2025), 498.
- [55] Jianjun Zhao. 2020. Quantum software engineering: Landscapes and horizons. *arXiv preprint arXiv:2007.07047* (2020).