

C:/Users/robbe/source  
/repos/lolrobbe2/luna  
/apollo/src/editorLayer.h

```
graph BT; A["C:/Users/robbe/source<br/>/repos/lolrobbe2/luna<br/>/apollo/src/apollo.cpp"] --> C["C:/Users/robbe/source<br/>/repos/lolrobbe2/luna<br/>/apollo/src/editorLayer.h"]; B["C:/Users/robbe/source<br/>/repos/lolrobbe2/luna<br/>/apollo/src/editorLayer.cpp"] --> C;
```

The diagram illustrates a file dependency structure. At the top is a grey box containing the path to a header file: C:/Users/robbe/source/repos/lolrobbe2/luna/apollo/src/editorLayer.h. Below this box are two white boxes. The left box contains the path to a source file: C:/Users/robbe/source/repos/lolrobbe2/luna/apollo/src/apollo.cpp. The right box contains the path to another source file: C:/Users/robbe/source/repos/lolrobbe2/luna/apollo/src/editorLayer.cpp. Two blue arrows point from the bottom of each white box to the bottom of the grey box, indicating that both source files include the header file.

C:/Users/robbe/source  
/repos/lolrobbe2/luna  
/apollo/src/apollo.cpp

C:/Users/robbe/source  
/repos/lolrobbe2/luna  
/apollo/src/editorLayer.cpp