

OrangeHRM Automation Test Results Summary

Print/Save as PDF

All: 4 Passed: 3 Failed: 0 Skipped: 1 Flaky: 0 Pass Rate: 75.00% Fail Rate: 0.00% Total Time: 1.43 min Timestamp: 15/6/2026, 4:03:04 pm Show All

S.No	Test Name	Browser	Status	Time Taken ↑ ↓	Start Time	End Time	Attachments
1	▼ creates, verifies, edits, validates via API, deletes and logs out	chromium	skipped	0.0s	15/6/2026, 4:01:34 pm	15/6/2026, 4:01:34 pm	
	Test Steps						
	Captured Logs						
	<pre>stdout: ◇ injected env (0) from .env.playwright // tip: % enable debugging { debug: true }</pre>						
2	▼ creates employee from test data and assigns initial job details	chromium	passed	51.8s	15/6/2026, 4:01:35 pm	15/6/2026, 4:02:29 pm	Video
	Test Steps						
	Before Hooks						
	Navigate to "/"						
	Fill "Admin" getByPlaceholder('Username')						
	Fill "admin123" getByPlaceholder('Password')						
	Click getByRole('button', { name: 'Login' })						
	Expect "toHaveURL"						
	Create request context						
	Expect "toBeDefined"						
	GET "/web/index.php/api/v2/pim/employees"						
	Click locator('//span[text()=\'PIM\']')						
	Click getByRole('button', { name: ' Add ' })						
	Set input files locator('//input[@class="oxd-file-input"]')						
	Fill "John" getByPlaceholder('First Name')						
	Fill "Harnett" getByPlaceholder('Middle Name')						
	Fill "Doe" getByPlaceholder('Last Name')						
	Fill "E0630" locator('//label[text()=\'Employee Id\']/../following-sibling::div//input')						
	Expect "toBe"						
	Expect "toBe"						
	Expect "toBe"						
	Expect "toBe"						
	Click getByRole('button', { name: ' Save ' })						
	Expect "toBeVisible" locator('//div[contains(@class,\'oxd-toast-content\') and contains(., \'Success\')]).first()						
	Expect "toContain"						
	Click getByText('Job')						
	Click locator('//label[text()=\'Job Title\']/../following-sibling::div')						

S.No	Test Name	Browser	Status	Time Taken ↑	Start Time	End Time	Attachments
	Click getByRole('option', { name: 'Account Assistant' }) Click locator('//label[text()=\`Employment Status\`]/../following-sibling::div') Click getByRole('option', { name: 'Freelance' }) Click getByRole('button', { name: ' Save ' }) Expect "toBe" Expect "toBe" After Hooks Captured Logs stdout: STEP: ACT I - Open application and perform login STEP: ASSERT I - Verify successful login (Dashboard URL validation) STEP: ACT II - Initialize authenticated API context using session cookies STEP: ACT III - Clean up any duplicate test employee before creation STEP: ACT IV - Navigate to Add Employee and enter employee details STEP: ASSERT IV - Validate employee form data is correctly populated STEP: ACT V - Save newly created employee STEP: ASSERT V - Verify employee creation success message STEP: ACT VI - Assign initial job details to employee STEP: ASSERT VI - Validate initial job details saved successfully						
3	▼ updates the employee job details and verifies UI and API consistency	chromium	passed	22.2s	15/6/2026, 4:02:29 pm	15/6/2026, 4:02:52 pm	Video
	Test Steps Before Hooks Navigate to "/" Fill "Admin" getByPlaceholder('Username') Fill "admin123" getByPlaceholder('Password') Click getByRole('button', { name: 'Login' }) Expect "toHaveURL" Create request context Expect "toBeDefined" Click locator('//span[text()=\`PIM\`']') Fill "E0630" locator('//label[text()=\`Employee Id\`]/../following-sibling::div//input') Click getByRole('button', { name: ' Search ' }) Click locator('//div[text()=\`E0630\`]/ancestor::div[contains(@class,\`oxd-table-row\`)]//i[contains(@class,\`bi-pencil-fill\`)]') Click getByText('Job') Click locator('//label[text()=\`Job Title\`]/../following-sibling::div') Click getByRole('option', { name: 'Automaton Tester' }) Click locator('//label[text()=\`Employment Status\`]/../following-sibling::div') Click getByRole('option', { name: 'Full-Time Permanent' }) Click getByRole('button', { name: ' Save ' })						

S.No	Test Name	Browser	Status	Time Taken ↑ ↓	Start Time	End Time	Attachments
4	Expect "toBe" Expect "toBe" GET "/web/index.php/api/v2/pim/employees" Expect "toBe" Expect "toBeDefined" GET "/web/index.php/api/v2/pim/employees/262/job-details" Expect "toBe" Expect "toBe" Expect "toBe" Expect "toBe" Expect "toBe" Expect "toBe" Expect "toBe" After Hooks Captured Logs <pre>stdout: STEP: ACT I - Open application and perform login STEP: ASSERT I - Verify successful login (Dashboard URL validation) STEP: ACT II - Initialize authenticated API context using session cookies STEP: ACT III - Search and open the employee record for update STEP: ACT IV - Update employee job details STEP: ASSERT IV - Verify updated job details in UI STEP: ACT V - Validate employee data using API STEP: ASSERT V - Verify API data matches UI updated values</pre>	chromium	passed	11.7s	15/6/2026, 4:02:52 pm	15/6/2026, 4:03:03 pm	Video
	▼ deletes the test employee and validates the result in UI and API Test Steps Before Hooks Navigate to "/" Fill "Admin" getByPlaceholder('Username') Fill "admin123" getByPlaceholder('Password') Click getByRole('button', { name: 'Login' }) Expect "toHaveURL" Create request context Expect "toBeDefined" Click locator('//span[text()='PIM\']) Fill "E0630" locator('//label[text()='Employee Id\']/../following-sibling::div/input') Click getByRole('button', { name: ' Search ' }) Click locator('//div[text()='E0630\']/ancestor::div[contains(@class,'oxd-table-row\')]/i[contains(@class,'icon bi-trash\']') Click getByRole('button', { name: ' Yes, Delete ' }) Fill "E0630" locator('//label[text()='Employee Id\']/../following-sibling::div/input') Click getByRole('button', { name: ' Search ' })						

S.No	Test Name	Browser	Status	Time Taken ↑ ↓	Start Time	End Time	Attachments
	Expect "toBeVisible" locator('//div[@class=\'oxd-toast-content oxd-toast-content--info\']//p').nth(1)) GET "/web/index.php/api/v2/pim/employees" Expect "toBe" Expect "toBeUndefined" Click locator('//p[@class=\'oxd-userdropdown-name\']') Click locator('//a[text()=\'Logout\']') Expect "toHaveURL" After Hooks						

Captured Logs

```
stdout:
STEP: ACT I - Open application and perform login

STEP: ASSERT I - Verify successful login (Dashboard URL validation)

STEP: ACT II - Initialize authenticated API context using session cookies

STEP: ACT III - Delete employee via UI

STEP: ASSERT III - Verify employee removal from UI results

STEP: ACT IV - Validate deletion via API

STEP: ASSERT IV - Confirm employee deletion in API

STEP: ACT V - Logout from application

STEP: ASSERT V - Verify successful logout (Login URL validation)
```