

1 Friends aren't food: pinyon jays show distinct
2 context-dependent numerical cognition

3 London M. Wolff¹, Katherine Carey¹, & Jeffrey R. Stevens¹

4 ¹ Department of Psychology, Center for Brain, Biology & Behavior, University of
5 Nebraska, Lincoln, Lincoln, NE, USA

6 Abstract

Animals must often discriminate different quantities of objects in their environment, from numbers of food items to conspecifics. Yet we know little about how numerical cognitive abilities compare across different object types. Based on past research, we would expect individuals to use both the numerical difference (large – small) and numerical ratio (small/large) between two numbers of objects to choose between them. This study investigates whether numerical difference and ratio predict preferences for two types of stimuli, food items and conspecifics in pinyon jays (*Gymnorhinus cyanocephalus*). Subjects (N=12 for food experiment, N=20 for social experiment) chose between two food items or two group sizes for pairs of numbers between 1 and 6. In the food experiment, pinyon jays showed an overall preference for the larger option over the smaller option. Pinyon jays also chose larger numbers of items more when numerical differences were large and numerical ratios were small. However, numerical difference and ratio did not influence food choice independently. In the social experiment, we observed very different results. When choosing between sets of conspecifics, pinyon jays did not prefer the larger over smaller group sizes. Birds also did not show numerical difference or ratio effects. One rationale for these results are pinyon jays use different processes when deciding between numbers of food items and flock mates. While number was important for selecting food items, other factors such as flock mate identity may be more important for selecting social groups to join. Thus, in numerical preference situations, the type of objects offered can drive the numerical processes that animals use.

7
Keywords: Corvid, Difference, Number, Quantity, Ratio
Word count:

Introduction


Many animal species have demonstrated the ability to quantify objects in their environment, including arthropods [1], fish [2–4], amphibians [5], birds [6–8], and mammals [9–12]. Quantification skills have strong adaptive value for survival and reproduction [10], playing a role in navigation, predator avoidance, territory defense, foraging, courtship, and mating [13–18]. Yet it remains unclear if the same cognitive processes apply across these different adaptive problems.


One of the key cognitive processes proposed for quantification is the *approximate number system*, which involves the approximate estimation of numerical quantity without relying on language or symbols [16,19]. The approximate number system is characterized by the numerical magnitude effect and the numerical distance effect [20,21]. The *numerical distance effect* asserts that discrimination improves with increasing numerical difference (i.e., the mathematical difference between two numbers: 4\$-\$2 has a difference of 2) between two values. Essentially, discrimination becomes easier as the difference increases and the options become more dissimilar. The *numerical magnitude effect* asserts that, at a given numerical difference, discrimination worsens with increasing magnitude, which is equivalent to a decreasing numerical ratio (the mathematical quotient between two numbers: 2/4 has a ratio of 0.5). Essentially, discrimination becomes more difficult as the numerical ratio approaches 1 and the options become more similar. Taken together, these two effects describe Weber’s Law [16], which indicates the use of approximate amounts rather than precise numbers.

Animals are sensitive to quantification across a range of object types [22,23]. Most of the tasks designed to measure numerical discrimination use food as quantifiable objects [11,12,24–26]. In line with the numerical distance effect, animals typically discriminate food quantities better when there are larger numerical differences [20,24,27,28]. Similarly, the numerical magnitude effect has been supported when accuracy in food quantity discrimination decreases as the ratio between the values approaches 1 [20,29–32].

In addition to food, a subset of studies in fish have used numbers of conspecifics to assess quantification [2,33,34]. Many species prefer to be in larger groups, presumably because this dilutes their probability of being captured by predators [35,36]. Though some studies show an effect of both difference and ratio on social quantity preference [2,3], others only show an effect of ratio [33,37]. While research shows ratio and difference effects on quantification within fish populations, little research has examined conspecific numerical choices in other social systems.

The primary aim of the present study was to investigate how pinyon jays (*Gymnorhinus cyanocephalus*) use quantity information, specifically numerical difference and ratio,

London M. Wolff,  <https://orcid.org/0000-0001-8359-2619>.

Jeffrey R. Stevens,  <https://orcid.org/0000-0003-2375-1360>.

Correspondence concerning this article should be addressed to London M. Wolff, B83 East Stadium, University of Nebraska, Lincoln, Lincoln, NE, USA 68588. ORCID 0000-0001-8359-2619. E-mail: lmwolff3@gmail.com

to choose between different quantities of food items or conspecifics. To address this aim, we offered pinyon jays a series of choices between smaller and larger numbers of items: either food or conspecifics. Our first hypothesis posits that pinyon jays will, on average, prefer larger over smaller numbers of food items and conspecifics. Our second hypothesis posits that pinyon jays will prefer more items when the quantities have higher numerical differences and lower numerical ratios. Our third hypothesis posits that both numerical difference and ratio will influence preference independently of each other. This distinction is important because difference and ratio are highly related: as difference increases, ratio decreases. Testing these hypotheses in two different object types investigates whether the same cognitive processes generalize across adaptive problems.

Methods

We conducted both a food experiment and a social experiment to investigate quantification of food and conspecifics. Each experiment was replicated with two sets of birds, where most birds experienced both the food and social experiment. Additional methods, data analysis, and visuals are available in the supplementary material.

Subjects

Replicate 1: Eight pinyon jays (1 female) completed all rounds of the food experiment and 10 jays (4 female) completed all rounds of the social experiment (Table S1). A further 17 jays (6 female) from the colony were used as stooge conspecifics in the social experiment. Two jays were dropped from the social experiment due to unrelated health concerns.

Replicate 2: Four pinyon jays (1 female) completed all rounds of the food experiment and 10 jays (1 female) completed all rounds of the social experiment (Table S1). A further 12 jays (5 female) from the colony were used as stooge conspecifics in the social experiment.

The jays in the food experiment were housed in pairs, while the jays in the social experiment were individually housed. The subjects were not food restricted in either experiment.

Food Experiment

Apparatus. The food experiment was conducted in a bird cage (72 x 48 x 48 cm) with three perches. The cage abutted a plastic stand with sliding trays that had dishes attached that could contain mealworms (Figure S1).

Experimental Procedure. At the beginning of each trial, the experimenter placed the appropriate number of mealworms in each of the dishes. The subject hopped forward to one of the front perches to signal choice. The experimenter then removed the opposite dish and the subject had up to three minutes to consume the mealworms. Once the subject consumed all mealworms, the next trial began. Subjects experienced up to X trials per session and up to X trials per day. If the subject did not make a choice and/or did not finish all mealworms within three minutes, the session stopped.

Each bird experienced 10 repetitions for each of the 15 numerical pairs between 1 and 6 (e.g., 6 vs 5, 6 vs 4, 6 vs 3, etc.; Table S2). The side of the larger option was pseudo-randomized with no left or right runs longer than three in a row. The pairs were organized into blocks with one instance of each pair per block and pairs randomized within each block. Subjects ran in a randomized order each day.

Social Experiment

Apparatus. The apparatus was a Y maze where the subject entered a large chamber at the base of the maze and could choose one of two arms. Guillotine style doors separated the entrance chamber from the arms where a large bird cage housing the stooge birds was placed (Figure S2).

Experimental Procedure. The experimenter held the subject inside the apparatus and showed them each option for six seconds before releasing them into the entrance chamber. Once the subject crossed the threshold of one of the doors, *both* doors were gently closed. After three minutes elapsed, the handler collected the subject and returned them to their home cage. Subjects experience one trial per one to two sessions per day.

Each subject experienced five trials (replicate 1) or ten trials (replicate 2) for each of the numerical pairs between 1 and 6 (replicate 1). For replicate 2, we used all numerical pairs between 1 and 6 except those that required more than 8 birds (due to the constraints on the number of stooge conspecifics; Table S2). The side of the larger option was pseudo-randomized with no left or right runs longer than three consecutive trials. The pairs were organized into blocks with one instance of each pair per block and pairs randomized within each block. Subjects ran in a randomized order each day.

Data Analysis

All data were analyzed using the same pre-registered analyses (https://aspredicted.org/RVH_MNB) in R version 4.2.1 [38]. To test the first hypothesis, whether pinyon jays prefer larger over smaller numbers of food items and conspecifics, we conducted frequentist and Bayesian one sample t-tests (using the `ttestBF()` function from the *BayesFactor* package with default, noninformative priors [39]).

To test our second and third hypotheses, whether numerical difference and ratio predict preferences between smaller and larger options independently, we used generalized linear mixed-effects modeling. We used trial-level choices for either the larger (coded as 1) or smaller (coded as 0) option available in the number pair as the response variable. To investigate our hypotheses, we used model selection to compare which combination of random (subject, pair, or both) and fixed (ratio, difference, or a combination of both) effects best describe each data set (food and social)(Table S3). We draw inferences based on Bayesian statistics (BF_{10} values) where a $BF_{10} > 3$ is sufficient evidence for the alternative hypothesis, $BF_{10} < 1/3$ is sufficient evidence for the null hypothesis, and $1/3 < BF_{10} < 3$ indicate neither hypothesis has evidence supporting it (suggesting the sample size is too small to draw conclusions).

Results

Food Experiment

Our first hypothesis predicted that subjects would on average choose the larger number of mealworms over the smaller number across all of the numerical pairs. One sample t-tests provided strong and moderate evidence (respectively) that preferences were above chance (50%) in both replicate 1 ($t(7) = 4.82$, $p = .002$, $BF_{10} = 24.28$) and replicate 2 ($t(3) = 5.69$, $p = .011$, $BF_{10} = 6.70$).

For both replicates, the best-fitting random effect structure was no random effect structure. Next, the five fixed effect model structures were compared. The model with only the main effect of ratio best fit both data sets (Replicate 1: $BF_{10} = 1.87 \times 10^3$, Replicate 2: $BF_{10} = 3.79$). Thus, subjects in the food experiment used the ratio between the two numbers of mealworms to choose between options, with stronger preferences for larger options at smaller ratios (Figure 1). The model with the main effect of difference had extreme evidence supporting stronger preferences for larger options at larger differences for replicate 1 but not replicate 2 (Replicate 1: $BF_{10} = 459.68$, Replicate 2: $BF_{10} = 0.37$). Consequently, this only partially supports our second hypothesis (Figure 1). Additionally, our third hypothesis was not supported, as the interaction model with difference and ratio did not have a $BF_{10} > 3$ in either replication (see Tables S4 and S5 for full results).

Social Experiment

Hypothesis 1 predicted that subjects would choose the larger number of flock mates over the smaller. One sample t-tests provided strong evidence that our hypothesis was supported in replicate 1 ($M = 55.33$, 95% CI [52.34, 58.32], $t(9) = 4.03$, $p = .003$, $BF_{10} = 16.67$). However, evidence supported no difference from chance in replicate 2 ($M = 50.19$, 95% CI [47.06, 53.32], $t(9) = 0.13$, $p = .896$, $BF_{10} = 0.31$).

For hypotheses 2 and 3, we again used mixed effect model selection. No random effect structure was used for both replications. For fixed effects, the intercept only model best fit the data (Replicate 1: $BF_{10} = 0.07$, Replicate 2: $BF_{10} = 0.06$), suggesting that neither ratio nor difference influenced choice. Because no model other than the intercept only had evidence suggesting that it was true, neither hypotheses 2 or 3 were supported by the data (Figure 2).

Discussion

We examined pinyon jays' quantitative abilities in choosing between different numbers of food items and social partners. Over all numerical pairs, birds chose the larger of the two options in the food experiment but not in the social experiment, partially confirming our first hypothesis. In the food experiment, smaller numerical ratios predicted the birds' choices but only in the first replicate did larger differences predict birds' choices, partially confirming our second hypothesis. In the social experiment, neither ratio nor difference predicted choice,




Figure 1. Food experiment difference and ratio results for both replicates. Mean preference for the larger option is shown on the y axis with the numerical difference or ratio options on the x axis. (a) Preference for larger per difference in replicate 1. (b) Preference for larger per ratio in replicate 1. (c) Preference for larger per difference in replicate 2. (d) Preference for larger per ratio in replicate 2. Dots represent mean values across subjects and trials. Error bars represent 95% within-subject confidence intervals. Lines represent individual subject data.

contradicting our second hypothesis. In both the food and social experiments, difference and ratio did not independently predict choice, contradicting our third hypothesis.

In the food experiment, our pinyon jays preferred larger over smaller quantities more as the numerical ratios decrease, which aligns with previous corvid research demonstrating a numerical magnitude effect [20,24,27]. This provides evidence for pinyon jays using the approximate number system as a mechanism for quantification. However, unlike the previous corvid studies, we did not find conclusive evidence for the numerical distance effect, as number preference did not depend on the difference between two values in either replicate.

In the social experiment, neither ratio nor difference predicted choice, suggesting that pinyon jays do not employ a single mechanism across object types. This outcome is surprising, as previous quantification tasks with conspecifics in fish found effects of difference and ratio [2,3], suggesting that the mechanisms underlying quantification in food and social partners differ. The differences in numerical preference between food and social contexts




Figure 2. Social experiment difference and ratio results for both replicate 1 and 2. Mean preference for the larger option is shown on the y axis with the numerical difference or ratio options on the x axis. (a) Preference for larger per difference in replicate 1. (b) Preference for larger per ratio in replicate 1. (c) Preference for larger per difference in replicate 2. (d) Preference for larger per ratio in replicate 2. Dots represent mean values across subjects and trials. Error bars represent 95% within-subject confidence intervals. Lines represent individual subject data.

may be due to different selective pressures. Both foraging techniques and flock size have consequences for evolutionary fitness, but they tackle different adaptive problems. Food consumption acts primarily via natural selection by enhancing survival. Flock size, however, is integral to both natural and sexual selection: natural selection in the form of predator avoidance and sexual selection in the form of mate preference. Joining a larger flock allows an animal to dilute their chances of being eaten by predators (i.e., the dilution effect) but also provides a larger pool of potential mates. For food items and predation risk only number matters but for mate preference or other social preferences, the identity of the partners matters. One possible explanation for the lack of a ratio or difference effect for the social preference task is that individual identity of birds overrides the importance of number. An exploratory follow-up analysis of our data showed wide variation in preferences for groups that contained individual stooge birds (Table S6). Pinyon jays have complex, long-term bonds with other flock members and mates [40], which may make identity of group mates more important than sheer numbers. Moreover, the birds in our studies did

not experience signals of predation danger during the experiment. Without pressure to dilute risk in larger groups, the birds may have ignored group size, allowing them to use other information such as social partner identity to determine choice.

Our study design does not allow us to pinpoint the exact features by which the birds make these quantitative choices. For the food preference tasks, the birds may choose larger *numbers* of food items or larger *amounts* of them. Using number involves tracking the quantity of individuated objects. However, in many cases, animals choose based on amount, which refers to other measures or proxies of quantity such as item size, surface area, volume, perimeter, and density [5,41–43]. It is possible that our jays used, for example, surface area to choose their food items. This is a reasonable criteria because surface area may be a better proxy of total calories than absolute number. Future work is needed to tease apart which features birds use to make quantitative decisions.

Conclusion

This research investigated how pinyon jays assess numbers of food items and specifics in preference tasks. For food items, numerical ratio predicted their choices in both replicates while numerical difference predicted choice in only the first replicate, but neither ratio nor difference predicted choices in the social experiment. Though quantity is important for selecting food items, other factors such as flock mate identity may be more important for selecting social groups to join. Thus, in quantification situations, the type of objects to be quantified may drive the cognitive processes that animals use. Furthermore, many adaptive problems beyond foraging require sensitivity to quantities, and we encourage further exploration of numerical cognition of non-food objects.

Acknowledgments

This research was funded by a National Science Foundation grant (NSF-1658837). We would like to thank Kylie Hughes, Toria Biancalana, Hailey Wilson, Bailey Wilson, Isaac Martinez, and Rachel Bruner for helping run the experiments and care for our birds.

Author Contributions

Wolff: Conceptualization, Data Curation, Formal Analysis, Methodology, Project Administration, Resources, Supervision, Software, Validation, Visualization, Writing – Original Draft Preparation, Writing-review & editing. **Trevino:** Investigation, Project Administration, Resources, Visualization, Writing – Review & Editing. **Stevens:** Conceptualization, Formal Analysis, Funding Acquisition, Methodology, Investigation, Software, Supervision, Validation, Visualization, Writing – review & editing.

Conflict of interest: The authors declared that no conflicts of interest exist.

Data Availability: The data and analysis code are available at: <https://>.

219 **Ethics approval**

220 All procedures were conducted in an ethical and responsible manner, in full compli-
221 ance with all relevant codes of experimentation and legislation and were approved by the
222 UNL Internal Review Board (protocol # 17922) and Institutional Animal Care and Use
223 Committee (protocol # 1621).

References

1. Dacke M, Srinivasan MV. 2008 Evidence for counting in insects. *Animal Cognition* **11**, 683–689. (doi:10.1007/s10071-008-0159-y)
2. Agrillo C, Dadda M, Serena G, Bisazza A. 2008 Do fish count? Spontaneous discrimination of quantity in female mosquitofish. *Animal Cognition* **11**, 495–503. (doi:10.1007/s10071-008-0140-9)
3. Agrillo C, Dadda M. 2007 Discrimination of the larger shoal in the poeciliid fish *Girardinus falcatus*. *Ethology Ecology & Evolution* **19**, 145–157. (doi:10.1080/08927014.2007.9522574)
4. Agrillo C, Piffer L, Bisazza A. 2011 Number versus continuous quantity in numerosity judgments by fish. *Cognition* **119**, 281–287. (doi:10.1016/j.cognition.2010.10.022)
5. Uller C, Jaeger R, Guidry G, Martin C. 2003 Salamanders (*Plethodon cinereus*) go for more: Rudiments of number in an amphibian. *Animal Cognition* **6**, 105–112. (doi:10.1007/s10071-003-0167-x)
6. Xia L, Emmerton J, Siemann M, Delius JD. 2001 Pigeons (*Columba livia*) learn to link numerosities with symbols. *Journal of Comparative Psychology (Washington, D.C.: 1983)* **115**, 83–91. (doi:10.1037/0735-7036.115.1.83)
7. Emmerton J, Renner JC. 2006 Scalar effects in the visual discrimination of numerosity by pigeons. *Learning & Behavior* **34**, 176–192. (doi:10.3758/BF03193193)
8. Emmerton J, Renner JC. 2009 Local rather than global processing of visual arrays in numerosity discrimination by pigeons (*Columba livia*). *Animal Cognition* **12**, 511–526. (doi:10.1007/s10071-009-0212-5)
9. Vonk J, Beran MJ. 2012 Bears ‘count’ too: Quantity estimation and comparison in black bears, *Ursus americanus*. *Animal Behaviour* **84**, 231–238. (doi:10.1016/j.anbehav.2012.05.001)
10. Nieder A. 2018 Evolution of cognitive and neural solutions enabling numerosity judgements: Lessons from primates and corvids. *Philosophical Transactions of the Royal Society B: Biological Sciences* **373**, 20160514. (doi:10.1098/rstb.2016.0514)
11. Call J. 2000 Estimating and operating on discrete quantities in Orangutans (*Pongo pygmaeus*). *Journal of Comparative Psychology* **114**, 136–147. (doi:10.1037/0735-7036.114.2.136)
12. Beran M. 2001 Summation and numerosness judgments of sequentially presented sets of items by chimpanzees (*Pan troglodytes*). *Journal of comparative psychology (Washington, D.C. : 1983)* **115**, 181–91. (doi:10.1037//0735-7036.115.2.181)
13. White DJ, Ho L, Freed-Brown G. 2009 Counting Chicks Before They Hatch: Female Cowbirds Can Time Readiness of a Host Nest for Parasitism. *Psychological Science* **20**, 1140–1145. (doi:10.1111/j.1467-9280.2009.02418.x)
14. Carazo P, Fernández-Perea R, Font E. 2012 Quantity Estimation Based on Numerical Cues in the Mealworm Beetle (*Tenebrio molitor*). *Frontiers in Psychology* **3**, 502. (doi:10.3389/fpsyg.2012.00502)

- 253 15. Arak A. 1983 Vocal interactions, call matching and territoriality in a Sri Lankan
treefrog, *Philautus leucorhinus* (Rhacophoridae). *Animal Behaviour* **31**, 292–302.
254 (doi:10.1016/S0003-3472(83)80199-7)
- 255 16. Nieder A. 2020 The Adaptive Value of Numerical Competence. *Trends in Ecology &*
256 *Evolution* **35**, 605–617. (doi:10.1016/j.tree.2020.02.009)
- 257 17. Agrillo C, Miletto Petrazzini ME, Bisazza A. 2017 Numerical abilities in
fish: A methodological review. *Behavioural Processes* **141**, 161–171.
258 (doi:10.1016/j.beproc.2017.02.001)
- 259 18. Yang T-I, Chiao C-C. 2016 Number sense and state-dependent valuation in cut-
tlefish. *Proceedings of the Royal Society B: Biological Sciences* **283**, 20161379.
260 (doi:10.1098/rspb.2016.1379)
- 261 19. Feigenson L, Dehaene S, Spelke E. 2004 Core systems of number. *Trends in Cognitive*
262 *Sciences* **8**, 307–314. (doi:10.1016/j.tics.2004.05.002)
- 263 20. Ditz HM, Nieder A. 2016 Numerosity representations in crows obey the Weber–
Fechner law. *Proceedings of the Royal Society B: Biological Sciences* **283**, 20160083.
264 (doi:10.1098/rspb.2016.0083)
- 265 21. Dehaene S, Dehaene-Lambertz G, Cohen L. 1998 Abstract representations of num-
bers in the animal and human brain. *Trends in Neurosciences* **21**, 355–361.
266 (doi:10.1016/S0166-2236(98)01263-6)
- 267 22. Agrillo C, Beran MJ. 2013 Number without language: Comparative psychology and
the evolution of numerical cognition. *Frontiers in psychology*
- 268 23. Agrillo C, Bisazza A. 2014 Spontaneous versus trained numerical abili-
ties. A comparison between the two main tools to study numerical compe-
269 tence in non-human animals. *Journal of Neuroscience Methods* **234**, 82–91.
270 (doi:10.1016/j.jneumeth.2014.04.027)
- 271 24. Kelly EM. 2016 Counting on your friends: The role of social environment on quantity
discrimination. *Behavioural Processes* **128**, 9–16. (doi:10.1016/j.beproc.2016.03.019)
- 272 25. Scarf D, Hayne H, Colombo M. 2011 Pigeons on Par with Primates in Numerical
Competence. *Science* (doi:10.1126/science.1213357)
- 273 26. Rugani R, Cavazzana A, Vallortigara G, Regolin L. 2013 One, two, three, four, or is
there something more? Numerical discrimination in day-old domestic chicks. *Animal*
274 *Cognition* **16**, 557–564. (doi:10.1007/s10071-012-0593-8)
- 275 27. Tornick JK, Callahan ES, Gibson BM. 2015 An investigation of quantity discrimi-
nation in Clark’s nutcrackers (*Nucifraga columbiana*). *Journal of Comparative Psy-*
276 *chology (Washington, D.C.: 1983)* **129**, 17–25. (doi:10.1037/a0037863)
- 277 28. Ditz HM, Nieder A. 2015 Neurons selective to the number of visual items in the
corvid songbird endbrain. *Proceedings of the National Academy of Sciences* **112**,
278 7827–7832. (doi:10.1073/pnas.1504245112)
- 279 29. Cantlon JF, Brannon EM. 2006 Shared System for Ordering Small and
Large Numbers in Monkeys and Humans. *Psychological Science* **17**, 401–406.
280 (doi:10.1111/j.1467-9280.2006.01719.x)
- 281
- 282

- 283 30. Merten K, Nieder A. 2009 Compressed scaling of abstract numerosity representations
in adult humans and monkeys. *Journal of Cognitive Neuroscience* **21**, 333–346.
284 (doi:10.1162/jocn.2008.21032)
- 285 31. Hanus D, Call J. 2007 Discrete quantity judgments in the great apes (*Pan panis-*
cus, *Pan troglodytes*, *Gorilla gorilla*, *Pongo pygmaeus*): The effect of presenting
whole sets versus item-by-item. *Journal of Comparative Psychology* **121**, 241–249.
286 (doi:10.1037/0735-7036.121.3.241)
- 287 32. Evans TA, Beran MJ, Harris EH, Rice DF. 2009 Quantity judgments of sequentially
presented food items by capuchin monkeys (*Cebus apella*). *Animal Cognition* **12**,
288 97–105. (doi:10.1007/s10071-008-0174-z)
- 289 33. Buckingham JN, Wong BBM, Rosenthal GG. 2007 Shoaling decisions in fe-
male swordtails: How do fish gauge group size? *Behaviour* **144**, 1333–1346.
290 (doi:10.1163/156853907782418196)
- 291 34. Gómez-Laplaza LM, Gerlai R. 2016 Discrimination of large quantities: Weber’s law
and short-term memory in angelfish, *Pterophyllum scalare*. *Animal Behaviour* **112**,
292 29–37. (doi:10.1016/j.anbehav.2015.10.022)
- 293 35. Krause J, Ruxton GD. 2002 *Living in Groups*. OUP Oxford.
- 294 36. Silk MJ, Croft DP, Tregenza T, Bearhop S. 2014 The importance of fission–fusion
social group dynamics in birds. *Ibis* **156**, 701–715. (doi:10.1111/ibi.12191)
- 295 37. Gómez-Laplaza LM, Gerlai R. 2011 Can angelfish (*Pterophyllum scalare*) count?
296 Discrimination between different shoal sizes follows Weber’s law. *Animal Cognition*
297 **14**, 1–9. (doi:10.1007/s10071-010-0337-6)
- 298 38. R Core Team. 2022 *R: A language and environment for statistical computing*.
299 Vienna, Austria: R Foundation for Statistical Computing. See [https://www.R-](https://www.R-project.org/)
300 [project.org/](https://www.R-project.org/).
- 301 39. Morey RD, Rouder JN. 2018 *BayesFactor: Computation of bayes factors for common*
302 *designs*. See <https://CRAN.R-project.org/package=BayesFactor>.
- 303 40. Marzluff JM, Balda RP. 1992 *The Pinyon Jay: Behavioral Ecology of a Colonial and*
304 *Cooperative Corvid*. First Edition. London: Academic Press.
- 305 41. Menzel EW. 1960 Selection of food by size in the chimpanzee, and comparison with
306 human judgments. *Science* **131**, 1527–1528. (doi:10.1126/science.131.3412.1527)
- 307 42. Stevens JR, Wood JN, Hauser MD. 2007 When quantity trumps number: Discrimina-
tion experiments in cotton-top tamarins (*Saguinus oedipus*) and common marmosets
(*Callithrix jacchus*). *Animal Cognition* **10**, 429–437. (doi:10.1007/s10071-007-0081-
308 8)
- 309 43. Gómez-Laplaza LM, Romero L, Gerlai R. 2019 The role of item size on choosing
contrasted food quantities in angelfish (*Pterophyllum scalare*). *Scientific Reports* **9**,
310 15305. (doi:10.1038/s41598-019-51753-1)