

Route decision: Port of Shanghai → Port of Rotterdam


PORT-SHANGHAI → PORT-ROTTERDAM · mode sea (STRICT) · cargo general · priority normal · scenarios: none · planned 2026-09-29 13:47 UTC

Recommendation: SAFEST / BALANCED, SEA via Malacca, Babel, Suez, Gibral. Expected arrival in **643 h** (26.8 days); plan for 657 h (p85), worst case 679 h (p95). Cost: freight ¥489,865. Peak leg risk 8%.

Options

Option	Mode	Via	Plan h	p50 h	p85 h	p95 h	Freight	Risk
FASTEST	SEA	Malacca, Babel, Suez, Gibral	520	635	660	682	¥429,236	18%
SAFEST / BALANCED	SEA	Malacca, Babel, Suez, Gibral	538	643	657	679	¥489,865	8%

ETA bands (bar p50–p95, tick p85, line plan → fully-correlated worst case)



Routes



Recommended route solid, alternatives dashed. Blue sea, amber air, green rail, orange road.

FASTEST: SEA via Malacca, Babel, Suez, Gibral

SEA via Malacca, Babel, Suez, Gibral; expected 635.0 h (p85 660.5 h, p95 682.1 h), ¥429,236 freight, 0 handoffs. 8.4 h faster than the next option. ¥60,566 cheaper (freight) than the lowest-cost alternative.

#	Mode	To	km	Hours	Delay p85	Cost	Risk	Signal
1	SEA	Strait of Malacca	3,810	108.9	+26.6	¥89,910	0%	
2	SEA	Bab el-Mandeb Strait	6,585	188.1	+27.5	¥155,385	0%	
3	SEA	Suez Canal	2,302	65.8	+28.5	¥54,326	0%	
4	SEA	Strait of Gibraltar	3,548	101.4	+20.6	¥83,725	0%	
5	SEA	Port of Rotterdam	1,945	55.6	+55.3	¥45,892	18%	LIVE_NEWS: Temporary transformer in Europoort relieves grid congestion - Port of Rotterdam

Transit 519.7 h + transfers 0.0 h + announced scenario delay 0.0 h = plan 519.7 h. Model delay buffer p50/p85/p95: +115.3 / +158.6 / +208.2 h. Route band p50 635.0 h, p85 660.5 h, p95 682.1 h (independent legs); 727.9 h if all legs are late together. Costs: linehaul ¥429,236, transfers ¥0, disruption surcharge ¥0.

Why the slowest leg (CHOKE-GIBRAL → PORT-ROTTERDAM, p85 55.3 h) is slow: exact Shapley attribution of the p85 delay model, hours relative to a 28.9 h baseline



SAFEST / BALANCED: SEA via Malacca, Babel, Suez, Gibral

SEA via Malacca, Babel, Suez, Gibral; expected 643.4 h (p85 657.4 h, p95 678.6 h), ¥489,865 freight, 2 handoffs. 8.4 h slower than FASTEST. ¥60,566 more (freight) than FASTEST.

#	Mode	To	km	Hours	Delay p85	Cost	Risk	Signal
1	SEA	Strait of Malacca	3,810	108.9	+26.6	¥89,910	0%	
2	SEA	Bab el-Mandeb Strait	6,585	188.1	+27.5	¥155,385	0%	
3	SEA	Suez Canal	2,302	65.8	+28.5	¥54,326	0%	
4	SEA	Strait of Gibraltar	3,548	101.4	+20.6	¥83,725	0%	
5	SEA	Rotterdam Distripark	1,933	55.2	+27.5	¥45,620	0%	
6	handoff	Rotterdam Distripark		4.0	+0.0	¥15,732	3%	
7	ROAD	Port of Rotterdam	31	0.5	+3.6	¥5,843	0%	
8	handoff	Port of Rotterdam		14.0	+0.0	¥39,329	8%	

Transit 519.8 h + transfers 18.0 h + announced scenario delay 0.0 h = plan 537.8 h. Model delay buffer p50/p85/p95: +105.6 / +134.4 / +181.5 h. Route band p50 643.4 h, p85 657.4 h, p95 678.6 h (independent legs); 719.4 h if all legs are late together. Costs: linehaul ¥434,805, transfers ¥55,060, disruption surcharge ¥0.

Why the slowest leg (CHOKE-BABEL → CHOKE-SUEZ, p85 28.5 h) is slow: exact Shapley attribution of the p85 delay model, hours relative to a 28.9 h baseline



Method: legs are priced with gradient-boosted quantile models (p50/p85/p95) trained on synthetic delays fitted to published UNCTAD, World Bank and STB statistics; FASTEST plans on p50, BALANCED on p85 (plus cargo carrying cost when a value is given), SAFEST on p95 plus 240 risk-hours per unit of threat. Route bands assume independent legs. Sea distances are great-circle between chokepoint waypoints. Currency conversion: live (open.er-api.com) as of Tue, 29 Sep 2026 00:02:31 +0000.